



Verizon – Quality Baseline Validation Test Deck

Serving California, Florida and Texas

LSOG9

Test Deck Version 26.5

Release Date: October 21, 2013
Publication Date: October 25, 2013

Notices

DISCLAIMER

This technical documentation is for general information purposes only. This documentation does not obligate Verizon to provide services in the manner described herein. Verizon reserves the right as its sole option to modify or revise the information contained in this technical documentation at any time without prior notice.

In addition to and without limitation of any other limitation of liability of Verizon or its affiliated companies set forth in an applicable contract or tariff, or elsewhere, in no event shall Verizon or its affiliated companies, or their agents, employees, directors, officers, representatives, or suppliers, be liable under contract, warranty, tort (including but not limited to the negligence of Verizon or its affiliates), or any other legal theory, for any incidental, consequential, special or indirect damages arising from or relating to this document or its contents, even if advised of the possibility of such damages.

© 2013 Verizon Corporation
All rights reserved.

Table of Contents

1.1 CHANGE LOG 1-1
1.2 OVERVIEW..... 1-2

2.1 PRE-ORDERING SCENARIOS MATRIX 2-1
2.2 PRE-ORDERING SCENARIOS..... 2-2

3.1 ORDERING SCENARIOS MATRIX..... 3-1
3.2 ORDERING SCENARIOS 3-2

1.1 Change Log

The following table documents all major changes to the Test Deck since the October 2013 publication, Version 26.0

Change Number	Scenario Number	Description of Change	Changed from Version
1	PreOrder and Order	CTE In's and Out's	26.0
2	Order	Replace Order #8 and #9 CTE In's and Out's	26.1
3	PreOrder and Order	Replace PO #49 and Order #21 #28 and #13	26.2
4	Order	Replace order #16	26.3
5	PreOrder and Order	Production In's and Out's	26.4

1.2 Overview

The purpose of the Verizon – Quality Baseline Validation Test Deck is to provide CLECs/Resellers with typical wholesale Pre-Ordering and Ordering scenarios and the corresponding messages and LSRs. This test bed contains only a subset of the possible scenarios for a CLEC/Reseller. These scenarios are not comprehensive and it is not recommended that these be the only scenarios tested by the CLEC/Reseller. They should be used as a starting point.

CLECs who intend to use an address in St. Petersburg, Florida area need to contact their Testing Coordinator for the correct address format, or refer to the examples in this document for formatting.

For Pre-Ordering scenarios, a sample inbound EDI request and the corresponding outbound EDI response have been provided. For Ordering scenarios, the LSR, the inbound EDI request, and the outbound EDI response are provided.

2.1 Pre-Ordering Scenarios Matrix

Scenario Number	LSOG Version	State	Transaction	Scenario Description	System	Account Information
1	9	CA	Address Validation	Perform Address Validation using an invalid sub-location of Apt 999.	EDI	1204 E Thousand Oaks Blvd Apt 999 Thousand Oaks CA 91362
2	9	FL	Address Validation	Perform Address Validation using FULL address.	EDI	14917 Zambito Rd Apt 100 Tampa FL 33618
3A (part 1 of 2)	9	FL	TN Reservation	Reserve a Single Residential Measured Rate TN for scenario #2.	EDI	14917 Zambito Rd Apt 100 Tampa FL 33618
3B (part 2 of 2)	9	FL	Due Date Reservation	Reserve Due Date for scenario #2.	EDI	14917 Zambito Rd Apt 100 Tampa FL 33618
4	9	FL	TN Reservation	Modify an existing reservation, for scenario #2 to add a new TN.	EDI	14917 Zambito Rd Apt 100 Tampa FL 33618
5	9	CA	Address Validation	Perform Address Validation using FULL address.	EDI	3630 State St Ste 200 Santa Barbara CA 93105
6	9	CA	TN Reservation	Reserve a Single Business Flat Rate TN for scenario #5.	EDI	805/569-1171
7	9	FL	TN Reservation	Cancel BOTH TN reservations for Scenario #2.	EDI	14917 Zambito Rd Apt 100 Tampa FL 33618
8	9	CA	Due Date Availability	View Due Date Availability for scenario #5.	EDI	3630 State St Ste 200 Santa Barbara CA 93105
9	9	CA	Due Date Reservation	Schedule Due Date Reservation for scenario #5.	EDI	3630 State St Ste 200 Santa Barbara CA 93105
10	9	CA	Cancel Reservation	Cancel entire reservation (TN,DD) for scenario #5.	EDI	3630 State St Ste 200 Santa Barbara CA 93105
11	9	FL	PIC Availability	View PIC Availability.	EDI	813/994
12	9	TX	Feature Availability	View Feature Availability.	EDI	972/205

Scenario Number	LSOG Version	State	Transaction	Scenario Description	System	Account Information
13	9	TX	Customer Service Inquiry (CSI)	Request a CSI for Retail customer.	EDI	972/205-0111
14	9	CA	Customer Service Inquiry (CSI)	Request a CSI for a Resale customer.	EDI	805/569-0075
15	9	FL	Customer Service Inquiry (CSI)	Request a CSI for a UNE customer.	EDI	813/870-0040
17	9	TX	Loop Qualification	Perform a Loop Qualification with WTN.	EDI	817/410-9005
18	9	FL	Loop Qualification	Perform a Loop Qualification with multiple WTNs.	EDI	727/599-2100 813/651-2312
19	9	FL	Loop Qualification	Perform a Loop Qualification with Address.	EDI	5651 6th Way S St Petersburg FL 33705
23	9	CA	Customer Service Inquiry (CSI)	Request a CSI with “Remarks” for a Retail customer.	EDI	310/587-2356
25	9	CA	Customer Service Inquiry (CSI)	Obtain stand-alone RFIC/BFIC Directory Account Information.	EDI	310/393-0003
27	9	TX	Customer Service Inquiry (CSI)	Request a CSR for Retail hunt business customer.	EDI	214/222-3776
29	9	FL	Customer Service Inquiry (CSI)	Request a CSR for Retail business customer with caption listing	EDI	813/792-1251
31	9	FL	Customer Service Inquiry (CSI)	Request a CSR for Loop or Line Share Customer	EDI	813/221-7389
33	9	TX	Address Validation	Perform Address Validation using FULL address to obtain FTTP data if available	EDI	640 Johnson Rd Keller, TX 76248
35	9	CA	Co-Location Facility Assignment Inquiry (CFAI)	Perform CFAI transaction to obtain co-location information.	EDI	

Scenario Number	LSOG Version	State	Transaction	Scenario Description	System	Account Information
37	9	CA	Address Validation	Perform Address Validation using FULL address to precede FAI transaction.	EDI	6332 Flint Dr Huntington Beach, CA 92647
38	9	CA	Fiber Availability Inquiry (FAI)	Perform FAI transaction to obtain fiber information.	EDI	6332 Flint Dr Huntington Beach, CA 92647
41	9	CA	Address Validation	Address Validation Returns Alternative	EDI	1314 7 St., Santa Monica, CA 90401
43	9	TX	Address Validation	Perform Address Validation Using FULL Address	EDI	8313 Princeton Rd, Rowlett TX 75089
44	9	TX	Appointment Scheduling	Reserve Due Date for Scenario #43	EDI	8313 Princeton Rd, Rowlett TX 75089
45	9	TX	Appointment Scheduling	Change Due Date Previously Reserved in Scenario #44	EDI	8313 Princeton Rd, Rowlett TX 75089
49	9	FL	Service Order Inquiry Process (SOIP)	Perform Service Order Inquiry by ATN to Obtain Service Order List	EDI	610 E Zack St., Suite 217, Tampa, FL 33602, 813/272-9719
50	9	FL	Service Order Inquiry Process (SOIP)	Perform Service Order Inquiry by Order Number to Obtain Service Order Detail	EDI	610 E Zack St., Suite 217, Tampa, FL 33602, 813/272-9719

2.2 Pre-Ordering Scenarios

- Inbound Request
- Outbound Responses

Scenario Number: 1
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Address Validation
Scenario Description: Perform Address Validation using an invalid sub-location of Apt 999.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329284*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329284*X*004050
 ST*850*0001
 BEG*28*IN*C9PO11020S**20131020
 SI*TI*IQ*A
 SI*TI*IR*A
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**CA*91362
 NX2*01*1204
 NX2*03*E
 NX2*02*THOUSAND OAKS
 NX2*62*BLVD
 NX2*13*9999
 NX2*07*THOUSAND OAKS
 CTT*1
 SE*18*0001
 GE*1*329329284
 IEA*1*329329284

Scenario Number: 1
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Address Validation
Scenario Description: Perform Address Validation using an invalid sub-location of Apt 999.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808`*00405*100005951*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005951*X*004050
ST*855*0001
BAK*11*AT*C9PO11020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*A*IR*A
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
QTY*AG*46*EA
SLN*1*1*O
N1*IT*NONE
N4**CA*91362
NX2*01*1204
NX2*03*E
NX2*02*THOUSAND OAKS
NX2*62*BLVD
NX2*13*9999
NX2*07*THOUSAND OAKS
SLN*1*2*O
N9*1Q*705*PRESPC
MTX**Additional address alternatives exist. Please provide additional address information, modify and resubmit query. If you still have
problems, contact VERIZON NMC to process your Pre-Order Request.
SLN*1*3*O
MTX*LOC*1204 E THOUSAND OAKS BLVD THOUSAND OAKS,CA,91362
SLN*1*4*O
    
```

MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 0 THOUSAND OAKS,CA,91362
 SLN*1*5*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 1 THOUSAND OAKS,CA,91362
 SLN*1*6*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 1 THOUSAND OAKS,CA,91362
 SLN*1*7*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 2 THOUSAND OAKS,CA,91362
 SLN*1*8*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 3 THOUSAND OAKS,CA,91362
 SLN*1*9*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 4 THOUSAND OAKS,CA,91362
 SLN*1*10*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 5 THOUSAND OAKS,CA,91362
 SLN*1*11*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 6 THOUSAND OAKS,CA,91362
 SLN*1*12*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 7 THOUSAND OAKS,CA,91362
 SLN*1*13*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD UNIT 8 THOUSAND OAKS,CA,91362
 SLN*1*14*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 100 THOUSAND OAKS,CA,91362
 SLN*1*15*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 101 THOUSAND OAKS,CA,91362
 SLN*1*16*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 110 THOUSAND OAKS,CA,91362
 SLN*1*17*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 201 THOUSAND OAKS,CA,91362
 SLN*1*18*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 500 THOUSAND OAKS,CA,91362
 SLN*1*19*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 504 THOUSAND OAKS,CA,91362
 SLN*1*20*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 506 THOUSAND OAKS,CA,91362
 SLN*1*21*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 507 THOUSAND OAKS,CA,91362
 SLN*1*22*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 508 THOUSAND OAKS,CA,91362

SLN*1*23*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 510 THOUSAND OAKS,CA,91362
 SLN*1*24*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 518 THOUSAND OAKS,CA,91362
 SLN*1*25*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 520 THOUSAND OAKS,CA,91362
 SLN*1*26*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 601 THOUSAND OAKS,CA,91362
 SLN*1*27*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 604 THOUSAND OAKS,CA,91362
 SLN*1*28*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 605 THOUSAND OAKS,CA,91362
 SLN*1*29*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 608 THOUSAND OAKS,CA,91362
 SLN*1*30*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 612 THOUSAND OAKS,CA,91362
 SLN*1*31*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 616 THOUSAND OAKS,CA,91362
 SLN*1*32*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 617 THOUSAND OAKS,CA,91362
 SLN*1*33*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 618 THOUSAND OAKS,CA,91362
 SLN*1*34*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 619 THOUSAND OAKS,CA,91362
 SLN*1*35*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 622 THOUSAND OAKS,CA,91362
 SLN*1*36*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 624 THOUSAND OAKS,CA,91362
 SLN*1*37*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 629 THOUSAND OAKS,CA,91362
 SLN*1*38*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 642 THOUSAND OAKS,CA,91362
 SLN*1*39*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD STE 700 THOUSAND OAKS,CA,91362
 SLN*1*40*O
 MTX*LOC*1204 E THOUSAND OAKS BLVD APT 701 THOUSAND OAKS,CA,91362
 SLN*1*41*O

MTX*LOC*1204 E THOUSAND OAKS BLVD STE 706 THOUSAND OAKS,CA,91362
SLN*1*42*O
MTX*LOC*1204 E THOUSAND OAKS BLVD STE 707 THOUSAND OAKS,CA,91362
SLN*1*43*O
MTX*LOC*1204 E THOUSAND OAKS BLVD STE 800 THOUSAND OAKS,CA,91362
SLN*1*44*O
MTX*LOC*1204 E THOUSAND OAKS BLVD APT A THOUSAND OAKS,CA,91362
SLN*1*45*O
MTX*LOC*1204 E THOUSAND OAKS BLVD APT B THOUSAND OAKS,CA,91362
SLN*1*46*O
MTX*LOC*1204 E THOUSAND OAKS BLVD APT C THOUSAND OAKS,CA,91362
SLN*1*47*O
MTX*LOC*1204 E THOUSAND OAKS BLVD APT D THOUSAND OAKS,CA,91362
SLN*1*48*O
MTX*LOC*1204 E THOUSAND OAKS BLVD APT E THOUSAND OAKS,CA,91362
CTT*1
SE*115*0001
GE*1*100005951
IEA*1*100005951

Scenario Number: 2
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Address Validation
Scenario Description: Perform Address Validation using FULL address.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329285*0*T*~
GS*PO*ZZ1*SIGS*20131020*0808*329329285*X*004050
ST*850*0001
BEG*28*IN*C9PO23471020S**20131020
SI*TI*IQ*A
SI*TI*IR*A
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
N1*IT*NONE
N4**FL*33618
NX2*01*14917
NX2*02*ZAMBITO
NX2*62*RD
NX2*13*100
NX2*07*TAMPA
CTT*1
SE*17*0001
GE*1*329329285
IEA*1*329329285

Scenario Number: 2
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Address Validation
Scenario Description: Perform Address Validation using FULL address.

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0808`*00405*100005931*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005931*X*004050
ST*855*0001
BAK*11*AT*C9PO23471020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*A*IR*A
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*OP*Y
QTY*AG*0*EA
SLN*1*1*O
SI*TI*LS*813960
SI*ZZ*FC*N
SLN*1*2*O
SI*TI*WT*8139600012
N1*IT*NONE
N4**FL*33618
NX2*01*14917
NX2*02*ZAMBITO
NX2*62*RD
NX2*13*100
NX2*07*TAMPA
SLN*1*3*O
SI*TI*LO*CRWDFLXA96H
SLN*1*4*O
N9*1Q*042*PRESPC

MTX**Exact Match Found.

CTT*1

SE*29*0001

GE*1*100005931

IEA*1*100005931

Scenario Number: 3A
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: TN Reservation
Scenario Description: Reserve a Single Residential Measured Rate TN for scenario #2.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0812*U*00405*329329540*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0812*329329540*X*004050
 ST*850*0001
 BEG*28*IN*C9PO23471020S**20131020
 SI*TI*IQ*B
 SI*TI*IR*R
 SI*TI*RE*EB
 SI*TI*AA*N
 SI*TI*TY*2BM-
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SI*TI*L3*A
 SI*TI*T0*N
 QTY*B3*1*EA
 CTT*1
 SE*16*0001
 GE*1*329329540
 IEA*1*329329540

Scenario Number: 3A
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: TN Reservation
Scenario Description: Reserve a Single Residential Measured Rate TN for scenario #2.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0812*`*00405*100005954*0*P*~
GS*PR*020744533*ZZ1*20131020*0812*100005954*X*004050
ST*855*0001
BAK*11*AT*C9PO23471020S*20131020
REF*IX*P0150415*RESID
DTM*097*20131020*0812
SI*TI*IQ*B*IR*R*RE*EB*AA*N*TY*2BM-
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*L3*A
SLN*1*1*O
SI*TI*RV*8139687319
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*3*O
N9*1Q*814*PRESPC
MTX**Please record the Response Identifier (RESID) for later use for CCNA/CC/ST and TXNUM combination.
SLN*1*4*O
N9*1Q*593*PRESPC
MTX**Telephone Number Assignments are not finalized until the work is installed and VERIZON's service order has been completed. In
order to retain the telephone number reservation, an LSR must be submitted within 30 days.
SLN*1*5*O
N9*1Q*594*PRESPC
MTX**A vanity charge may apply relative to the quantity of telephone numbers queried/reserved based upon state tariff guidelines.
```

CTT*1
SE*26*0001
GE*1*100005954
IEA*1*100005954

Scenario Number: 3B
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Due Date Reservation
Scenario Description: Reserve Due Date for scenario #2.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0813*U*00405*329329587*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0813*329329587*X*004050
 ST*850*0001
 BEG*28*IN*C9PO23471020S**20131020
 SI*TI*IQ*D
 SI*TI*IR*R
 SI*TI*TY*2BM-
 SI*TI*RE*EB
 SI*TI*AA*N
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SI*TI*CB*8134833343
 QTY*B3*1*EA
 CTT*1
 SE*15*0001
 GE*1*329329587
 IEA*1*329329587

Scenario Number: 3B
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Due Date Reservation
Scenario Description: Reserve Due Date for scenario #2.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0813``*00405*100005956*0*P*~
GS*PR*020744533*ZZ1*20131020*0813*100005956*X*004050
ST*855*0001
BAK*11*AT*C9PO23471020S*20131020
REF*IX*P0150415*RESID
DTM*097*20131020*0813
SI*TI*IQ*D*IR*R*RE*EB*AA*N*TY*2BM-
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
PID*X**TI*AC*A
SLN*1*1*O
DTM*018*20131029
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*3*O
N9*1Q*587*PRESPC
MTX**In order to retain the scheduling reservation, a LSR must be submitted within 5 business hours.
SLN*1*4*O
N9*1Q*704*PRESPC
MTX**Dispatch may be required when more than one line is ordered.
CTT*1
SE*23*0001
GE*1*100005956
IEA*1*100005956
```

Scenario Number: 4
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: TN Reservation
Scenario Description: Modify an existing reservation, for scenario #2 to add a new TN.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0813*U*00405*329329637*0*T*~
GS*PO*ZZ1*SIGS*20131020*0813*329329637*X*004050
ST*850*0001
BEG*28*IN*C9PO23471020S**20131020
SI*TI*IQ*B
SI*TI*IR*R
SI*TI*RE*EB
SI*TI*AA*N
SI*TI*TY*2BM-
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*L3*A
SI*TI*T0*N
QTY*B3*1*EA
CTT*1
SE*16*0001
GE*1*329329637
IEA*1*329329637

Scenario Number: 4
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: TN Reservation
Scenario Description: Modify an existing reservation, for scenario #2 to add a new TN.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0814*`*00405*100005958*0*P*~
GS*PR*020744533*ZZ1*20131020*0814*100005958*X*004050
ST*855*0001
BAK*11*AT*C9PO23471020S*20131020
REF*IX*P0150415*RESID
DTM*097*20131020*0814
SI*TI*IQ*B*IR*R*RE*EB*AA*N*TY*2BM-
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*L3*A
SLN*1*1*O
SI*TI*RV*8139687319
SLN*1*2*O
SI*TI*RV*8139687329
SLN*1*3*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*4*O
N9*1Q*593*PRESPC
MTX**Telephone Number Assignments are not finalized until the work is installed and VERIZON's service order has been completed. In
order to retain the telephone number reservation, an LSR must be submitted within 30 days.
SLN*1*5*O
N9*1Q*594*PRESPC
MTX**A vanity charge may apply relative to the quantity of telephone numbers queried/reserved based upon state tariff guidelines.
CTT*1
SE*25*0001
```


GE*1*100005958

IEA*1*100005958

Scenario Number: 5
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Address Validation
Scenario Description: Perform Address Validation using FULL address.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0900*U*00405*329332428*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0900*329332428*X*004050
 ST*850*0001
 BEG*28*IN*C9PO5689101020T**20131020
 SI*TI*IQ*A
 SI*TI*IR*A
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**CA*93105
 NX2*01*3630
 NX2*02*STATE
 NX2*62*ST
 NX2*14*200
 NX2*07*SANTA BARBARA
 CTT*1
 SE*17*0001
 GE*1*329332428
 IEA*1*329332428

Scenario Number: 5
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Address Validation
Scenario Description: Perform Address Validation using FULL address.

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0900*`*00405*100005964*0*P*~
 GS*PR*020744533*ZZ1*20131020*0900*100005964*X*004050
 ST*855*0001
 BAK*11*AT*C9PO5689101020T*20131020
 DTM*097*20131020*0900
 SI*TI*IQ*A*IR*A
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1*****A6*PRE-RESP
 QTY*AG*0*EA
 SLN*1*1*O
 SI*TI*LS*805898
 SI*ZZ*FC*N
 SLN*1*2*O
 SI*TI*LO*SNBBCAXGDS0
 N1*IT*NONE
 N4**CA*93105
 NX2*01*3630
 NX2*02*STATE
 NX2*62*ST
 NX2*14*200
 NX2*07*SANTA BARBARA
 SLN*1*3*O
 N9*1Q*042*PRESPC
 MTX**Exact Match Found.
 CTT*1
 SE*26*0001

GE*1*100005964
IEA*1*100005964

Scenario Number: 6
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: TN Reservation
Scenario Description: Reserve a Single Business Flat Rate TN for Scenario #5.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0900*U*00405*329332445*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0900*329332445*X*004050
 ST*850*0001
 BEG*28*IN*C9PO5689101020T**20131020
 SI*TI*IQ*B
 SI*TI*IR*R
 SI*TI*RE*EB
 SI*TI*AA*N
 SI*TI*TY*1BF-
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SI*TI*L3*A
 SI*TI*T0*N
 QTY*B3*1*EA
 CTT*1
 SE*16*0001
 GE*1*329332445
 IEA*1*329332445

Scenario Number: 6
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: TN Reservation
Scenario Description: Reserve a Single Business Flat Rate TN for Scenario #5.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0900*`*00405*100005965*0*P*~
GS*PR*020744533*ZZ1*20131020*0900*100005965*X*004050
ST*855*0001
BAK*11*AT*C9PO5689101020T*20131020
REF*IX*P8154133*RESID
DTM*097*20131020*0900
SI*TI*IQ*B*IR*R*RE*EB*AA*N*TY*1BF-
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*L3*A
SLN*1*1*O
SI*TI*RV*8056876050
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*3*O
N9*1Q*814*PRESPC
MTX**Please record the Response Identifier (RESID) for later use for CCNA/CC/ST and TXNUM combination.
SLN*1*4*O
N9*1Q*593*PRESPC
MTX**Telephone Number Assignments are not finalized until the work is installed and VERIZON's service order has been completed. In
order to retain the telephone number reservation, an LSR must be submitted within 30 days.
SLN*1*5*O
N9*1Q*594*PRESPC
MTX**A vanity charge may apply relative to the quantity of telephone numbers queried/reserved based upon state tariff guidelines.
CTT*1
```

SE*26*0001

GE*1*100005965

IEA*1*100005965

Scenario Number: 7
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: TN Reservation
Scenario Description: Cancel BOTH TN reservations for Scenario #2.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0815*U*00405*329329700*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0815*329329700*X*004050
 ST*850*0001
 BEG*28*IN*C9PO23471020S**20131020
 SI*TI*IQ*B
 SI*TI*IR*K
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SLN*1*1*A
 SI*TI*RQ*8139687319
 SLN*2*1*A
 SI*TI*RQ*8139687329
 CTT*1
 SE*14*0001
 GE*1*329329700
 IEA*1*329329700

Scenario Number: 7
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: TN Reservation
Scenario Description: Cancel BOTH TN reservations for Scenario #2.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0815*`*00405*100005961*0*P*~
GS*PR*020744533*ZZ1*20131020*0815*100005961*X*004050
ST*855*0001
BAK*11*AT*C9PO23471020S*20131020
REF*IX*P0150415*RESID
DTM*097*20131020*0815
SI*TI*IQ*B*IR*K
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SLN*1*1*O
SI*TI*RV*8139687319
SLN*1*2*O
SI*TI*RV*8139687329
SLN*1*3*O
N9*1Q*027*PRESPC
MTX**Request Successful
CTT*1
SE*18*0001
GE*1*100005961
IEA*1*100005961
```

Scenario Number: 8
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Due Date Availability
Scenario Description: View Due Date Availability for scenario #5.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0901*U*00405*329332480*0*T*~
GS*PO*ZZ1*SIGS*20131020*0901*329332480*X*004050
ST*850*0001
BEG*28*IN*C9PO5689101020T**20131020
SI*TI*IQ*D
SI*TI*IR*A
SI*TI*TY*1BF-
SI*TI*RE*EB
SI*TI*AA*N
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*CB*8134833343
QTY*B3*1*EA
CTT*1
SE*15*0001
GE*1*329332480
IEA*1*329332480

Scenario Number: 8
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Due Date Availability
Scenario Description: View Due Date Availability for scenario #5.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0901*`*00405*100005966*0*P*~
GS*PR*020744533*ZZ1*20131020*0901*100005966*X*004050
ST*855*0001
BAK*11*AT*C9PO5689101020T*20131020
REF*IX*P8154133*RESID
DTM*097*20131020*0901
SI*TI*IQ*D*IR*A*RE*EB*AA*N*TY*1BF-
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
PID*X**TI*AC*A
SLN*1*1*O
DTM*018*20131024
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*3*O
N9*1Q*704*PRESPC
MTX**Dispatch may be required when more than one line is ordered.
CTT*1
SE*20*0001
GE*1*100005966
IEA*1*100005966
    
```

Scenario Number: 9
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Due Date Reservation
Scenario Description: Schedule Due Date Reservation for scenario #5.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0901*U*00405*329332512*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0901*329332512*X*004050
 ST*850*0001
 BEG*28*IN*C9PO5689101020T**20131020
 SI*TI*IQ*D
 SI*TI*IR*R
 SI*TI*TY*1BF-
 SI*TI*RE*EB
 SI*TI*AA*N
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SI*TI*CB*8134833343
 QTY*B3*1*EA
 CTT*1
 SE*15*0001
 GE*1*329332512
 IEA*1*329332512

Scenario Number: 9
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Due Date Reservation
Scenario Description: Schedule Due Date Reservation for scenario #5.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0902`*00405*100005967*0*P*~
GS*PR*020744533*ZZ1*20131020*0902*100005967*X*004050
ST*855*0001
BAK*11*AT*C9PO5689101020T*20131020
REF*IX*P8154133*RESID
DTM*097*20131020*0902
SI*TI*IQ*D*IR*R*RE*EB*AA*N*TY*1BF-
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
PID*X**TI*AC*A
SLN*1*1*O
DTM*018*20131024
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*3*O
N9*1Q*587*PRESPC
MTX**In order to retain the scheduling reservation, a LSR must be submitted within 5 business hours.
SLN*1*4*O
N9*1Q*704*PRESPC
MTX**Dispatch may be required when more than one line is ordered.
CTT*1
SE*23*0001
GE*1*100005967
IEA*1*100005967
```

Scenario Number: 10
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Cancel Reservation
Scenario Description: Cancel entire reservation (TN, DD) for scenario #5.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0902*U*00405*329332554*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0902*329332554*X*004050
 ST*850*0001
 BEG*28*IN*C9PO5689101020T**20131020
 SI*TI*IQ*K
 SI*TI*IR*K
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 CTT*0
 SE*9*0001
 GE*1*329332554
 IEA*1*329332554

Scenario Number: 10
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Cancel Reservation
Scenario Description: Cancel entire reservation (TN, DD) for scenario #5.

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0902`*00405*100005968*0*P*~
GS*PR*020744533*ZZ1*20131020*0902*100005968*X*004050
ST*855*0001
BAK*11*AT*C9PO5689101020T*20131020
REF*IX*P8154133*RESID
DTM*097*20131020*0902
SI*TI*IQ*K*IR*K*RE*EB*AA*N*TY*1BF-
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SLN*1*1*O
SI*TI*RV*8056876050
DTM*018*20131024
N1*IT*NONE
N4**CA*93105
NX2*01*3630
NX2*02*STATE
NX2*62*ST
NX2*14*200
NX2*07*SANTA BARBARA
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
CTT*1
SE*24*0001
GE*1*100005968
IEA*1*100005968

Scenario Number: 11
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: PIC Availability
Scenario Description: View PIC Availability.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329287*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329287*X*004050
 ST*850*0001
 BEG*28*IN*C9PO111020S**20131020
 SI*TI*IQ*L
 SI*TI*IR*A
 SI*TI*TY*2BF-
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SI*TI*LX*813994
 CTT*1
 SE*12*0001
 GE*1*329329287
 IEA*1*329329287

Scenario Number: 11
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: PIC Availability
Scenario Description: View PIC Availability.

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0808*`*00405*100005934*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005934*X*004050
ST*855*0001
BAK*11*AT*C9PO111020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*L*IR*A*TY*2BF-
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SLN*1*1*O
SI*TI*LX*813994
SLN*1*2*O
N1*8V**41*0005
SLN*1*3*O
N1*8V**41*0024
SLN*1*4*O
N1*8V**41*0025
SLN*1*5*O
N1*8V**41*0036
SLN*1*6*O
N1*8V**41*0037
SLN*1*7*O
N1*8V**41*0056
SLN*1*8*O
N1*8V**41*0063
SLN*1*9*O
N1*8V**41*0070

SLN*1*10*O
N1*8V**41*0071
SLN*1*11*O
N1*8V**41*0073
SLN*1*12*O
N1*8V**41*0081
SLN*1*13*O
N1*8V**41*0123
SLN*1*14*O
N1*8V**41*0132
SLN*1*15*O
N1*8V**41*0135
SLN*1*16*O
N1*8V**41*0192
SLN*1*17*O
N1*8V**41*0194
SLN*1*18*O
N1*8V**41*0200
SLN*1*19*O
N1*8V**41*0210
SLN*1*20*O
N1*8V**41*0211
SLN*1*21*O
N1*8V**41*0222
SLN*1*22*O
N1*8V**41*0223
SLN*1*23*O
N1*8V**41*0233
SLN*1*24*O
N1*8V**41*0244
SLN*1*25*O
N1*8V**41*0248
SLN*1*26*O
N1*8V**41*0272
SLN*1*27*O
N1*8V**41*0275
SLN*1*28*O

N1*8V**41*0278
SLN*1*29*O
N1*8V**41*0280
SLN*1*30*O
N1*8V**41*0284
SLN*1*31*O
N1*8V**41*0288
SLN*1*32*O
N1*8V**41*0297
SLN*1*33*O
N1*8V**41*0299
SLN*1*34*O
N1*8V**41*0333
SLN*1*35*O
N1*8V**41*0358
SLN*1*36*O
N1*8V**41*0359
SLN*1*37*O
N1*8V**41*0373
SLN*1*38*O
N1*8V**41*0381
SLN*1*39*O
N1*8V**41*0390
SLN*1*40*O
N1*8V**41*0393
SLN*1*41*O
N1*8V**41*0397
SLN*1*42*O
N1*8V**41*0400
SLN*1*43*O
N1*8V**41*0432
SLN*1*44*O
N1*8V**41*0440
SLN*1*45*O
N1*8V**41*0444
SLN*1*46*O
N1*8V**41*0457

SLN*1*47*O
N1*8V**41*0462
SLN*1*48*O
N1*8V**41*0502
SLN*1*49*O
N1*8V**41*0537
SLN*1*50*O
N1*8V**41*0548
SLN*1*51*O
N1*8V**41*0555
SLN*1*52*O
N1*8V**41*0569
SLN*1*53*O
N1*8V**41*0595
SLN*1*54*O
N1*8V**41*0603
SLN*1*55*O
N1*8V**41*0604
SLN*1*56*O
N1*8V**41*0606
SLN*1*57*O
N1*8V**41*0612
SLN*1*58*O
N1*8V**41*0614
SLN*1*59*O
N1*8V**41*0629
SLN*1*60*O
N1*8V**41*0631
SLN*1*61*O
N1*8V**41*0636
SLN*1*62*O
N1*8V**41*0638
SLN*1*63*O
N1*8V**41*0643
SLN*1*64*O
N1*8V**41*0648
SLN*1*65*O

N1*8V**41*0649
SLN*1*66*O
N1*8V**41*0657
SLN*1*67*O
N1*8V**41*0658
SLN*1*68*O
N1*8V**41*0661
SLN*1*69*O
N1*8V**41*0677
SLN*1*70*O
N1*8V**41*0687
SLN*1*71*O
N1*8V**41*0690
SLN*1*72*O
N1*8V**41*0719
SLN*1*73*O
N1*8V**41*0734
SLN*1*74*O
N1*8V**41*0735
SLN*1*75*O
N1*8V**41*0752
SLN*1*76*O
N1*8V**41*0757
SLN*1*77*O
N1*8V**41*0764
SLN*1*78*O
N1*8V**41*0780
SLN*1*79*O
N1*8V**41*0781
SLN*1*80*O
N1*8V**41*0784
SLN*1*81*O
N1*8V**41*0797
SLN*1*82*O
N1*8V**41*0810
SLN*1*83*O
N1*8V**41*0811

SLN*1*84*O
N1*8V**41*0813
SLN*1*85*O
N1*8V**41*0826
SLN*1*86*O
N1*8V**41*0833
SLN*1*87*O
N1*8V**41*0834
SLN*1*88*O
N1*8V**41*0848
SLN*1*89*O
N1*8V**41*0852
SLN*1*90*O
N1*8V**41*0859
SLN*1*91*O
N1*8V**41*0873
SLN*1*92*O
N1*8V**41*0880
SLN*1*93*O
N1*8V**41*0888
SLN*1*94*O
N1*8V**41*0898
SLN*1*95*O
N1*8V**41*0899
SLN*1*96*O
N1*8V**41*0925
SLN*1*97*O
N1*8V**41*0942
SLN*1*98*O
N1*8V**41*0946
SLN*1*99*O
N1*8V**41*0948
SLN*1*100*O
N1*8V**41*2678
SLN*1*101*O
N1*8V**41*5014
SLN*1*102*O

N1*8V**41*5044
SLN*1*103*O
N1*8V**41*5046
SLN*1*104*O
N1*8V**41*5047
SLN*1*105*O
N1*8V**41*5102
SLN*1*106*O
N1*8V**41*5112
SLN*1*107*O
N1*8V**41*5119
SLN*1*108*O
N1*8V**41*5135
SLN*1*109*O
N1*8V**41*5175
SLN*1*110*O
N1*8V**41*5200
SLN*1*111*O
N1*8V**41*5223
SLN*1*112*O
N1*8V**41*5230
SLN*1*113*O
N1*8V**41*5231
SLN*1*114*O
N1*8V**41*5237
SLN*1*115*O
N1*8V**41*5238
SLN*1*116*O
N1*8V**41*5253
SLN*1*117*O
N1*8V**41*5318
SLN*1*118*O
N1*8V**41*5335
SLN*1*119*O
N1*8V**41*5406
SLN*1*120*O
N1*8V**41*5438

SLN*1*121*O
N1*8V**41*5448
SLN*1*122*O
N1*8V**41*5453
SLN*1*123*O
N1*8V**41*5464
SLN*1*124*O
N1*8V**41*5483
SLN*1*125*O
N1*8V**41*5513
SLN*1*126*O
N1*8V**41*5629
SLN*1*127*O
N1*8V**41*5672
SLN*1*128*O
N1*8V**41*5688
SLN*1*129*O
N1*8V**41*5743
SLN*1*130*O
N1*8V**41*5758
SLN*1*131*O
N1*8V**41*5792
SLN*1*132*O
N1*8V**41*5818
SLN*1*133*O
N1*8V**41*5824
SLN*1*134*O
N1*8V**41*5830
SLN*1*135*O
N1*8V**41*5835
SLN*1*136*O
N1*8V**41*5877
SLN*1*137*O
N1*8V**41*5888
SLN*1*138*O
N1*8V**41*5945
SLN*1*139*O

N1*8V**41*5957
SLN*1*140*O
N1*8V**41*5992
SLN*1*141*O
N1*8V**41*6060
SLN*1*142*O
N1*8V**41*6088
SLN*1*143*O
N1*8V**41*6111
SLN*1*144*O
N1*8V**41*6112
SLN*1*145*O
N1*8V**41*6286
SLN*1*146*O
N1*8V**41*6322
SLN*1*147*O
N1*8V**41*6330
SLN*1*148*O
N1*8V**41*6340
SLN*1*149*O
N1*8V**41*6379
SLN*1*150*O
N1*8V**41*6384
SLN*1*151*O
N1*8V**41*6398
SLN*1*152*O
N1*8V**41*6437
SLN*1*153*O
N1*8V**41*6543
SLN*1*154*O
N1*8V**41*6600
SLN*1*155*O
N1*8V**41*6678
SLN*1*156*O
N1*8V**41*6700
SLN*1*157*O
N1*8V**41*6746

SLN*1*158*O
N1*8V**41*6753
SLN*1*159*O
N1*8V**41*6789
SLN*1*160*O
N1*8V**41*6864
SLN*1*161*O
N1*8V**41*6868
SLN*1*162*O
N1*8V**41*6912
SLN*1*163*O
N1*P9**41*0005
SLN*1*164*O
N1*P9**41*0024
SLN*1*165*O
N1*P9**41*0025
SLN*1*166*O
N1*P9**41*0036
SLN*1*167*O
N1*P9**41*0037
SLN*1*168*O
N1*P9**41*0042
SLN*1*169*O
N1*P9**41*0056
SLN*1*170*O
N1*P9**41*0059
SLN*1*171*O
N1*P9**41*0063
SLN*1*172*O
N1*P9**41*0070
SLN*1*173*O
N1*P9**41*0071
SLN*1*174*O
N1*P9**41*0073
SLN*1*175*O
N1*P9**41*0081
SLN*1*176*O

N1*P9**41*0123
SLN*1*177*O
N1*P9**41*0132
SLN*1*178*O
N1*P9**41*0135
SLN*1*179*O
N1*P9**41*0192
SLN*1*180*O
N1*P9**41*0194
SLN*1*181*O
N1*P9**41*0200
SLN*1*182*O
N1*P9**41*0210
SLN*1*183*O
N1*P9**41*0211
SLN*1*184*O
N1*P9**41*0216
SLN*1*185*O
N1*P9**41*0222
SLN*1*186*O
N1*P9**41*0223
SLN*1*187*O
N1*P9**41*0227
SLN*1*188*O
N1*P9**41*0233
SLN*1*189*O
N1*P9**41*0244
SLN*1*190*O
N1*P9**41*0248
SLN*1*191*O
N1*P9**41*0270
SLN*1*192*O
N1*P9**41*0272
SLN*1*193*O
N1*P9**41*0275
SLN*1*194*O
N1*P9**41*0278

SLN*1*195*O
N1*P9**41*0280
SLN*1*196*O
N1*P9**41*0284
SLN*1*197*O
N1*P9**41*0288
SLN*1*198*O
N1*P9**41*0297
SLN*1*199*O
N1*P9**41*0299
SLN*1*200*O
N1*P9**41*0333
SLN*1*201*O
N1*P9**41*0358
SLN*1*202*O
N1*P9**41*0359
SLN*1*203*O
N1*P9**41*0373
SLN*1*204*O
N1*P9**41*0381
SLN*1*205*O
N1*P9**41*0390
SLN*1*206*O
N1*P9**41*0393
SLN*1*207*O
N1*P9**41*0397
SLN*1*208*O
N1*P9**41*0400
SLN*1*209*O
N1*P9**41*0432
SLN*1*210*O
N1*P9**41*0440
SLN*1*211*O
N1*P9**41*0444
SLN*1*212*O
N1*P9**41*0457
SLN*1*213*O

N1*P9**41*0462
SLN*1*214*O
N1*P9**41*0479
SLN*1*215*O
N1*P9**41*0502
SLN*1*216*O
N1*P9**41*0537
SLN*1*217*O
N1*P9**41*0548
SLN*1*218*O
N1*P9**41*0555
SLN*1*219*O
N1*P9**41*0569
SLN*1*220*O
N1*P9**41*0595
SLN*1*221*O
N1*P9**41*0603
SLN*1*222*O
N1*P9**41*0604
SLN*1*223*O
N1*P9**41*0606
SLN*1*224*O
N1*P9**41*0612
SLN*1*225*O
N1*P9**41*0614
SLN*1*226*O
N1*P9**41*0629
SLN*1*227*O
N1*P9**41*0631
SLN*1*228*O
N1*P9**41*0636
SLN*1*229*O
N1*P9**41*0638
SLN*1*230*O
N1*P9**41*0643
SLN*1*231*O
N1*P9**41*0648

SLN*1*232*O
N1*P9**41*0649
SLN*1*233*O
N1*P9**41*0655
SLN*1*234*O
N1*P9**41*0657
SLN*1*235*O
N1*P9**41*0658
SLN*1*236*O
N1*P9**41*0661
SLN*1*237*O
N1*P9**41*0677
SLN*1*238*O
N1*P9**41*0687
SLN*1*239*O
N1*P9**41*0690
SLN*1*240*O
N1*P9**41*0719
SLN*1*241*O
N1*P9**41*0734
SLN*1*242*O
N1*P9**41*0735
SLN*1*243*O
N1*P9**41*0752
SLN*1*244*O
N1*P9**41*0757
SLN*1*245*O
N1*P9**41*0764
SLN*1*246*O
N1*P9**41*0780
SLN*1*247*O
N1*P9**41*0781
SLN*1*248*O
N1*P9**41*0784
SLN*1*249*O
N1*P9**41*0797
SLN*1*250*O

N1*P9**41*0810
SLN*1*251*O
N1*P9**41*0811
SLN*1*252*O
N1*P9**41*0813
SLN*1*253*O
N1*P9**41*0825
SLN*1*254*O
N1*P9**41*0826
SLN*1*255*O
N1*P9**41*0833
SLN*1*256*O
N1*P9**41*0834
SLN*1*257*O
N1*P9**41*0848
SLN*1*258*O
N1*P9**41*0852
SLN*1*259*O
N1*P9**41*0859
SLN*1*260*O
N1*P9**41*0873
SLN*1*261*O
N1*P9**41*0876
SLN*1*262*O
N1*P9**41*0880
SLN*1*263*O
N1*P9**41*0888
SLN*1*264*O
N1*P9**41*0898
SLN*1*265*O
N1*P9**41*0899
SLN*1*266*O
N1*P9**41*0925
SLN*1*267*O
N1*P9**41*0942
SLN*1*268*O
N1*P9**41*0946

SLN*1*269*O
N1*P9**41*0948
SLN*1*270*O
N1*P9**41*2678
SLN*1*271*O
N1*P9**41*5008
SLN*1*272*O
N1*P9**41*5014
SLN*1*273*O
N1*P9**41*5044
SLN*1*274*O
N1*P9**41*5046
SLN*1*275*O
N1*P9**41*5047
SLN*1*276*O
N1*P9**41*5079
SLN*1*277*O
N1*P9**41*5102
SLN*1*278*O
N1*P9**41*5112
SLN*1*279*O
N1*P9**41*5119
SLN*1*280*O
N1*P9**41*5135
SLN*1*281*O
N1*P9**41*5175
SLN*1*282*O
N1*P9**41*5200
SLN*1*283*O
N1*P9**41*5223
SLN*1*284*O
N1*P9**41*5230
SLN*1*285*O
N1*P9**41*5231
SLN*1*286*O
N1*P9**41*5237
SLN*1*287*O

N1*P9**41*5238
SLN*1*288*O
N1*P9**41*5253
SLN*1*289*O
N1*P9**41*5318
SLN*1*290*O
N1*P9**41*5335
SLN*1*291*O
N1*P9**41*5406
SLN*1*292*O
N1*P9**41*5438
SLN*1*293*O
N1*P9**41*5453
SLN*1*294*O
N1*P9**41*5464
SLN*1*295*O
N1*P9**41*5483
SLN*1*296*O
N1*P9**41*5513
SLN*1*297*O
N1*P9**41*5629
SLN*1*298*O
N1*P9**41*5672
SLN*1*299*O
N1*P9**41*5688
SLN*1*300*O
N1*P9**41*5743
SLN*1*301*O
N1*P9**41*5758
SLN*1*302*O
N1*P9**41*5792
SLN*1*303*O
N1*P9**41*5818
SLN*1*304*O
N1*P9**41*5824
SLN*1*305*O
N1*P9**41*5830

SLN*1*306*O
N1*P9**41*5835
SLN*1*307*O
N1*P9**41*5877
SLN*1*308*O
N1*P9**41*5888
SLN*1*309*O
N1*P9**41*5945
SLN*1*310*O
N1*P9**41*5957
SLN*1*311*O
N1*P9**41*5992
SLN*1*312*O
N1*P9**41*6060
SLN*1*313*O
N1*P9**41*6088
SLN*1*314*O
N1*P9**41*6111
SLN*1*315*O
N1*P9**41*6112
SLN*1*316*O
N1*P9**41*6286
SLN*1*317*O
N1*P9**41*6322
SLN*1*318*O
N1*P9**41*6330
SLN*1*319*O
N1*P9**41*6340
SLN*1*320*O
N1*P9**41*6379
SLN*1*321*O
N1*P9**41*6384
SLN*1*322*O
N1*P9**41*6398
SLN*1*323*O
N1*P9**41*6437
SLN*1*324*O

N1*P9**41*6543
SLN*1*325*O
N1*P9**41*6600
SLN*1*326*O
N1*P9**41*6622
SLN*1*327*O
N1*P9**41*6678
SLN*1*328*O
N1*P9**41*6700
SLN*1*329*O
N1*P9**41*6746
SLN*1*330*O
N1*P9**41*6753
SLN*1*331*O
N1*P9**41*6789
SLN*1*332*O
N1*P9**41*6864
SLN*1*333*O
N1*P9**41*6868
SLN*1*334*O
N1*P9**41*6912
SLN*1*335*O
N9*1Q*027*PRESPC
MTX**Request Successful
CTT*1
SE*681*0001
GE*1*100005934
IEA*1*100005934

Scenario Number: 12
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Feature Availability
Scenario Description: View Feature Availability.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329288*0*T*~
GS*PO*ZZ1*SIGS*20131020*0808*329329288*X*004050
ST*850*0001
BEG*28*IN*C9PO121020S**20131020
SI*TI*IQ*C
SI*TI*IR*A
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*LX*972205
SLN*1*1*A
SI*TI*SF*01422
CTT*1
SE*13*0001
GE*1*329329288
IEA*1*329329288

Scenario Number: 12
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Feature Availability
Scenario Description: View Feature Availability.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808`*00405*100005933*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005933*X*004050
ST*855*0001
BAK*11*AT*C9PO121020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*C*IR*A
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SLN*1*1*O
SI*TI*LX*972205
SLN*1*2*O
SI*TI*SF*01422*FE*B
SLN*1*3*O
N9*1Q*027*PRESPC
MTX**Request Successful
CTT*1
SE*17*0001
GE*1*100005933
IEA*1*100005933
    
```

Scenario Number: 13
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSI for Retail customer.

Inbound Request:

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329289*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329289*X*004050
 ST*850*0001
 BEG*28*IN*C9CSI131020S**20131020
 REF*11*9722050111*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E
 PID*S**TI*AO***SO-RSQ*Y
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**TX
 CTT*1
 SE*13*0001
 GE*1*329329289
 IEA*1*329329289

Scenario Number: 13
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSI for Retail customer.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808`*00405*100005935*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005935*X*004050
ST*855*0001
BAK*11*AC*C9CSII31020S*20131020
REF*11*9722050111*ATN
DTM*097*20131020*0808
SI*TI*IQ*E*BT*R
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*ACCT
N1*IT*CTE, SCENARIO13
N4**TX*750406221
NX2*01*816
NX2*02*MAIN
NX2*62*ST
NX2*07*GARLAND
NX2*13*100
SLN*1*1*O
N9*1Q*300*PRESPC
MTX**Your request has been processed successfully
SLN*1*2*O
QTY*31*1*DY
SLN*1*3*O
N9*L1*CSI*ACCT-REMARKS
MTX**110001 CTE ACCOUNT FOR TEST PURPOSES. DO NOT CANCEL OR CHANGE      110002 ANY QUESTIONS,
CONTACT ANN ROCHE 813 483-2558
PO1*2*****A6*ACCTDET
```

SI*TI*WT*9722050111*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*2*1*O
 SI*TI*SF*20031*FD*RES ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*2*O
 SI*TI*SF*20070*FD*INTER ACC CHRG SGL LN
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*3*O
 SI*TI*SF*61663*FD*TPP-NO
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*4*O
 SI*TI*SF*74864*FD*SGL LN FLAT
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*5*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 PO1*3*****A6*ACCTDET
 SI*TI*WT*9722050115*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*3*1*O
 SI*TI*SF*20031*FD*RES ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*2*O
 SI*TI*SF*30001*FD*INTER/ACC CHRG/LN NP
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*3*O
 SI*TI*SF*74864*FD*SGL LN FLAT
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*4*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO

SI*ZZ*QT*1.00*FR*x.xx
PO1*4*****A6*LISTING*SH*LML
SI*TI*BR*R*LE*1*TW*SL
REF*LI*00100
N1*DH*Cte, Scenario13*12*9722050111
IN2*05*Cte
IN2*02*Scenario13
N4***75040
CTT*4
SE*72*0001
GE*1*100005935
IEA*1*100005935

Scenario Number: 14
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSI for a Resale customer.

Inbound Request:

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329290*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329290*X*004050
 ST*850*0001
 BEG*28*IN*C9CSI141020S**20131020
 REF*11*8055690075*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E
 PID*S**TI*AO***SO-RSQ*Y
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**CA
 CTT*1
 SE*13*0001
 GE*1*329329290
 IEA*1*329329290

Scenario Number: 14
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Customer Service Inquiry (CSI).
Scenario Description: Request a CSI for a Resale customer.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005936*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005936*X*004050
ST*855*0001
BAK*11*AC*C9CSI141020S*20131020
REF*11*8055690075*ATN
DTM*097*20131020*0808
SI*TI*IQ*E*BT*R
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*ACCT
N1*IT*+++CTE, SCENARIO15
N4**CA*931052522
NX2*01*3630
NX2*02*STATE
NX2*62*ST
NX2*07*SANTA BARBARA
NX2*13*100
SLN*1*1*O
N9*1Q*300*PRESPC
MTX**Your request has been processed successfully
SLN*1*2*O
QTY*31*1*DY
SLN*1*3*O
N9*L1*CSI*ACCT-REMARKS
MTX**110001 CTE ACCOUNT FOR TEST PURPOSES ONLY, DO NOT CANCEL OR CHANGE      110002 ANY QUESTIONS
CONTACT ANN ROCHE 813/483-2558
PO1*2*****A6*ACCTDET
```

SI*TI*WT*8055690075*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*2*1*O
 SI*TI*SF*04092*FD*RS TRACK-CTE1
 SI*ZZ*QT*1.00*FR*0.00
 SLN*2*2*O
 SI*TI*SF*11992*FD*SGL LN FLAT
 SI*ZZ*QT*1.00*FR*22.00
 SLN*2*3*O
 SI*TI*SF*20031*FD*RES ARC
 SI*ZZ*QT*1.00*FR*0.00
 SLN*2*4*O
 SI*TI*SF*20070*FD*INTER ACC CHRG SGL LN
 SI*ZZ*QT*1.00*FR*6.50
 SLN*2*5*O
 SI*TI*SF*20729*FD*PRIMARY RES LNE-PUC MANDATE
 SI*ZZ*QT*1.00*FR*0.00
 SLN*2*6*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*0.00
 PO1*3*****A6*LISTING*SH*LML
 SI*TI*BR*R*LE*1*TW*SL
 PID*S**TI*AT***SO-RSQ*Y
 REF*LI*00100
 N1*DH*Cte, Scenario15*12*8055690075
 IN2*05*Cte
 IN2*02*Scenario15
 N4***93105
 CTT*3
 SE*58*0001
 GE*1*100005936
 IEA*1*100005936

Scenario Number: 15
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSI for a UNE customer.

Inbound Request:

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329291*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329291*X*004050
 ST*850*0001
 BEG*28*IN*C9CSI151020S**20131020
 REF*11*8138700040*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E
 PID*S**TI*AO***SO-RSQ*Y
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**FL
 CTT*1
 SE*13*0001
 GE*1*329329291
 IEA*1*329329291

Scenario Number: 15
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSI for a UNE customer.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005937*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005937*X*004050
ST*855*0001
BAK*11*AC*C9CSI151020S*20131020
REF*11*8138700040*ATN
DTM*097*20131020*0808
SI*TI*IQ*E*BT*B
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*ACCT
N1*IT*+++CTE SCENARIO25
N4**FL*336072515
NX2*01*3712
NX2*02*WALNUT
NX2*62*ST
NX2*40*W
NX2*07*TAMPA
NX2*14*200
SLN*1*1*O
N9*1Q*300*PRESPC
MTX**Your request has been processed successfully
SLN*1*2*O
QTY*31*2*DY
SLN*1*3*O
N9*L1*CSI*ACCT-REMARKS
MTX**11AL01 CLEC ACCT, CTE, OMT-R      11BA  BNAY; 063004 CUST ELECT TO HAVE BNA
RELEASED      110001 PON 0Z001-01-JMCTE25NEWD 06/30/04      110002 UNE-P
    
```

INSTALLATION 06/30/04 110003 UNE-P 2W ANALOG LOOP START NC/NCI:SNAL/02QC3.OOE
 110004 CTE ACCOUNT FOR TEST PURPOSES ONLY, DO NOT CANCEL OR CHANGE 110005 ANY QUESTIONS
 CONTACT ANN ROCHE 813/483-2558
 PO1*2*****A6*ACCTDET
 SI*TI*WT*8138700040*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*2*1*O
 SI*TI*SF*00544*FD*UNB PLATFORM/PORT USAGE
 SI*ZZ*QT*1.00*FR*0.00
 SLN*2*2*O
 SI*TI*SF*00585*FD*UPLAT-PLATFORM ACCESS USAGE
 SI*ZZ*QT*1.00*FR*0.00
 SLN*2*3*O
 SI*TI*SF*04092*FD*RS TRACK-CTE1
 SI*ZZ*QT*1.00*FR*0.00
 SLN*2*4*O
 SI*TI*SF*05050*FD*NP LSTG
 SI*ZZ*QT*1.00*FR*4.75
 SLN*2*5*O
 SI*TI*SF*08001*FD*RS NRC
 SI*ZZ*QT*1.00*FR*0.00
 SLN*2*6*O
 SI*TI*SF*69328*FD*UPLAT-2W ANALOG LP START BUS
 SI*ZZ*QT*1.00*FR*20.95
 SLN*2*7*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*0.00
 PO1*3*****A6*ACCTDET
 SI*TI*WT*8138700127*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*3*1*O

SI*TI*SF*69328*FD*UPLAT-2W ANALOG LP START BUS
SI*ZZ*QT*1.00*FR*20.95
SLN*3*2*O
SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
SI*ZZ*QT*1.00*FR*0.00
PO1*4*****A6*LISTING*SH*LML
SI*TI*BR*B*LE*3*TW*SL
PID*S**TI*AT***SO-RSQ*Y
REF*LI*00100
N1*DH*Cte, Scenario25*12*8138700040
IN2*05*Cte
IN2*02*Scenario25
N4***33607
CTT*4
SE*74*0001
GE*1*100005937
IEA*1*100005937

Scenario Number: 17
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Loop Qualification
Scenario Description: Perform a Loop Qualification with WTN.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329292*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329292*X*004050
 ST*850*0001
 BEG*28*IN*C9LQ171020S**20131020
 SI*TI*IQ*H
 SI*TI*IR*A
 SI*TI*MK*A
 SI*ZZ*ST*TX
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SI*TI*WT*8174109005
 CTT*1
 SE*12*0001
 GE*1*329329292
 IEA*1*329329292

Scenario Number: 17
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Loop Qualification
Scenario Description: Perform a Loop Qualification with WTN.

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005938*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005938*X*004050
ST*855*0001
BAK*11*AT*C9LQ171020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*H*IR*A*MK*A
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*M7*D*M0*D*AL*E
SI*ZZ*FE*C*D4*C*PQ*2
PID*X**TI*LSTFR***SO-RSQ*N
PID*X**TI*AI*N
PID*X**TI*DSSCP*N
PID*X**TI*LLT*A
PID*X**TI*DLCTYPE*NA
PO4*****9.904000***TL***LL
PO4*****9.500000***TL***ELL
PO4**24*GZ*****9.753000***TL***LLG
PO4**26*GZ*****0.151000***TL***LLG
QTY*LB*4.2800*2N
QTY*ZZ*40.619*2N
QTY*TO*1
SI*TI*QT*BTQ
QTY*TO*0
SI*TI*QT*LCQ
QTY*T5*2
```

SI*ZZ*QT*LLQ
 N1*16*GRAPEVINE
 SLN*1*1*O
 N9*1Q*926*PRESPC
 MTX**Complete/Successful
 SLN*1*2*O
 SI*TI*WT*8174109005*LO*GRPVTXXADS0
 SI*ZZ*HL*GRPVTXXADS0
 N1*IT*NONE
 N4**TX*76051
 NX2*01*218
 NX2*03*E
 NX2*02*DALLAS
 NX2*62*RD
 NX2*07*GRAPEVINE
 SLN*1*3*O
 PO4**8.805000*TL*****0.015000***TL***BTL
 SLN*1*4*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00
 SLN*1*5*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 SLN*1*6*O
 SI*TI*L2*B
 PID*X**TI*LPAC*A
 PID*X**TI*LSA*Z
 SLN*1*7*O
 SI*TI*L2*A
 PID*X**TI*LPAC*B
 PID*X**TI*LSA*7.1MBPS/832KBPS
 SLN*1*8*O
 SI*TI*L2*A
 PID*X**TI*LPAC*C
 PID*X**TI*LSA*Z
 PO1*2*****A6*SUBLOOP
 SI*TI*M7*D
 PO4*****9.276000***TL***ILL
 PO4**24*GZ*****9.125000***TL***LLG

PO4**26*GZ*****0.151000***TL***LLG
 QTY*LB*4.0100*2N
 QTY*TO*1
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*2
 SI*ZZ*QT*LLQ
 N1*C3*A*BE*GRPVTXXADS0
 SLN*2*1*O
 PO4**8.805000*TL*****0.015000***TL***BTL
 SLN*2*2*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00
 PO1*3*****A6*SUBLOOP
 SI*TI*M0*D
 PO4*****0.628000***TL***ILL
 PO4**24*GZ*****0.628000***TL***LLG
 QTY*LB*0.2700*2N
 QTY*TO*0
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*1
 SI*ZZ*QT*LLQ
 N1*C3*C
 N3*3602
 SLN*3*1*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 PO1*4*****A6*ALTLOOP
 SLN*4*1*O
 SI*TI*LO*NA
 CTT*4
 SE*96*0001
 GE*1*100005938
 IEA*1*100005938

Scenario Number: 18
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Loop Qualification
Scenario Description: Perform a Loop Qualification with multiple WTNs.

Inbound Request:

ISA*03*PREORDER *01*Z001 *ZZ*ZZ1 *01*020744533 *131020*0808*~*00405*329329293*0*P*^
GS*PO*ZZ1*020744533*20131020*0808*329329293*X*004050
ST*850*0001
BEG*28*IN*C9LQ18A1020S**20131020
SI*TI*IQ*H
SI*TI*IR*A
SI*TI*MK*A
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*WT*7275992100
CTT*1
SE*12*0001
ST*850*0002
BEG*28*IN*C9LQ18B1020S**20131020
SI*TI*IQ*H
SI*TI*IR*A
SI*TI*MK*A
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*WT*8136512312
CTT*1
SE*12*0002
GE*2*329329293
IEA*1*329329293

Scenario Number: 18
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Loop Qualification
Scenario Description: Perform a Loop Qualification with multiple WTNs.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *130920*0715*`*00405*100009823*0*P*~
GS*PR*020744533*ZZ1*20131020*0715*100009823*X*004050
ST*855*0001
BAK*11*AT* C9LQ18A1020S *20131020
DTM*097*20131020*0715
SI*TI*IQ*H*IR*A*MK*A
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*M7*D*M0*D*AL*E
SI*ZZ*D4*C*PQ*2
PID*X**TI*AI*N
PID*X**TI*DSSCP*N
PID*X**TI*LLT*A
PID*X**TI*DLCTYPE*NA
PO4*****11.32800***TL***LL
PO4*****0.000000***TL***ELL
PO4**0*GZ*****0.010000***TL***LLG
PO4**24*GZ*****6.316000***TL***LLG
PO4**26*GZ*****5.002000***TL***LLG
QTY*LB*5.4600*2N
QTY*TO*1
SI*TI*QT*BTQ
QTY*TO*0
SI*TI*QT*LCQ
QTY*T5*3
SI*ZZ*QT*LLQ
    
```

N1*16*PINELLAS C.O.
 SLN*1*1*O
 N9*1Q*926*PRESPC
 MTX**Complete/Successful
 SLN*1*2*O
 SI*TI*WT*7275992100*LO*PNLSFLXA53H
 SI*ZZ*HL*PNLSFLXA53H
 N1*IT*NONE
 N4**FL*33764
 NX2*01*1924
 NX2*02*SANDPIPER
 NX2*62*DR
 NX2*07*CLEARWATER
 SLN*1*3*O
 PO4**7.903000*TL*****2.041000***TL***BTL
 SLN*1*4*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00
 SLN*1*5*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 SLN*1*6*O
 SI*TI*L2*B
 PID*X**TI*LPAC*A
 PID*X**TI*LSA*Z
 SLN*1*7*O
 SI*TI*L2*U
 PID*X**TI*LPAC*B
 PID*X**TI*LSA*Z
 SLN*1*8*O
 SI*TI*L2*B
 PID*X**TI*LPAC*C
 PID*X**TI*LSA*Z
 PO1*2*****A6*SUBLOOP
 SI*TI*M7*D
 PO4*****7.923000***TL***ILL
 PO4*0*GZ*****0.010000***TL***LLG
 PO4*24*GZ*****2.911000***TL***LLG
 PO4*26*GZ*****5.002000***TL***LLG

QTY*LB*4.0000*2N
 QTY*TO*1
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*3
 SI*ZZ*QT*LLQ
 N1*C3*A*BE*PNLSFLXA53H
 SLN*2*1*O
 PO4**7.903000*TL*****2.041000***TL***BTL
 SLN*2*2*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00
 PO1*3*****A6*SUBLOOP
 SI*TI*M0*D
 PO4*****3.405000***TL***ILL
 PO4**24*GZ*****3.405000***TL***LLG
 QTY*LB*1.4600*2N
 QTY*TO*0
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*1
 SI*ZZ*QT*LLQ
 N1*C3*C
 N3*3238
 SLN*3*1*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 PO1*4*****A6*ALTLOOP
 SLN*4*1*O
 SI*TI*LO*NA
 CTT*4
 SE*95*0001
 GE*1*100009823
 IEA*1*100009823

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0715*`*00405*100009824*0*P*~
 GS*PR*020744533*ZZ1*20131020*0715*100009824*X*004050
 ST*855*0001
 BAK*11*AT* C9LQ18A1020S *20131020
 DTM*097*20131020*0715
 SI*TI*IQ*H*IR*A*MK*A
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1*****A6*PRE-RESP
 SI*TI*M7*D*M0*D*AL*A
 SI*ZZ*D4*C*PQ*2
 PID*X**TI*AI*Y
 PID*X**TI*DSSCP*N
 PID*X**TI*LLT*A
 PID*X**TI*DLCTYPE*NA
 PO4*****13.91800***TL***LL
 PO4*****0.000000***TL***ELL
 PO4**22*GZ*****4.733000***TL***LLG
 PO4**24*GZ*****7.638000***TL***LLG
 PO4**26*GZ*****1.547000***TL***LLG
 QTY*LB*5.7400*2N
 QTY*TO*1
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*3
 SI*ZZ*QT*LLQ
 N1*16*BRANDON C.O.
 SLN*1*1*O
 N9*1Q*926*PRESPC
 MTX**Complete/Successful
 SLN*1*2*O
 SI*TI*WT*8136512312*LO*BRNDFLXDRS1
 SI*ZZ*HL*BRNDFLXA68H
 N1*IT*NONE
 N4**FL*33511

NX2*01*1521
 NX2*02*STORINGTON
 NX2*62*AVE
 NX2*07*BRANDON
 SLN*1*3*O
 PO4**1.332000*TL*****0.584000***TL***BTL
 SLN*1*4*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00
 SLN*1*5*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 SLN*1*6*O
 SI*TI*L2*B
 PID*X**TI*LPAC*A
 PID*X**TI*LSA*Z
 SLN*1*7*O
 SI*TI*L2*U
 PID*X**TI*LPAC*B
 PID*X**TI*LSA*Z
 SLN*1*8*O
 SI*TI*L2*A
 PID*X**TI*LPAC*C
 PID*X**TI*LSA*Z
 PO1*2*****A6*SUBLOOP
 SI*TI*M7*D
 PO4*****9.161000***TL***ILL
 PO4**24*GZ*****7.614000***TL***LLG
 PO4**26*GZ*****1.547000***TL***LLG
 QTY*LB*4.1200*2N
 QTY*TO*0
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*2
 SI*ZZ*QT*LLQ
 N1*C3*B*BE*BRNDFLXDRS1
 SLN*2*1*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00

PO1*3*****A6*SUBLOOP
 SI*TI*M0*D
 PO4*****4.757000***TL***ILL
 PO4**22*GZ*****4.733000***TL***LLG
 PO4**24*GZ*****0.024000***TL***LLG
 QTY*LB*1.6200*2N
 QTY*TO*1
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*2
 SI*ZZ*QT*LLQ
 N1*C3*C
 N3*3235
 SLN*3*1*O
 PO4**1.332000*TL*****0.584000***TL***BTL
 SLN*3*2*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 PO1*4*****A6*ALTLOOP
 PO4*****9.300000***TL***ALL
 PO4**24*GZ*****9.300000***TL***ALLG
 QTY*TO*2
 SI*TI*QT*ABTQ
 QTY*TO*2
 SI*TI*QT*ALCQ
 QTY*T5*1
 SI*ZZ*QT*ALLQ
 SLN*4*1*O
 SI*TI*LO*BRNDFLXA68H
 CTT*4
 SE*103*0001
 GE*1*100009824
 IEA*1*100009824

Scenario Number: 19
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Loop Qualification
Scenario Description: Perform a Loop Qualification with Address.

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329294*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329294*X*004050
 ST*850*0001
 BEG*28*IN*C9LQ191020S**20131020
 SI*TI*IQ*H
 SI*TI*IR*A
 SI*TI*MK*A
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**FL*33705
 NX2*01*5651
 NX2*02*6TH
 NX2*62*WAY
 NX2*40*S
 NX2*07*ST PETERSBURG
 CTT*1
 SE*18*0001
 GE*1*329329294
 IEA*1*329329294

Scenario Number: 19
LSOG Version: LSOG9
State: FL
System: EDI
Transaction: Loop Qualification
Scenario Description: Perform a Loop Qualification with Address.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005942*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005942*X*004050
ST*855*0001
BAK*11*AT*C9LQ191020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*H*IR*A*MK*A
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*M7*D*M0*D*AL*E
SI*ZZ*FE*C*D4*C*PQ*2
PID*X**TI*LSTFR***SO-RSQ*N
PID*X**TI*AI*N
PID*X**TI*DSSCP*N
PID*X**TI*LLT*A
PID*X**TI*DLCTYPE*NA
PO4*****14.45200***TL***LL
PO4*****14.90000***TL***ELL
PO4**24*GZ*****14.45200***TL***LLG
QTY*LB*6.2100*2N
QTY*ZZ*56.250*2N
QTY*TO*2
SI*TI*QT*BTQ
QTY*TO*0
SI*TI*QT*LCQ
QTY*T5*1
SI*ZZ*QT*LLQ
    
```

N1*16*ST. PETE SOUTH C.O. - 2416
 SLN*1*1*O
 N9*1Q*926*PRESPC
 MTX**Complete/Successful
 SLN*1*2*O
 SI*TI*LO*SPBGFLXS86H
 SI*ZZ*HL*SPBGFLXS86H
 N1*IT*NONE
 N4**FL*33705
 NX2*01*5651
 NX2*02*6TH
 NX2*62*WAY
 NX2*40*S
 NX2*07*ST PETERSBURG
 SLN*1*3*O
 PO4**2.218000*TL*****0.010000***TL***BTL
 SLN*1*4*O
 PO4**1.962000*TL*****0.492000***TL***BTL
 SLN*1*5*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00
 SLN*1*6*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 SLN*1*7*O
 SI*TI*L2*B
 PID*X**TI*LPAC*A
 PID*X**TI*LSA*Z
 SLN*1*8*O
 SI*TI*L2*A
 PID*X**TI*LPAC*B
 PID*X**TI*LSA*7.1MBPS/832KBPS
 SLN*1*9*O
 SI*TI*L2*B
 PID*X**TI*LPAC*C
 PID*X**TI*LSA*Z
 PO1*2*****A6*SUBLOOP
 SI*TI*M7*D
 PO4*****11.46800***TL***ILL

PO4**24*GZ*****11.46800***TL***LLG
 QTY*LB*4.9300*2N
 QTY*TO*0
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*1
 SI*ZZ*QT*LLQ
 N1*C3*A*BE*SPBGFLXS86H
 SLN*2*1*O
 SI*TI*M5*A00B00C00D00E00*M6*A00B00C00D00E00
 PO1*3*****A6*SUBLOOP
 SI*TI*M0*D
 PO4*****2.984000***TL***ILL
 PO4**24*GZ*****2.984000***TL***LLG
 QTY*LB*1.2800*2N
 QTY*TO*2
 SI*TI*QT*BTQ
 QTY*TO*0
 SI*TI*QT*LCQ
 QTY*T5*1
 SI*ZZ*QT*LLQ
 N1*C3*C
 N3*3080
 SLN*3*1*O
 PO4**2.218000*TL*****0.010000***TL***BTL
 SLN*3*2*O
 PO4**1.962000*TL*****0.492000***TL***BTL
 SLN*3*3*O
 SI*TI*M8*A00B00C00D00E00*M9*A00B00C00D00E00
 PO1*4*****A6*ALTLOOP
 SLN*4*1*O
 SI*TI*LO*NA
 CTT*4
 SE*98*0001
 GE*1*100005942
 IEA*1*100005942

SCENARIO NUMBER: 23
 LSOG Version: LSOG9
 State: CA
 System: EDI
 Transaction: Customer Service Inquiry (CSI)
 Scenario Description: Request a CSI with “Remarks” for a Retail customer.

Inbound Request:

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329295*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329295*X*004050
 ST*850*0001
 BEG*28*IN*C9CSI231020S**20131020
 REF*11*3105872356*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E
 PID*S**TI*AO***SO-RSQ*Y
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**CA
 CTT*1
 SE*13*0001
 GE*1*329329295
 IEA*1*329329295

Scenario Number: 23
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSI with “Remarks” for a Retail customer.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005941*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005941*X*004050
ST*855*0001
BAK*11*AC*C9CSI231020S*20131020
REF*11*3105872356*ATN
DTM*097*20131020*0808
SI*TI*IQ*E*BT*B
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*ACCT
N1*IT*CTE CSI
N4**CA*904011608
NX2*01*1314
NX2*02*7TH
NX2*62*ST
NX2*07*SANTA MONICA
NX2*14*220
SLN*1*1*O
N9*1Q*300*PRESPC
MTX**YOUR REQUEST HAS BEEN PROCESSED SUCCESSFULLY
SLN*1*2*O
QTY*31*0*DY
SLN*1*3*O
N9*L1*CSI*ACCT-REMARKS
MTX**110001 CTE ACCOUNT FOR TEST PURPOSES ONLY DO NOT CANCEL OR CHANGE      110002 ANY QUESTIONS
CONTACT JAMEY RAWLS 813/483-3525      110003 ACCOUNT TO TEST CSI COMPLEX REMARKS
PO1*2*****A6*ACCTDET
    
```

SI*TI*WT*3105872356*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*2*1*O
 SI*TI*SF*11917*FD*SINGLE LN-MEASURED
 SI*ZZ*QT*1.00*FR*X.XX
 SLN*2*2*O
 SI*TI*SF*20032*FD*BUS 1-PARTY ARC
 SI*ZZ*QT*1.00*FR*X.XX
 SLN*2*3*O
 SI*TI*SF*20072*FD*INTER ACC CHRG SGL LN
 SI*ZZ*QT*1.00*FR*X.XX
 SLN*2*4*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*X.XX
 PO1*3*****A6*DLREMARKS
 SLN*3*1*O
 N9*L1*CSI*DL-REMARKS
 MTX**MC 100 CTE CSITN 100 310/587-0000SC 200 500TN 200 310/587-2356
 CTT*3
 SE*48*0001
 GE*1*100005941
 IEA*1*100005941

Scenario Number: 25
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Obtain stand-alone RFIC/BFIC Directory Account Information.

Inbound Request:

```

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329296*0*T*~
GS*PO*ZZ1*SIGS*20131020*0808*329329296*X*004050
ST*850*0001
BEG*28*IN*C9CSI251020S**20131020
DTM*097*20131020*0808
SI*TI*IQ*E
PID*S**TI*AO***SO-RSQ*Y
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*LN*3103930003
N1*IT*NONE
N4**CA
CTT*1
SE*13*0001
GE*1*329329296
IEA*1*329329296
    
```

Scenario Number: 25
LSOG Version: LSOG9
State: CA
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Obtain stand-alone RFIC/BFIC Directory Account Information.

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005943*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005943*X*004050
ST*855*0001
BAK*11*AC*C9CSI251020S*20131020
REF*11*100DL19821*ATN
DTM*097*20131020*0808
SI*TI*IQ*E*BT*B
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*ACCT
N1*IT*CTE CSI
N4**CA*904011608
NX2*01*1314
NX2*02*7TH
NX2*62*ST
NX2*07*SANTA MONICA
SLN*1*1*O
N9*1Q*300*PRESPC
MTX**YOUR REQUEST HAS BEEN PROCESSED SUCCESSFULLY
SLN*1*2*O
QTY*31*2*DY
SLN*1*3*O
N9*L1*CSI*ACCT-REMARKS
MTX**110001 ACCOUNT FOR TEST PURPOSES ONLY, DO NOT CHANGE OR CANCEL      110002 ANY QUESTIONS
PLEASE CONTACT JAMEY RAWLS 813/483-3525
PO1*2*****A6*ACCTDET
SI*TI*WT*100DL19821*T5*0000
    
```

SI*ZZ*FP*B
N9*55*0000*HTSEQ
PO1*3*****A6*LISTING*SH*FML
SI*TI*BR*B*LE*1*TW*SL*DN*11717, W LOS ANGELES, CA
PID*S**TI*AS***SO-RSQ*Y
REF*LI*00100
N1*DH*CTE, CSI*12*3103930003
IN2*05*CTE
IN2*02*CSI
N4***90401
NX2*01*1314
NX2*02*7TH ST
NX2*07*SANTA MONICA
CTT*3
SE*40*0001
GE*1*100005943
IEA*1*100005943

SCENARIO NUMBER: 27
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSR for Retail hunt business customer.

Inbound Request:

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329297*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329297*X*004050
 ST*850*0001
 BEG*28*IN*C9CSI271020S**20131020
 REF*11*2142223776*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E
 PID*S**TI*AO***SO-RSQ*Y
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**TX
 CTT*1
 SE*13*0001
 GE*1*329329297
 IEA*1*329329297

Scenario Number: 27
LSOG Version: LSOG9
State: TX
System: EDI
Transaction: Customer Service Inquiry (CSI)
Scenario Description: Request a CSR for Retail hunt business customer.

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0808`*00405*100005945*0*P*~
 GS*PR*020744533*ZZ1*20131020*0808*100005945*X*004050
 ST*855*0001
 BAK*11*AC*C9CSI271020S*20131020
 REF*11*2142223776*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E*BT*B
 SI*ZZ*ST*TX
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1*****A6*ACCT
 N1*IT*CTE CSI CORBA SCENARIO28
 N4**TX*750573659
 NX2*01*540
 NX2*02*ELM
 NX2*62*ST
 NX2*07*LEWISVILLE
 NX2*14*210
 SLN*1*1*O
 N9*1Q*300*PRESPC
 MTX**Your request has been processed successfully
 SLN*1*2*O
 QTY*31*0*DY
 SLN*1*3*O
 N9*L1*CSI*ACCT-REMARKS
 MTX**110001 CTE ACCOUNT FOR TEST PURPOSES. DO NOT CHANGE OR CANCEL. 110002 ANY QUESTIONS,
 CONTACT JAMEY RAWLS AT 813 483-3525.
 PO1*2*****A6*ACCTDET

SI*TI*WT*2142223776*HG*1*PE*DTMF*TS*LS*SY*LS*T5*0001
 SI*ZZ*FP*B
 N9*55*0001*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*2*1*O
 SI*TI*SF*05151*FD*ROTARY HUNT LN CHR
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*2*O
 SI*TI*SF*11135*FD*SGL LN FLAT
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*3*O
 SI*TI*SF*20033*FD*BUS MULTILINE ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*4*O
 SI*TI*SF*75783*FD*INTER ACC CHR
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*5*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 PO1*3*****A6*ACCTDET
 SI*TI*WT*2142223941*HG*1*PE*DTMF*TS*LS*SY*LS*T5*0002
 SI*ZZ*FP*B
 N9*55*0002*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*3*1*O
 SI*TI*SF*05151*FD*ROTARY HUNT LN CHR
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*2*O
 SI*TI*SF*11135*FD*SGL LN FLAT
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*3*O
 SI*TI*SF*20033*FD*BUS MULTILINE ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*4*O
 SI*TI*SF*30021*FD*INTER/ACC CHR/PICC BML

SI*ZZ*QT*85.00*FR*x.xx
 SLN*3*5*O
 SI*TI*SF*75783*FD*INTER ACC CHRG MLTILN
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*6*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 PO1*4*****A6*ACCTDET
 SI*TI*WT*9722212045*HG*1*PE*DTMF*TS*LS*SY*LS*T5*0003
 SI*ZZ*FP*B
 N9*55*0003*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*4*1*O
 SI*TI*SF*05151*FD*ROTARY HUNT LN CHRG
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*4*2*O
 SI*TI*SF*11135*FD*SGL LN FLAT
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*4*3*O
 SI*TI*SF*20033*FD*BUS MULTILINE ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*4*4*O
 SI*TI*SF*30021*FD*INTER/ACC CHRG/PICC BML
 SI*ZZ*QT*76.00*FR*x.xx
 SLN*4*5*O
 SI*TI*SF*75783*FD*INTER ACC CHRG MLTILN
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*4*6*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 PO1*5*****A6*ACCTDET
 SI*TI*WT*9722212497*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000

SLN*5*1*O
 SI*TI*SF*11135*FD*SGL LN FLAT
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*5*2*O
 SI*TI*SF*20033*FD*BUS MULTILINE ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*5*3*O
 SI*TI*SF*30021*FD*INTER/ACC CHRG/PICC BML
 SI*ZZ*QT*76.00*FR*x.xx
 SLN*5*4*O
 SI*TI*SF*75783*FD*INTER ACC CHRG MLTILN
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*5*5*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 PO1*6*****A6*LISTING*SH*LML
 SI*TI*BR*B*LE*1*TW*SL
 PID*S**TI*AT***SO-RSQ*Y
 PID*S**TI*AS***SO-RSQ*Y
 REF*LI*00100
 N1*DH*Cte, Csi Corba Scenario 28*12*2142223776
 IN2*05*Cte
 IN2*02*Csi Corba Scenario 28
 N4***75057
 CTT*6
 SE*125*0001
 GE*1*100005945
 IEA*1*100005945

Scenario Number: 29
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail business customer requests a CSI with caption listing.
System: EDI
Transaction CSI

Inbound Request:

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329298*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329298*X*004050
 ST*850*0001
 BEG*28*IN*C9CSI291020S**20131020
 REF*11*8137921251*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E
 PID*S**TI*AO***SO-RSQ*Y
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**FL
 CTT*1
 SE*13*0001
 GE*1*329329298
 IEA*1*329329298

Scenario Number: 29
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail business customer requests a CSI with caption listing.
System: EDI
Transaction CSI

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808``*00405*100005948*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005948*X*004050
ST*855*0001
BAK*11*AC*C9CSI291020S*20131020
REF*11*8137921251*ATN
DTM*097*20131020*0808
SI*TI*IQ*E*BT*B
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*ACCT
N1*IT*CTE CSI CAPTION SCENARIO29
N4**FL *335562429
NX2*01*16829
NX2*02*GUNN
NX2*62*HWY
NX2*07*ODESSA
NX2*14*212
SLN*1*1*O
N9*1Q*300*PRESPC
MTX**Your request has been processed successfully
SLN*1*2*O
QTY*31*0*DY
SLN*1*3*O
N9*L1*CSI*ACCT-REMARKS
MTX**110001 CTE ACCOUNT FOR TEST PURPOSES. DO NOT CHANGE OR CANCEL      110002 ANY QUESTIONS
CONTACT JAMEY RAWLS 813/483-3525
PO1*2*****A6*ACCTDET
    
```

SI*TI*WT*8137921251*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*2*1*O
 SI*TI*SF*20033*FD*BUS MULTILINE ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*2*O
 SI*TI*SF*75783*FD*INTER ACC CHRG MLTILN
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*3*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*4*O
 SI*TI*SF*99977*FD*BUS ECS OPT-3
 SI*ZZ*QT*1.00*FR*x.xx
 PO1*3*****A6*ACCTDET
 SI*TI*WT*8137921379*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 N9*55*0000*HTSEQ
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*3*1*O
 SI*TI*SF*20033*FD*BUS MULTILINE ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*2*O
 SI*TI*SF*30021*FD*INTER/ACC CHRG/PICC BML
 SI*ZZ*QT*15.00*FR*x.xx
 SLN*3*3*O
 SI*TI*SF*75783*FD*INTER ACC CHRG MLTILN
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*4*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*3*5*O
 SI*TI*SF*99977*FD*BUS ECS OPT-3

SI*ZZ*QT*1.00*FR*x.xx
PO1*4*****A6*LISTING
SI*TI*BR*B*DG*0*LE*1*TW*CI*CN*0093543
REF*LI*00100
N9*82*LTXTY*****55~00
N1*DH*Cte, Csi Caption Scenario29 and 30
IN2*05*Cte
IN2*02*Csi Caption Scenario29 and 30
PO1*5*****A6*LISTING
SI*TI*DG*1*CN*0093543
REF*LI*00200
N1*DH**12*8137921251
N4***33556
NX2*01*16829
NX2*02*Gunn Hwy
PO1*6*****A6*LISTING
SI*TI*DG*1*CN*0093543
REF*LI*00300
N9*82*LTXTY*CI
MTX**Fax Line
N1*DH**12*8137921379
CTT*6
SE*85*0001
GE*1*100005948
IEA*1*100005948

Scenario Number: 31
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail business customer requests a CSI for Loop or Line Share customer.
System: EDI
Transaction CSI

Inbound Request:

ISA*00*CSIINQ *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329299*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329299*X*004050
 ST*850*0001
 BEG*28*IN*C9CSI311020S**20131020
 REF*11*8132217389*ATN
 DTM*097*20131020*0808
 SI*TI*IQ*E
 PID*S**TI*AO***SO-RSQ*Y
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**FL
 CTT*1
 SE*13*0001
 GE*1*329329299
 IEA*1*329329299

Scenario Number: 31
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail business customer requests a CSI for Loop or Line Share customer.
System: EDI
Transaction CSI

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0808`*00405*100005944*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005944*X*004050
ST*855*0001
BAK*11*AC*C9CSI311020S*20131020
REF*11*8132217389*ATN
DTM*097*20131020*0808
SI*TI*IQ*E*BT*B
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*ACCT
N1*IT*CTEFT BRT01
N4**FL*336023913
NX2*01*610
NX2*03*E
NX2*02*ZACK
NX2*62*ST
NX2*07*TAMPA
NX2*14*201
SLN*1*1*O
N9*1Q*300*PRESPC
MTX**Your request has been processed successfully
SLN*1*2*O
QTY*31*0*DY
SLN*1*3*O
N9*L1*CSI*ACCT-REMARKS

MTX**110001 ACCOUNT IS FOR TEST PURPOSES ONLY, DO NOT CANCEL OR CHANGE 110002 FOR ANY
 QUESTIONS CONTACT ANN ROCHE 813/483-2558 110003 ADDED SSVC LINES BACK TO ACCOUNT.. WILL
 ALSO NEED TO HAVE 110004 CBSS UPDATE THE CBST0119 JLM 04/10/05
 PO1*2*****A6*ACCTDET
 SI*TI*WT*8132217389*PE*DTMF*TS*LS*SY*LS*T5*0000
 SI*ZZ*FP*B
 REF*11*813AB17303*SSTN
 N9*55*0000*HTSEQ
 N9*L1*CSI*SSVC
 MTX**8132217389;LINE SHARE
 N1*P9**41*0000
 N1*8V**41*0000
 SLN*2*1*O
 SI*TI*SF*20032*FD*BUS 1-PARTY ARC
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*2*O
 SI*TI*SF*75779*FD*INTER ACC CHRG SGL LN
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*3*O
 SI*TI*SF*87002*FD*IWMN INSIDE W MNTNC NO
 SI*ZZ*QT*1.00*FR*x.xx
 SLN*2*4*O
 SI*TI*SF*99977*FD*BUS ECS OPT-3
 SI*ZZ*QT*1.00*FR*x.xx
 PO1*3*****A6*LISTING*SH*LML
 SI*TI*BR*B*LE*1*TW*SL
 PID*S**TI*AT***SO-RSQ*Y
 REF*LI*00100
 N1*DH*Cteft, Brt01*12*8132217389
 IN2*05*Cteft
 IN2*02*Brt01
 N4***33602
 CTT*3
 SE*56*0001
 GE*1*100005944
 IEA*1*100005944

Scenario Number: 33
LSOG Version: LSOG9
State: TX
Scenario Description: Perform Address Validation using FULL address to obtain FTTP data if available
System: EDI
Transaction Address Validation

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329300*0*T*~
GS*PO*ZZ1*SIGS*20131020*0808*329329300*X*004050
ST*850*0001
BEG*28*IN*C9PO331020S**20131020
SI*TI*IQ*A
SI*TI*IR*A
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
N1*IT*NONE
N4**TX*76248
NX2*01*640
NX2*02*JOHNSON
NX2*62*RD
NX2*07*KELLER
CTT*1
SE*16*0001
GE*1*329329300
IEA*1*329329300

Scenario Number: 33
LSOG Version: LSOG9
State: TX
Scenario Description: Perform Address Validation using FULL address to obtain FTTP data if available.
System: EDI
Transaction Address Validation

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808``*00405*100005947*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005947*X*004050
ST*855*0001
BAK*11*AT*C9PO331020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*A*IR*A
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*OP*Y
QTY*AG*0*EA
SLN*1*1*O
SI*TI*LS*817337
SI*ZZ*FC*Y
SLN*1*2*O
SI*TI*WT*8173371342
N1*IT*NONE
N4**TX*76248
NX2*01*640
NX2*02*JOHNSON
NX2*62*RD
NX2*07*KELLER
SLN*1*3*O
SI*TI*LO*KLLRXXXADS0
SLN*1*4*O
N9*1Q*042*PRESPC
MTX**Exact Match Found.
    
```

CTT*1
SE*28*0001
GE*1*100005947
IEA*1*100005947

Scenario Number: 35
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Co-Location Facility Assignment Inquiry (CFAI) transaction to obtain co-location information
System: EDI
Transaction: CFAI

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329301*0*T*~
GS*PO*ZZ1*SIGS*20131020*0808*329329301*X*004050
ST*850*0001
BEG*28*IN*C9PO351020S**20131020
SI*TI*IQ*P
SI*TI*IR*A
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*LO*OXNRCAXF48K
SI*TI*K3*CTEI
SI*TI*K4*4
CTT*1
SE*13*0001
GE*1*329329301
IEA*1*329329301

Scenario Number: 35
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Co-Location Facility Assignment Inquiry (CFAI) transaction to obtain co-location information
System: EDI
Transaction CFAI

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005946*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005946*X*004050
ST*855*0001
BAK*11*AT*C9PO351020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*P*IR*A
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*FB*F
SLN*1*1*O
N9*1Q*027*PRESPC
MTX**Request Successful
CTT*1
SE*14*0001
GE*1*100005946
IEA*1*100005946
    
```

Scenario Number: 37
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Address Validation using FULL address to precede Fiber Availability Inquiry (FAI) transaction
System: EDI
Transaction Address Validation

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329302*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329302*X*004050
 ST*850*0001
 BEG*28*IN*C9PO37381020S**20131020
 SI*TI*IQ*A
 SI*TI*IR*A
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**CA*92647
 NX2*01*6332
 NX2*02*FLINT
 NX2*62*DR
 NX2*07*HUNTINGTON BH
 CTT*1
 SE*16*0001
 GE*1*329329302
 IEA*1*329329302

Scenario Number: 37
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Address Validation using FULL address to precede Fiber Availability Inquiry (FAI) transaction
System: EDI
Transaction Address Validation

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005950*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005950*X*004050
ST*855*0001
BAK*11*AT*C9PO37381020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*A*IR*A
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*OP*Y
QTY*AG*0*EA
SLN*1*1*O
SI*TI*LS*714377
SI*ZZ*FC*Y
SLN*1*2*O
SI*TI*WT*7143770051
N1*IT*NONE
N4**CA*92647
NX2*01*6332
NX2*02*FLINT
NX2*62*DR
NX2*07*HUNTINGTON BH
SLN*1*3*O
SI*TI*LO*HNBHCAXL84S
SLN*1*4*O
N9*1Q*042*PRESPC
    
```


MTX**Exact Match Found.

CTT*1

SE*28*0001

GE*1*100005950

IEA*1*100005950

Scenario Number: 38
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Fiber Availability Inquiry (FAI) transaction to obtain fiber information
System: EDI
Transaction: FAI

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0812*U*00405*329329542*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0812*329329542*X*004050
 ST*850*0001
 BEG*28*IN*C9PO37381020S**20131020
 SI*TI*IQ*W
 SI*TI*IR*A
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 CTT*0
 SE*9*0001
 GE*1*329329542
 IEA*1*329329542

Scenario Number: 38
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Fiber Availability Inquiry (FAI) transaction to obtain fiber information
System: EDI
Transaction: FAI

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0812*`*00405*100005953*0*P*~
GS*PR*020744533*ZZ1*20131020*0812*100005953*X*004050
ST*855*0001
BAK*11*AT*C9PO37381020S*20131020
DTM*097*20131020*0812
SI*TI*IQ*W*IR*A
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SLN*1*1*O
N1*IT*NONE
N4**CA*92647
NX2*01*6332
NX2*02*FLINT
NX2*62*DR
NX2*07*HUNTINGTON BH
SLN*1*2*O
SI*ZZ*FE*B*FS*D*PT*5*PU*3*PA*1
SLN*1*3*O
N9*1Q*027*PRESPC
MTX**Request Successful.
CTT*1
SE*22*0001
GE*1*100005953
IEA*1*100005953
```

Scenario Number: 41
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Address Validation to obtain alternative address information
System: EDI
Transaction Address Validation

Inbound Request:

ISA*03*PREORDER *01*Z001 *ZZ*ZZ1 *01*020744533 *131020*0808*~*00405*329329303*0*P*^
 GS*PO*ZZ1*020744533*20131020*0808*329329303*X*004050
 ST*850*0001
 BEG*28*IN*C9PO411020S**20131020
 SI*TI*IQ*A
 SI*TI*IR*A
 SI*ZZ*ST*CA
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**CA*90401
 NX2*01*1314
 NX2*02*7
 NX2*62*ST
 NX2*07*SANTA MONICA
 CTT*1
 SE*16*0001
 GE*1*329329303
 IEA*1*329329303

Scenario Number: 41
LSOG Version: LSOG9
State: CA
Scenario Description: Perform Address Validation to obtain alternative address information
System: EDI
Transaction: Address Validation

Outbound Response:

```
ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0808*`*00405*100005949*0*P*~
GS*PR*020744533*ZZ1*20131020*0808*100005949*X*004050
ST*855*0001
BAK*11*AT*C9PO411020S*20131020
DTM*097*20131020*0808
SI*TI*IQ*A*IR*A
SI*ZZ*ST*CA
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*ZZ*AI*Street Address
QTY*AG*1*EA
SLN*1*1*O
N1*IT*NONE
N4**CA*90401
NX2*01*1314
NX2*02*7
NX2*62*ST
NX2*07*SANTA MONICA
SLN*1*2*O
N9*1Q*005*PRESPC
MTX**Address Near Match Found/Alternates Provided.
SLN*1*3*O
N1*IT*NONE
N3*7TH ST
CTT*1
SE*25*0001
GE*1*100005949
```

IEA*1*100005949

Scenario Number: 43
LSOG Version: LSOG9
State: TX
Scenario Description: Perform Address Validation Using Full Address
System: EDI
Transaction: Address Validation

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0808*U*00405*329329304*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0808*329329304*X*004050
 ST*850*0001
 BEG*28*IN*C9PO4344451020S**20131020
 SI*TI*IQ*A
 SI*TI*IR*A
 SI*ZZ*ST*TX
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 N1*IT*NONE
 N4**TX*75089
 NX2*01*8313
 NX2*02*PRINCETON
 NX2*62*RD
 NX2*07*ROWLETT
 CTT*1
 SE*16*0001
 GE*1*329329304
 IEA*1*329329304

Scenario Number: 43
LSOG Version: LSOG9
State: TX
Scenario Description: Perform Address Validation Using Full Address
System: EDI
Transaction Address Validation

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0808``*00405*100005952*0*P*~
 GS*PR*020744533*ZZ1*20131020*0808*100005952*X*004050
 ST*855*0001
 BAK*11*AT*C9PO4344451020S*20131020
 DTM*097*20131020*0808
 SI*TI*IQ*A*IR*A
 SI*ZZ*ST*TX
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1*****A6*PRE-RESP
 SI*TI*OP*Y
 QTY*AG*0*EA
 SLN*1*1*O
 SI*TI*LS*972475
 SI*ZZ*FC*Y
 SLN*1*2*O
 SI*TI*WT*9724758537
 N1*IT*NONE
 N4**TX*75089
 NX2*01*8313
 NX2*02*PRINCETON
 NX2*62*RD
 NX2*07*ROWLETT
 SLN*1*3*O
 SI*TI*WT*9724752632
 SLN*1*4*O
 SI*TI*WT*9724120048
 SLN*1*5*O

SI*TI*WT*9724122683
SLN*1*6*O
SI*TI*WT*9724124327
SLN*1*7*O
SI*TI*WT*9724752596
SLN*1*8*O
SI*TI*WT*9724121590
SLN*1*9*O
SI*TI*WT*9724122102
SLN*1*10*O
SI*TI*WT*9724127400
SLN*1*11*O
SI*TI*WT*9724128806
SLN*1*12*O
SI*TI*WT*9724120502
SLN*1*13*O
SI*TI*WT*9724756678
SLN*1*14*O
SI*TI*WT*9724126972
SLN*1*15*O
SI*TI*WT*9724759490
SLN*1*16*O
SI*TI*WT*9724120108
SLN*1*17*O
SI*TI*WT*9724120057
SLN*1*18*O
SI*TI*WT*9724120056
SLN*1*19*O
SI*TI*WT*9724120051
SLN*1*20*O
SI*TI*WT*9724120046
SLN*1*21*O
SI*TI*WT*9724121070
SLN*1*22*O
SI*TI*WT*9724121076
SLN*1*23*O
SI*TI*WT*9724121117

SLN*1*24*O
SI*TI*WT*9724756161
SLN*1*25*O
SI*TI*WT*9724754749
SLN*1*26*O
SI*TI*WT*9724120042
SLN*1*27*O
SI*TI*WT*9724120041
SLN*1*28*O
SI*TI*WT*9724123679
SLN*1*29*O
SI*TI*WT*9724120936
SLN*1*30*O
SI*TI*WT*9724128959
SLN*1*31*O
SI*TI*WT*9724127626
SLN*1*32*O
SI*TI*WT*9724755700
SLN*1*33*O
SI*TI*WT*9724127324
SLN*1*34*O
SI*TI*WT*9724121453
SLN*1*35*O
SI*TI*WT*9724122101
SLN*1*36*O
SI*TI*WT*9724120031
SLN*1*37*O
SI*TI*WT*9724120054
SLN*1*38*O
SI*TI*WT*9724120050
SLN*1*39*O
SI*TI*WT*9724120043
SLN*1*40*O
SI*TI*WT*9724751792
SLN*1*41*O
SI*TI*WT*9724123002
SLN*1*42*O

SI*TI*WT*9724128808
SLN*1*43*O
SI*TI*WT*9724120494
SLN*1*44*O
SI*TI*WT*9724120032
SLN*1*45*O
SI*TI*WT*9724120047
SLN*1*46*O
SI*TI*WT*9724120045
SLN*1*47*O
SI*TI*WT*9724120029
SLN*1*48*O
SI*TI*WT*9724121072
SLN*1*49*O
SI*TI*WT*9724756677
SLN*1*50*O
SI*TI*WT*9724127882
SLN*1*51*O
SI*TI*WT*9724759907
SLN*1*52*O
SI*TI*WT*9724126018
SLN*1*53*O
SI*TI*WT*9724758302
SLN*1*54*O
SI*TI*WT*0000040217
SLN*1*55*O
SI*TI*WT*9724753836
SLN*1*56*O
SI*TI*WT*9724120771
SLN*1*57*O
SI*TI*WT*9724752035
SLN*1*58*O
SI*TI*WT*9724120055
SLN*1*59*O
SI*TI*WT*9724120049
SLN*1*60*O
SI*TI*WT*9724124424

SLN*1*61*O
SI*TI*WT*9724631295
SLN*1*62*O
SI*TI*WT*9724126971
SLN*1*63*O
SI*TI*WT*9724126970
SLN*1*64*O
SI*TI*WT*9724122684
SLN*1*65*O
SI*TI*WT*9724757462
SLN*1*66*O
SI*TI*WT*9724121069
SLN*1*67*O
SI*TI*WT*9724120033
SLN*1*68*O
SI*TI*WT*9724753176
SLN*1*69*O
SI*TI*WT*9724128807
SLN*1*70*O
SI*TI*WT*9724126975
SLN*1*71*O
SI*TI*WT*0000040128
SLN*1*72*O
SI*TI*WT*9724754748
SLN*1*73*O
SI*TI*WT*9724120053
SLN*1*74*O
SI*TI*WT*9724120044
SLN*1*75*O
SI*TI*WT*9724121071
SLN*1*76*O
SI*TI*WT*9724751458
SLN*1*77*O
SI*TI*WT*9724121568
SLN*1*78*O
SI*TI*WT*9724124215
SLN*1*79*O

SI*TI*WT*9724632294
SLN*1*80*O
SI*TI*WT*9724120975
SLN*1*81*O
SI*TI*WT*9724122103
SLN*1*82*O
SI*TI*WT*9724120682
SLN*1*83*O
SI*TI*WT*9724120816
SLN*1*84*O
SI*TI*WT*9724120522
SLN*1*85*O
SI*TI*WT*9724756680
SLN*1*86*O
SI*TI*WT*9724120734
SLN*1*87*O
SI*TI*WT*0000040225
SLN*1*88*O
SI*TI*WT*9724120026
SLN*1*89*O
SI*TI*WT*9724759918
SLN*1*90*O
SI*TI*WT*9724126974
SLN*1*91*O
SI*TI*WT*9724127403
SLN*1*92*O
SI*TI*WT*9724759914
SLN*1*93*O
SI*TI*WT*9724751334
SLN*1*94*O
SI*TI*WT*9724120640
SLN*1*95*O
SI*TI*WT*9724120058
SLN*1*96*O
SI*TI*WT*9724120052
SLN*1*97*O
SI*TI*WT*9724124423

SLN*1*98*O
SI*TI*WT*9724638202
SLN*1*99*O
SI*TI*WT*9724638103
SLN*1*100*O
SI*TI*WT*9724120752
SLN*1*101*O
SI*TI*WT*2146074325
SLN*1*102*O
SI*TI*WT*9724756969
SLN*1*103*O
SI*TI*WT*9724123562
SLN*1*104*O
SI*TI*WT*9724125966
SLN*1*105*O
SI*TI*LO*RWLTTXXADS0
SLN*1*106*O
N9*1Q*016*PRESPC
MTX**Additional addresses may be valid with the entry of the LDn and LVn fields
SLN*1*107*O
N9*1Q*042*PRESPC
MTX**Exact Match Found.
CTT*1
SE*235*0001
GE*1*100005952
IEA*1*100005952

Scenario Number: 44
LSOG Version: LSOG9
State: TX
Scenario Description: Reserve Due Date for Scenario #43C
System: EDI
Transaction: Appointment Scheduling

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0815*U*00405*329329725*0*T*~
GS*PO*ZZ1*SIGS*20131020*0815*329329725*X*004050
ST*850*0001
BEG*28*IN*C9PO4344451020S**20131020
SI*TI*IQ*D
SI*TI*IR*R
SI*TI*TY*17M1
SI*TI*RE*MB
SI*TI*AA*N
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1
SI*TI*NC*SNAL
SI*TI*NI*02QC3.OOE
SI*TI*SL*S
SI*TI*CB*8134833343
DTM*211*20131120***RTM*0800-1200
QTY*B3*2*EA
CTT*1
SE*19*0001
GE*1*329329725
IEA*1*329329725

Scenario Number: 44
LSOG Version: LSOG9
State: TX
Scenario Description: Reserve Due Date for Scenario #43C
System: EDI
Transaction: Appointment Scheduling

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0920``*00405*100009891*0*P*~
GS*PR*020744533*ZZ1*20131020*0920*100009891*X*004050
ST*855*0001
BAK*11*AT* C9PO4344451020S *20131020
REF*IX*P0645173*RESID
DTM*097*20131020*0920
SI*TI*IQ*D*IR*R*RE*MB*AA*N*TY*17M1
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*NC*SNAL*NI*02QC3.OOE*SL*S
PID*X**TI*AC*A
SLN*1*1*O
DTM*018*20131105***RTM*0800-1200
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*3*O
N9*1Q*587*PRESPC
MTX**In order to retain the scheduling reservation, a LSR must be submitted within 5 business hours.
SLN*1*4*O
N9*1Q*704*PRESPC
MTX**Dispatch may be required when more than one line is ordered.
CTT*1
SE*24*0001
GE*1*100009891
IEA*1*100009891
    
```


Scenario Number: 45
LSOG Version: LSOG9
State: TX
Scenario Description: Change Due Date Previously Reserved in Scenario 44C
System: EDI
Transaction: Appointment Scheduling

Inbound Request:

ISA*00*PREORDER *00*Z001 *01*ZZ1 *01*020744533 *131020*0819*U*00405*329329950*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0819*329329950*X*004050
 ST*850*0001
 BEG*28*IN*C9PO4344451020S**20131020
 SI*TI*IQ*D
 SI*TI*IR*G
 SI*TI*TY*17M1
 SI*TI*RE*MB
 SI*TI*AA*N
 SI*ZZ*ST*TX
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 SI*TI*SL*S
 SI*TI*CB*8134833343
 QTY*B3*2*EA
 CTT*1
 SE*18*0001
 GE*1*329329950
 IEA*1*329329950

Scenario Number: 45
LSOG Version: LSOG9
State: TX
Scenario Description: Reserve Due Date for Scenario #44C
System: EDI
Transaction Appointment Scheduling

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0920*`*00405*200009791*0*P*~
GS*PR*020744533*ZZ1*20131020*0920*200009791*X*004050
ST*855*0001
BAK*11*AT* C9PO4344451020S *20131020
REF*IX*P0645173*RESID
DTM*097*20131020*1020
SI*TI*IQ*D*IR*G*RE*MB*AA*N*TY*17M1
SI*ZZ*ST*TX
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*NC*SNAL*NI*02QC3.OOE*SL*S
PID*X**TI*AC*A
SLN*1*1*O
DTM*018*20131104
SLN*1*2*O
N9*1Q*027*PRESPC
MTX**Request Successful
SLN*1*3*O
N9*1Q*587*PRESPC
MTX**In order to retain the scheduling reservation, a LSR must be submitted within 5 business hours.
SLN*1*4*O
N9*1Q*704*PRESPC
MTX**Dispatch may be required when more than one line is ordered.
CTT*1
SE*24*0001
GE*1*200009791
IEA*1*200009791
    
```

Scenario Number: 49
LSOG Version: LSOG9
State: FL
Scenario Description: Perform Service Order Inquiry by ATN to Obtain Service Order List
System: EDI
Transaction: Service Order Inquiry Process (SOIP)

Inbound Request:

ISA*03*PREORDER *01*Z001 *ZZ*ZZ1 *01*020744533 *131020*0910*~*00405*329333049*0*P*^
 GS*PO*ZZ1*020744533*20131020*0910*329333049*X*004050
 ST*850*0001
 BEG*28*IN*C9PO491020S**20131020
 REF*11*8132729719*ATN
 SI*TI*IQ*U
 SI*TI*IR*D
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 CTT*1
 SE*11*0001
 GE*1*329333049
 IEA*1*329333049

Scenario Number: 49
LSOG Version: LSOG9
State: FL
Scenario Description: Perform Service Order Inquiry by ATN to Obtain Service Order List
System: EDI
Transaction: Service Order Inquiry Process (SOIP)

Outbound Response:

ISA*00* *00* *01*020744533 *ZZ*ZZ1 *131020*0910*`*00405*100005969*0*P*~
 GS*PR*020744533*ZZ1*20131020*0910*100005969*X*004050
 ST*855*0001
 BAK*11*AT*C9PO491020S*20131020
 DTM*097*20131020*0910
 SI*TI*IQ*U*IR*D
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1*****A6*PRE-RESP
 REF*11*8132729719*ATN
 SLN*1*1*O
 SI*ZZ*ORD*0150524
 PID*X**TI*TAI*C
 DTM*150*20131021
 CTT*1
 SE*15*0001
 GE*1*100005969
 IEA*1*100005969

Scenario Number: 50
LSOG Version: LSOG9
State: FL
Scenario Description: Perform Service Order Inquiry by Order Number to Obtain Service Order Detail
System: EDI
Transaction Service Order Inquiry Process (SOIP)

Inbound Request:

ISA*03*PREORDER *01*Z001 *ZZ*ZZ1 *01*020744533 *131020*0911*~*00405*329333107*0*P*^
 GS*PO*ZZ1*020744533*20131020*0911*329333107*X*004050
 ST*850*0001
 BEG*28*IN*C9PO501020S**20131020
 REF*11*8132729719*ATN
 SI*TI*IQ*V
 SI*TI*IR*C
 SI*ZZ*ST*FL
 N1*78*ZZ1
 N1*BY**25*Z001
 PO1*1
 REF*OW*0150524*ORD
 CTT*1
 SE*12*0001
 GE*1*329333107
 IEA*1*329333107

Scenario Number: 50
LSOG Version: LSOG9
State: FL
Scenario Description: Perform Service Order Inquiry by Order Number to Obtain Service Order Detail
System: EDI
Transaction: Service Order Inquiry Process (SOIP)

Outbound Response:

```

ISA*00*      *00*      *01*020744533  *ZZ*ZZ1      *131020*0912*`*00405*100005970*0*P*~
GS*PR*020744533*ZZ1*20131020*0912*100005970*X*004050
ST*855*0001
BAK*11*AT*C9PO501020S*20131020
DTM*097*20131020*0912
SI*TI*IQ*V*IR*C
SI*ZZ*ST*FL
N1*78*ZZ1
N1*BY**25*Z001
PO1*1*****A6*PRE-RESP
SI*TI*BT*B
REF*11*8132729719*ATN
N1*IT*+++CTE L9 SOIP
SLN*1*1*O
SI*ZZ*ORD*0150524
PID*X**TI*TAI*C
DTM*150*20131021
SLN*1*2*O
SI*TI*WT*8132729719
N9*82*SODETAIL
MTX**      /813 272-9719; ; ; W-NPS; W-NPS; 20131020; P; TC; LP; ROT 1; 1      COPPER69328; UPLAT-2W ANALOG LP START
BUS; ; ; ;      04092; RS TRACK-CTE1; ; ; ;      08001; RS NRC; ; ; ;
89179; UPLAT-EB-C-SM; ; ; ;      69259; UP-CL NAME DEL; ; ; ;      69269;
UP-PLT/RT# HNT; ; ; ;      73538; RS VMS SL; ; ; ;      87002; IWMN INSIDE
W MNTNC NO; ; ; ;
SLN*1*3*O
SI*TI*WT*8132234572
    
```

N9*82*SODETAIL

MTX** /813 223-4572; ; ; W-NPS; W-NPS; 20131020; P; TC; LP; ROT 1; 2 COPPER69328; UPLAT-2W ANALOG LP START
BUS; ; ; ; 89171; UPLAT-EB-ISO-SM; ; ; ; 69259; UP-CL NAME DEL; ; ; ;
69269; UP-PLT/RT# HNT; ; ; ; 73538; RS VMS SL; ; ; ; 87002; IWMN
INSIDE W MNTNC NO; ; ; ; PUB, NO DIR 0002 PL 100 Cte,
Soip +OP 100 BUS, PUB, , , OMIT ADDR, OMIT COMM +ZP 100 33602
+TN 100 813/272-9719 +CL 100 ZZ1 +CH 200
NONE +PL 300 Cte, Soip +OP 300 BUS, PUB, , , OMIT
ADDR, OMIT COMM +ZP 300 33602 +TN 300 813/223-4572
+CL 300 ZZ1
CTT*1
SE*25*0001
GE*1*100005970
IEA*1*100005970

3.1 Ordering Scenarios Matrix

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
3	9	TX	CLEC residence 1 line Resale ISDN BRI customer adds 1 new ISDN BRI line to existing account.	EDI	Resale	ISDN BRI	Residence	972/273-2428
4	9	FL	CLEC business new customer orders an ISDN BRI line.	EDI	Resale	ISDN BRI	Business	New
5	9	CA	New CLEC business customer orders 3 POTS lines with the first two lines being caption listed. The first two lines also have Call Waiting.	EDI	Resale	POTS	Business	New
6	9	CA	CLEC residence 2 line Resale POTS customer changes the TN on the first line and also changes from being non-pub to pub.	EDI	Resale	POTS	Residence	310/393-2114 310/393-2206
7	9	FL	CLEC residence two line Resale POTS customer moves from one apartment into another apartment in the same building. Two lines are non-pub and have full outbound and inbound toll restrictions.	EDI	Resale	POTS	Residence	813/792-9063 813/920-9303

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
8	9	FL	Verizon Retail business single line POTS customer migrates “as specified” to a CLEC. The Retail customer has a non-pub number, IWM and Caller Name and Number ID.	EDI	Resale	POTS	Business	813/224-0018
9 (sup)	9	FL	After scenario 8 is submitted, a SUP type 2 is submitted to change the due date.	EDI	Resale	POTS	Business	813/224-0018
10	9	FL	CLEC residence multi line (S/L) Resale account customer adds Call Forwarding to one of the numbers.	EDI	Resale	POTS	Residence	813/684-0612 813/684-3488
11	9	TX	CLEC residence three line account disconnects one line.	EDI	Resale	POTS	Residence	972/355-0094 972/355-0186 972/355-0280
12	9	FL	CLEC issues a seasonal suspend service for one line residence account.	EDI	Resale	POTS	Residence	813/920-0309
13	9	TX	Verizon Retail 2 line customer migrates one line to a CLEC “as specified” and keeps the second line with Verizon. During the migration the customer adds Call Waiting and Caller ID and changes the PIC and LPIC.	EDI	Resale	POTS	Residence	972/205-0111 972/205-0115
14	9	CA	CLEC business customer changes all three existing lines into a 3 line rotary hunt group.	EDI	Resale	POTS	Business	310/317-6935 310/317-9130 310/456-0256
15	9	CA	CLEC residence customer changes class of service from flat rate to measured rate.	EDI	Resale	POTS	Residence	805/569-0075

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
16	9	FL	CLEC business moves 4 lines from one suite to another suite in the same building.. The listings on all four lines change.	EDI	Resale	POTS	Business	727/442-0033 727/442-0072 727/442-0097 727/442-0119
17	9	TX	An existing CLEC Resale POTS customer migrates “as-is”, 2 lines from one CLEC to another.	EDI	Resale	POTS	Residence	972/205-0118 972/205-0155
18	9	FL	Verizon business two line ISDN BRI customer migrates “as specified” to a CLEC providing ISDN BRI service.	EDI	Platform (UNE-P)	ISDN BRI	Business	727/825-0002 727/825-0004 727/825-0013 727/825-0015
19	9	CA	New CLEC residence customer orders a single listed POTS line using Platform POTS service. The customer wants Call Waiting and Call Forwarding.	EDI	Platform (UNE-P)	POTS	Residence	New
20	9	CA	CLEC residence single line Platform POTS customer adds Call Waiting and Call Forwarding to account.	EDI	Platform (UNE-P)	POTS	Residence	805/494-4619
21	9	FL	Verizon Retail residence single line account migrates “as specified” to CLEC providing Platform POTS service. During the migration the customer adds Auto Call Return and complete inbound and outbound toll restrictions.	EDI	Platform (UNE-P)	POTS	Residence	813/960-0012

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
22	9	FL	CLEC residence, single line Platform POTS customer changes their listing from unlisted to listed.	EDI	Platform (UNE-P)	POTS	Residence	813/960-0450
23	9	TX	CLEC residence, single line POTS customer adds an additional POTS line.	EDI	Platform (UNE-P)	POTS	Residence	972/719-0749
24	9	CA	CLEC residence customer disconnects service.	EDI	Platform (UNE-P)	POTS	Residence	310/394-4179
25	9	FL	CLEC small business, 2 line unlisted Platform POTS customer moves to a different location within the same wire center and adds one more line. The customer wishes to put all 3 lines in a circular hunt group.	EDI	Platform (UNE-P)	POTS	Business	813/870-0040
26 (sup)	9	FL	After order for scenario 25 has been submitted, a SUP to change is sent to add Call Block and a call feature.	EDI	Platform (UNE-P)	POTS	Business	813/870-0040
27	9	CA	CLEC residence, single line listed Platform POTS customer changes the PIC.	EDI	Platform (UNE-P)	POTS	Residence	310/317-0106
28	9	FL	VZ Retail business customer with a multi-line hunt group converts “as specified” to a CLEC.	EDI	Platform (UNE-P)	POTS	Business	727/530-0001 727/530-0019 727/530-0028
29	9	TX	CLEC small business new customer orders POTS service with circular hunting and a complex (caption) listing.	EDI	Platform (UNE-P)	POTS	Business	New

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
30	9	FL	New CLEC small business customer orders 5 POTS lines, to be provided by the CLEC using 5 Analog Loops to be cross connected at the CLEC collocated cage. One line will be listed.	EDI	UNE	Loop	Business	New
31	9	TX	VZ Retail business line non-published customer migrates to a CLEC providing UNE Analog Loop service. During the migration, the customer retains the VZ TN's via LNP and changes the listing.	EDI	UNE	Loop w/LNP	Business	972/273-2425
32 (sup)	9	TX	After the order in scenario 31 is submitted a SUP to cancel is submitted to cancel the order.	EDI	UNE	Loop w/LNP	Business	972/273-2425
33	9	CA	VZ Retail customer Ports out a number to CLEC providing Loop service and TN via new ILEC. Customer requests VZ listing.	EDI	UNE	LNP	Residence	805/494-4051
34	9	TX	CLEC small business customer adds an Analog Loop.	EDI	UNE	Loop	Business	New
35	9	FL	VZ Retail residence customer migrates 2 lines to Loop service and changes the TN on the listing to a new CLEC TN.	EDI	UNE	Loop	Residence	813/920-0001 813/920-0108
36	9	FL	CLEC small business, UNE ISDN BRI Loop customer disconnects Loop.	EDI	UNE	Loop	Business	727/UB0-0086

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
37	9	FL	CLEC small business , new customer orders xDSL Loop.	EDI	UNE	Loop	Business	New
38	9	TX	CLEC small business customer changes from an Analog Loop to Digital Loop to use for ISDN service.	EDI	UNE	Loop	Business	817/TX0-0019
39	9	FL	CLEC provides ADSL service to an existing VZ Retail business POTS customer via Line Sharing arrangement.	EDI	UNE	Line Share	Business	813/908-3157
40	9	FL	CLEC disconnects ADSL service provided to an existing VZ Retail business POTS customer. Customer retains POTS service with VZ.	EDI	UNE	Line Share	Business	727/530-0054 727/SW0-7915
41	9	CA	VZ Retail residence, 2 line POTS customer migrates 1 of 2 lines “as specified” to CLEC Platform POTS service. The customer migrates the main line and leaves the 2 nd line with VZ. During the migration, the customer requests a new listed line.	EDI	Platform	POTS	Residence	310/397-0048 310/397-0071
42	9	CA	CLEC business requests new installation of Sub Loop.	EDI	UNE	Sub-Loop	Business	New
43	9	FL	CLEC residence adds DLEC to existing Platform account.	EDI	UNE	Linesplitting	Residence	727/327-2659
44	9	CA	CLEC residence requests new stand alone directory listing.	EDI	UNE	POTS	Residence	310/393-7094

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
48	9	TX	CLEC provides ADSL service to an existing VZ Retail POTS customer via Line Sharing Unbundled Sup-Loop arrangement.	EDI	UNE	Line Share Unbundled Sub-Loop	Business	210 S. Main St Ste 201 Irving, TX 75060 972/253-9374
49	9	FL	CLEC issues a Temporary Disconnect Order (TDO) on a Resale customer.	EDI	Resale	POTS	Residence	413 Alma Dr Brandon FL 33510 813/684-9541
50	9	TX	CLEC issues a Reconnect Order (RCO) on an account that has been disconnected.	EDI	Platform UNE-P	POTS	Business	2007 W Northwest Hwy Grapevine TX 76051 817/421-3417
51	9	CA	CLEC business customer orders a new Resale Frame Relay.	EDI	Resale Frame Relay	Frame Relay	Business	3630 State St Ste 218 Santa Barbara CA 93105
52	9	FL	CLEC business customer orders new Line Split PARTS.	EDI	UNE	Line Split	Business	14917 Zambito Rd.,Ste 215 Tampa, FL 33618 813/264-0792
53	9	TX	CLEC business customer orders new Line Share PARTS.	EDI	UNE	Line Share	Residence	816 Main St., Apt 115 Garland, TX 75040 972/485-4749
54	9	TX	VZ retail customer ports out a wireline number to a wireless CLEC	EDI	UNE	LNP/ Wireline to Wireless	Residence	210 S. Main St., Apt. 110, Irving, TX 75060, 972/259-4981

Scenario Number	LSOG Version	State	Scenario Description	System	Family	Product	Market Segment	Account Information
55	9	CA	Initiate a migration for Line Share to Loop Share with Number Portability	EDI	UNE	Loop Share	Business	900 S. C St., Ste 207, Oxnard, CA 93030, 805/240-3179
56	9	FL	VZ retail customer (Verizon Voice/No Data) migrates to Line Split (UNE-P CLEC/Voice-CLEC/Data.)	EDI	UNE	Line Split	Residence	610 Zack St, Apt 110 Tampa, FL 33602 813/223-7161
57	9	CA	Line Share Account Migrates Voice & Loop Only to Loop With Number Portability, Disconnecting Data On A Single LSR	EDI	UNE	Loop W/LNP	Business	900 S. C St., Ste. 207, Oxnard, CA 93030, 805/483-5150
58	9	CA	Line Split Account Migrates to Line Split (Change in Voice Provider Only) on a Single LSR	EDI	UNE	Line Split	Residence	330 Phelps Dr, Apt 117, Irving, TX 75038 972/717-7129
59	9	FL	Update service address for end user with RECORDS order.	EDI	UNE	POTS	Business	14917 Zambito Rd, Ste 201, Tampa, FL 33618 813/963-2106

3.2 Ordering Scenarios

-Inbound Request

-Outbound Responses

Scenario Number: 3
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC business, 1 line Resale ISDN BRI customer, adds 1 new ISDN BRI line to existing account.
System: EDI
Family: Resale
Product: ISDN BRI
Market Segment: Business

LSR:**Administrative**

1	CCNA	ZZ1
2	PON	C9IS03
4	VER	00
8	ATN	9722732428
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	QB
29	P	A
31	ACT	C
41	CC	Z001
51	AGAATH	Y
58	LSO	972273
59	TOS	1HF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER**Administrative**

4	ATN	9722732428
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO03
12	SANO	210
14	SASD	S
15	SASN	MAIN
16	SATH	ST
18	LD1	APT
19	LV1	100
25	CITY	IRVING
26	STATE	TX
27	ZIP	75060

ISDN SERVICE**Administrative**

1	PON	C9IS03
2	VER	00
4	ATN	9722732428

Service Detail

10	LOCNUM	001
11	LNUM	00002
14	LNA	N
17	NOTYP	C
18	TNS	N
33	PIC	0333

34	LPIC	0333
37	MATN	A
46	ST	1
53	MAXB	2
57	CSD	B
58	CSDC	C
59	CSV	B
60	CSVC	B
61	ITYP	B
62	BS	A
64	EKTS	A
65	CAPP	273242
76	ISPID	N
77	PKG	B
97b	PULSE	DTMF
Feature Detail 1		
98	FA	N
99	FEATURE	06654
100	FEATURE	ISDN BRI/FLAT ACC LN
Feature Detail 2		
98	FA	N
99	FEATURE	77363
100	FEATURE	RS ISDN BRI/B CHL VC/CSD P/L

Scenario Number: 3
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC business, 1 line Resale ISDN BRI customer, adds 1 new ISDN BRI line to existing account.
System: EDI
Family: Resale
Product: ISDN BRI
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334477*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334477*X*004050
 ST*850*0001
 BEG*00*SS*C9IS031020S*00*20131020
 REF*11*9722732428*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*QB
 SI*TI*SQ*A
 SI*TI*AA*C
 SI*TI*LS*972273
 SI*TI*TY*1HF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO03
 N4**TX*75060
 NX2*01*210
 NX2*03*S
 NX2*02*MAIN
 NX2*62*ST
 NX2*13*100
 NX2*07*IRVING
 REF*IX*001*LOCNUM
 PO1*1*****A6*IS
 SI*TI*SA*N
 SI*TI*TZ*C
 SI*TI*TN*N
 SI*TI*AM*A
 SI*TI*SB*1
 SI*TI*C9*B
 SI*TI*C0*C
 SI*TI*C7*B
 SI*TI*C8*B
 SI*TI*EK*A
 SI*TI*A2*273242

SI*TI*SN*N
SI*TI*KG*B
SI*TI*PE*DTMF
PID*X**TI*ITYP*B
PID*X**TI*BSVC*A
REF*IX*001*LOCNUM
REF*IX*00002*LNUM
QTY*M2*2
SI*TI*QT*MAXB
N1*8V**41*0333
N1*P9**41*0333
SLN*1*1*A
SI*TI*SA*N*SF*06654*FD*ISDN BRI/ FLAT ACC LN
SLN*1*2*A
SI*TI*SA*N*SF*77363*FD*RS ISDN BRI/B CHL VC/CSD P/L
CTT*1
SE*55*0001
GE*1*329334477
IEA*1*329334477

Scenario Number: 3
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC business, 1 line Resale ISDN BRI customer, adds 1 new ISDN BRI line to existing account.
System: EDI
Family: Resale
Product: ISDN BRI
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*1000* *00405*100005993*0*P*~
 GS*PR*020744533*ZZ1*20131020*1000*100005994*X*004050
 ST*855*0001
 BAK*06*AE*C9IS031020S*20131020*00
 REF*11*9722732428*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C1234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0900
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*9722731234*SN*123456
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 CTT*1
 SE*19*0001
 GE*1*100005994
 IEA*1*100005993

Scenario Number: 4
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business new customer orders an ISDN BRI line.
System: EDI
Family: Resale
Product: ISDN BRI
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9IS04
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	QB
29	P	A
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
58	LSO	813960
59	TOS	1HF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO04
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	STE
19	LV1	200
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618

ISDN SERVICE

Administrative

1	PON	C9IS04
2	VER	00
4	ATN	N

Service Detail

10	LOCNUM	001
11	LNUM	00001
14	LNA	N
17	NOTYP	B
18	TNS	N
33	PIC	NONE
34	LPIC	NONE
37	MATN	M
46	ST	5
53	MAXB	2

57	CSD	B
58	CSDC	C
59	CSV	B
60	CSVC	B
61	ITYP	B
62	BS	A
64	EKTS	A
65	CAPP	483123
76	ISPID	N
77	PKG	B
97b	PULSE	DTMF
Feature Detail 1		
98	FA	N
99	FEATURE	74596
100	FEATURE	ISDN BRI SL Primary Ln
Feature Detail 2		
98	FA	N
99	FEATURE	16832
100	FEATURE	ISDN MEAS ACC PK/BUS
Feature Detail 3		
98	FA	N
99	FEATURE	13105
100	FEATURE	ISDN BRI SL B CNL VC CSD
Feature Detail 4		
98	FA	N
99	FEATURE	75761
100	FEATURE	ISDN SL/D CHNL PKT/PER CHNL

DIRECTORY LISTING**Administrative**

1	CCNA	ZZ1
2	PON	C9IS04
3	VER	00
4	ATN	N

Delivery Address Info

107	DIRQTYA	1
-----	---------	---

Advertising

116	YPHV	NONE
-----	------	------

Listing Control

9	LACT	N
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
18	LOCNUM	001
19	DLNUM	0001
20	MTN	N

Listing Instruction

38	LTN	N
43	LEX	813960
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 4
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business new customer orders an ISDN BRI line.
System: EDI
Family: Resale
Product: ISDN BRI
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334478*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334478*X*004050
 ST*850*0001
 BEG*00*SS*C9IS041020S*00*20131020
 REF*11*N*ATN
 REF*ZZ*N*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*QB
 SI*TI*SQ*A
 SI*TI*AA*N
 SI*TI*LS*813960
 SI*TI*TY*1HF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO04
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*14*200
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*IS
 SI*TI*SA*N
 SI*TI*TZ*B
 SI*TI*TN*N
 SI*TI*AM*M
 SI*TI*SB*5
 SI*TI*C9*B
 SI*TI*C0*C
 SI*TI*C7*B
 SI*TI*C8*B
 SI*TI*EK*A
 SI*TI*A2*483123
 SI*TI*SN*N

SI*TI*KG*B
SI*TI*PE*DTMF
PID*X**TI*ITYP*B
PID*X**TI*BSVC*A
REF*IX*001*LOCNUM
REF*IX*00001*LNUM
QTY*M2*2
SI*TI*QT*MAXB
N1*8V**41*NONE
N1*P9**41*NONE
SLN*1*1*A
SI*TI*SA*N*SF*74596*FD*ISDN BRI SL Primary Ln
SLN*1*2*A
SI*TI*SA*N*SF*16832*FD*ISDN MEAS ACC PK/BUS
SLN*1*3*A
SI*TI*SA*N*SF*13105*FD*ISDN BRI SL B CNL VC CSD
SLN*1*4*A
SI*TI*SA*N*SF*75761*FD*ISDN SL/D CHNL PKT/PER CHNL
PO1*2*****A6*DL*SH*LML
SI*TI*LB*N
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*TN*N
SI*TI*LX*813960
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*N
IN2*05*Cte
IN2*02*Test
SLN*2*1*A
QTY*31*1*DY
PO1*3*****A6*DL
N9*82*YPHV
MTX**NONE
CTT*3
SE*75*0001
GE*1*329334478
IEA*1*329334478

Scenario Number: 4
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business new customer orders an ISDN BRI line.
System: EDI
Family: Resale
Product: ISDN BRI
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0959*`*00405*300001597*0*P*~
 GS*PR*020744533*ZZ1*20131020*0959*300001598*X*004050
 ST*855*0001
 BAK*06*AE*C9IS041020S*20131020*00
 REF*11*8139601234*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*11234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0859
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8139601234*SN*2468273
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*300001598
 IEA*1*300001597

Scenario Number: 5
LSOG Version: LSOG9
State: CA
Scenario Description: New CLEC business customer orders 3 POTS lines with the first two lines being caption listed. The first two lines also have Call Waiting.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS05
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
59	TOS	1BM-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO05
12	SANO	1204
14	SASD	E
15	SASN	THOUSAND OAKS
16	SATH	BLVD
18	LD1	STE
19	LV1	201
25	CITY	THOUSAND OAKS
26	STATE	CA
27	ZIP	91362

RESALE SERVICE

Administrative

1	PON	C9RS05
2	VER	00
4	ATN	N

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	N
15	TNS	N
27	PIC	NONE
28	LPIC	NONE

Feature Detail 1

61	FA	N
62	FEATURE	11917

63	FEATURE DETAIL	Single-Line Measured
Feature Detail 2		
61	FA	N
62	FEATURE	40261
63	FEATURE DETAIL	Call Waiting
Service Detail		Line 2
8	LOCNUM	001
9	LNUM	00002
11	LNA	N
15	TNS	N
27	PIC	NONE
28	LPIC	NONE
Feature Detail 1		
61	FA	N
62	FEATURE	11917
63	FEATURE DETAIL	Single-Line Measured
Feature Detail 2		
61	FA	N
62	FEATURE	40261
63	FEATURE DETAIL	Call Waiting
Service Detail		Line 3
8	LOCNUM	001
9	LNUM	00003
11	LNA	N
15	TNS	N
27	PIC	NONE
28	LPIC	NONE
Feature Detail 1		
61	FA	N
62	FEATURE	11917
63	FEATURE DETAIL	Single-Line Measured

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9RS05
3	VER	00
4	ATN	N

Delivery Address Info

107	DIRQTYA	1
-----	---------	---

Advertising

116	YPHV	NONE
-----	------	------

Listing Control

9	LACT	N
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	CI
15	TOA	B
16	DOI	1
18	LOCNUM	001
19	DLNUM	0001
20	MTN	N
22	LTXQTY	02

Listing Instruction

38	LTN	N
43	LEX	805494

46	LNLN	Cte
47	LNFN	Test
58	LTXNUM	01
59	LTXTY	ITX
61	LTEXT	Account One

Caption SLU Indent

78	LVL	0
79	PLS	N
80	PLINFO	Cte Test

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	N
10	ALI	200
11	RTY	LML
12	LTY	1
14	STYC	CI
15	TOA	B
16	DOI	1
18	LOCNUM	001
19	DLNUM	0002
20	MTN	N
23	LTXQTY	02

Listing Instruction

38	LTN	N
43	LEX	805494
46	LNLN	Cte
47	LNFN	Test
58	LTXNUM	01
59	LTXTY	ITX
61	LTEXT	Account Two

Caption SLU Indent

78	LVL	0
79	PLS	E
80	PLINFO	Account One
81	PLTN	N

DIRECTORY LISTING

Listing Detail 3

Listing Control

9	LACT	N
10	ALI	300
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0003
20	MTN	N

Listing Instruction

38	LTN	N
43	LEX	805494
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 5
LSOG Version: LSOG9
State: CA
Scenario Description: New CLEC business customer orders 3 POTS lines with the first two lines being caption listed. The first two lines also have Call Waiting.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334479*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334479*X*004050
 ST*850*0001
 BEG*00*SS*C9RS051020S*00*20131020
 REF*11*N*ATN
 REF*ZZ*N*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*N
 SI*TI*TY*1BM-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO05
 N4**CA*91362
 NX2*01*1204
 NX2*03*E
 NX2*02*THOUSAND OAKS
 NX2*62*BLVD
 NX2*14*201
 NX2*07*THOUSAND OAKS
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*N*SF*11917*FD*Single-Line Measured
 SLN*1*2*A
 SI*TI*SA*N*SF*40261*FD*Call Waiting
 PO1*2*****A6*RS
 SI*TI*SA*N

SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*SA*N*SF*11917*FD*Single-Line Measured
 SLN*2*2*A
 SI*TI*SA*N*SF*40261*FD*Call Waiting
 PO1*3*****A6*RS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*3*1*A
 SI*TI*SA*N*SF*11917*FD*Single-Line Measured
 PO1*4*****A6*DL*SH*LML
 SI*TI*LB*N
 SI*TI*LE*1
 SI*TI*TW*CI
 SI*TI*BR*B
 SI*TI*DG*1
 SI*TI*TN*N
 SI*TI*LX*805494
 REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0001*DLNUM
 QTY*2W*02*EA
 N9*82*LTXTY*ITX*****55~01
 MTX**Account One
 N1*DH**12*N
 IN2*05*Cte
 IN2*02*Test
 SLN*4*1*A
 SI*TI*DG*0
 SI*TI*DU*N
 N9*82*PLINFO
 MTX**Cte Test
 QTY*31*1*DY
 PO1*5*****A6*DL*SH*LML
 SI*TI*LB*N
 SI*TI*LE*1
 SI*TI*TW*CI
 SI*TI*BR*B
 SI*TI*DG*1
 SI*TI*TN*N
 SI*TI*LX*805494
 REF*LI*200
 REF*IX*001*LOCNUM

REF*IX*0002*DLNUM
QTY*2W*02*EA
N9*82*LTXTY*ITX*****55~01
MTX**Account Two
N1*DH**12*N
IN2*05*Cte
IN2*02*Test
SLN*5*1*A
SI*TI*DG*0
SI*TI*DU*E
SI*TI*C3*N
N9*82*PLINFO
MTX**Account One
PO1*6*****A6*DL*SH*LML
SI*TI*LB*N
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*N
SI*TI*LX*805494
REF*LI*300
REF*IX*001*LOCNUM
REF*IX*0003*DLNUM
N1*DH**12*N
IN2*05*Cte
IN2*02*Test
PO1*7*****A6*DL
N9*82*YPHV
MTX**NONE
CTT*7
SE*120*0001
GE*1*329334479
IEA*1*329334479

Scenario Number: 5
LSOG Version: LSOG9
State: CA
Scenario Description: New CLEC business customer orders 3 POTS lines with the first two lines being caption listed. The first two lines also have Call Waiting.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*1011* *00405*100005995*0*P*~
 GS*PR*020744533*ZZ1*20131020*1011*100005996*X*004050
 ST*855*0001
 BAK*06*AE*C9RS051020S*20131020*00
 REF*11*8053715676*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I1234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0910
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8053715676
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 SI*TI*TN*8053715674
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*3
 SI*TI*TN*8053715672
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 CTT*3
 SE*29*0001
 GE*1*100005996
 IEA*1*100005995

Scenario Number: 6
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence 2 line Resale POTS customer changes the TN on the first line and also changes from being non-pub to pub.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS06
4	VER	00
8	ATN	3103932114
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	C
41	CC	Z001
51	AGAUTH	Y
58	LSO	310393
59	TOS	2BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	3103932114
---	-----	------------

Bill

43	EATN	3103932114
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO06
12	SANO	1314
15	SASN	7TH
16	SATH	ST
18	LD1	APT
19	LV1	100
25	CITY	SANTA MONICA
26	STATE	CA
27	ZIP	90401

RESALE SERVICE

Administrative

1	PON	C9RS06
2	VER	00
4	ATN	3103932114

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	X
15	TNS	N
19	OTN	3103932114
27	PIC	NONE
28	LPIC	NONE

Feature Detail 1

61	FA	D
62	FEATURE	11992
63	FEATURE DETAIL	SGL LN FLAT

Feature Detail 2

61	FA	D
62	FEATURE	05050
63	FEATURE DETAIL	NP

Feature Detail 3

61	FA	N
62	FEATURE	11992
63	FEATURE DETAIL	SGL LN FLAT

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9RS06
3	VER	00
4	ATN	3103932114

Listing Control

9	LACT	0
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	3103932114

Listing Instruction

38	LTN	3103932114
46	LNLN	Cte
47	LNFN	Scenario06

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	N

Listing Instruction

38	LTN	N
43	LEX	310393
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 6
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence 2 line Resale POTS customer changes the TN on the first line and also changes from being non-pub to pub.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *00*ZZ1 *01*020744533
 *131020*0934*U*00405*329334480*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334480*X*004050
 ST*850*0001
 BEG*00*SS*C9RS061020S*00*20131020
 REF*11*3103932114*ATN
 REF*11*3103932114*EATN
 REF*ZZ*3103932114*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*C
 SI*TI*LS*310393
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO06
 N4**CA*90401
 NX2*01*1314
 NX2*02*7TH
 NX2*62*ST
 NX2*13*100
 NX2*07*SANTA MONICA
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*X
 SI*TI*TN*N
 SI*TI*OT*3103932114
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*D*SF*11992*FD*SGL LN FLAT
 SLN*1*2*A
 SI*TI*SA*D*SF*05050*FD*NP

SLN*1*3*A
SI*TI*SA*N*SF*11992*FD*SGL LN FLAT
PO1*2*****A6*DL*SH*LML
SI*TI*LB*O
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*R
SI*TI*DG*0
SI*TI*TN*3103932114
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*3103932114
IN2*05*Cte
IN2*02*Scenario06
PO1*3*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*R
SI*TI*DG*0
SI*TI*TN*N
SI*TI*LX*310393
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0002*DLNUM
N1*DH**12*N
IN2*05*Cte
IN2*02*Test
CTT*3
SE*67*0001
GE*1*329334480
IEA*1*329334480

Scenario Number: 6
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence 2 line Resale POTS customer changes the TN on the first line and also changes from being non-pub to pub.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938*^*00405*400001470*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*400001471*X*004050
 ST*855*0001
 BAK*06*AE*C9RS061020S*20131020*00
 REF*11*3105879239*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C8154173*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*3105879239
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*400001471
 IEA*1*400001470

Scenario Number: 7
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence two line Resale POTS customer moves from one apartment into another apartment in the same building. Two lines are non-pub and have full outbound and inbound toll restrictions.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS07
4	VER	00
8	ATN	8137929063
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	T
41	CC	Z001
51	AGAUTH	Y
59	TOS	2BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8137929063
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO07
12	SANO	16829
15	SASN	GUNN
16	SATH	HWY
18	LD1	APT
19	LV1	110
25	CITY	ODESSA
26	STATE	FL
27	ZIP	33556

RESALE SERVICE

Administrative

1	PON	C9RS07
2	VER	00
4	ATN	8137929063

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	T
15	TNS	8137929063
27	PIC	NONE
28	LPIC	NONE
50	BA	A
51	BLOCK	Z

Feature Detail 1

61	FA	N
62	FEATURE	99972
63	FEATURE DETAIL	Sgl Ln Ext Call Svc

Feature Detail 2

61	FA	N
62	FEATURE	05050
63	FEATURE DETAIL	NP List

Service Detail

Line 2

8	LOCNUM	001
9	LNUM	00002
11	LNA	T
15	TNS	8139209303
27	PIC	NONE
28	LPIC	NONE
50	BA	A
51	BLOCK	Z

Feature Detail 1

61	FA	N
62	FEATURE	99972
63	FEATURE DETAIL	Sgl Ln Ext Call Svc

Feature Detail 2

61	FA	N
62	FEATURE	05051
63	FEATURE DETAIL	NP List

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9RS07
3	VER	00
4	ATN	8137929063

Listing Control

9	LACT	O
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	8137929063

Listing Instruction

38	LTN	8137929063
46	LNLN	Cte
47	LNFN	Scenario07a

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	8137929063

Listing Instruction

38	LTN	8137929063
43	LEX	813792
46	LNLN	Cte
47	LNFN	Scenario07a
57	PLA	Cte, Scenariozerosevena

DIRECTORY LISTING

Listing Detail 3

Listing Control

9	LACT	0
10	ALI	200
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0003
20	MTN	8139209303

Listing Instruction

38	LTN	8139209303
46	LNLN	Cte
47	LNFN	Scenario07b

DIRECTORY LISTING

Listing Detail 4

Listing Control

9	LACT	I
10	ALI	200
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0004
20	MTN	8139209303

Listing Instruction

38	LTN	8139209303
43	LEX	813920
46	LNLN	Cte
47	LNFN	Scenario07b
57	PLA	Cte, Scenariozerosevenb

Scenario Number: 7
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence two line Resale POTS customer moves from one apartment into another apartment in the same building. Two lines are non-pub and have full outbound and inbound toll restrictions.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334481*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334481*X*004050
 ST*850*0001
 BEG*00*SS*C9RS071020S*00*20131020
 REF*11*8137929063*ATN
 REF*ZZ*8137929063*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*T
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO07
 N4**FL*33556
 NX2*01*16829
 NX2*02*GUNN
 NX2*62*HWY
 NX2*13*110
 NX2*07*ODESSA
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*T
 SI*TI*TN*8137929063
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*BB*A*TB*Z
 SLN*1*2*A
 SI*TI*SA*N*SF*99972*FD*Sgl Ln Ext Call Svc
 SLN*1*3*A
 SI*TI*SA*N*SF*05050*FD*NP List

PO1*2*****A6*RS
 SI*TI*SA*T
 SI*TI*TN*8139209303
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*BB*A*TB*Z
 SLN*2*2*A
 SI*TI*SA*N*SF*99972*FD*Sgl Ln Ext Call Svc
 SLN*2*3*A
 SI*TI*SA*N*SF*05051*FD*NP List
 PO1*3*****A6*DL*SH*LML
 SI*TI*LB*O
 SI*TI*LE*3
 SI*TI*TW*SL
 SI*TI*BR*R
 SI*TI*DG*0
 SI*TI*TN*8137929063
 REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0001*DLNUM
 N1*DH**12*8137929063
 IN2*05*Cte
 IN2*02*Scenario07a
 PO1*4*****A6*DL*SH*LML
 SI*TI*LB*I
 SI*TI*LE*3
 SI*TI*TW*SL
 SI*TI*BR*R
 SI*TI*DG*0
 SI*TI*TN*8137929063
 SI*TI*LX*813792
 REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0002*DLNUM
 N9*82*PLA
 MTX**Cte, Scenariozerosevena
 N1*DH**12*8137929063
 IN2*05*Cte
 IN2*02*Scenario07a
 PO1*5*****A6*DL*SH*LML
 SI*TI*LB*O
 SI*TI*LE*3
 SI*TI*TW*SL
 SI*TI*BR*R
 SI*TI*DG*0
 SI*TI*TN*8139209303
 REF*LI*200
 REF*IX*001*LOCNUM

REF*IX*0003*DLNUM
N1*DH**12*8139209303
IN2*05*Cte
IN2*02*Scenario07b
PO1*6*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*R
SI*TI*DG*0
SI*TI*TN*8139209303
SI*TI*LX*813920
REF*LI*200
REF*IX*001*LOCNUM
REF*IX*0004*DLNUM
N9*82*PLA
MTX**Cte, Scenariozerosevenb
N1*DH**12*8139209303
IN2*05*Cte
IN2*02*Scenario07b
CTT*6
SE*108*0001
GE*1*329334481
IEA*1*329334481

Scenario Number: 7
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence two line Resale POTS customer moves from one apartment into another apartment in the same building. Two lines are non-pub and have full outbound and inbound toll restrictions.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0837* *00405*200009759*0*P*~
 GS*PR*020744533*ZZ1*20131020*0837*200009760*X*004050
 ST*855*0001
 BAK*06*AE* C9RS071020S *20131020*00
 REF*11*8137929063*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*M0263565*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0737
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8137929063
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 SI*TI*TN*8139209303
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 CTT*2
 SE*24*0001
 GE*1*200009760
 IEA*1*200009759

Scenario Number: 8
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon Retail business single line POTS customer migrates “as specified” to a CLEC. The Retail customer has a non-pub number, IWM and Caller Name and Number ID.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS08
4	VER	00
8	ATN	8132240018
15	D/TSENT	Use Current Date & Time
17	DDD	CCYYMMDD (NOTE: Make DDD at least two days greater ((>) than current date))
28	REQTYP	EB
31	ACT	V
41	CC	Z001
51	AGAUTH	Y
59	TOS	1BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8132240018
---	-----	------------

Bill

43	EATN	8132240018
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO08
12	SANO	610
15	SASN	ZACK
16	SATH	ST
17	SASS	E
18	LD1	APT
19	LV1	100
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33602

RESALE SERVICE

Administrative

1	PON	C9RS08
2	VER	00
4	ATN	8132240018

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	V
15	TNS	8132240018

27	PIC	NONE
28	LPIC	NONE
Feature Detail 1		
61	FA	V
62	FEATURE	99977
63	FEATURE DETAIL	Bus Ecs Opt-3
Feature Detail 2		
61	FA	V
62	FEATURE	47035
63	FEATURE DETAIL	Caller ID
Feature Detail 3		
61	FA	N
62	FEATURE	05050
63	FEATURE DETAIL	NP LSTG

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9RS08
3	VER	00
4	ATN	8132240018

Listing Control

9	LACT	0
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	8132240018

Listing Instruction

38	LTN	8132240018
46	LNLN	Cte
47	LNFN	Scenario08

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	8132240018

Listing Instruction

38	LTN	8132240018
43	LEX	813224
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 8
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon Retail business single line POTS customer migrates “as specified” to a CLEC. The Retail customer has a non-pub number, IWM and Caller Name and Number ID.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0909*U*00405*329332954*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0909*329332954*X*004050
 ST*850*0001
 BEG*00*SS*C9RS081020S*00*20131020
 REF*11*8132240018*ATN
 REF*11*8132240018*EATN
 REF*ZZ*8132240018*ATN
 DTM*097*20131020*0909
 DTM*150*20131031
 SI*TI*RE*EB
 SI*TI*AA*V
 SI*TI*TY*1BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO08
 N4**FL*33602
 NX2*01*610
 NX2*02*ZACK
 NX2*62*ST
 NX2*40*E
 NX2*13*100
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*V
 SI*TI*TN*8132240018
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*V*SF*99977*FD*Bus Ecs Opt-3
 SLN*1*2*A
 SI*TI*SA*V*SF*47035*FD*Caller ID

SLN*1*3*A
SI*TI*SA*N*SF*05050*FD*NP LSTG
PO1*2*****A6*DL*SH*LML
SI*TI*LB*O
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*8132240018
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*8132240018
IN2*05*Cte
IN2*02*Scenario08
PO1*3*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*8132240018
SI*TI*LX*813224
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0002*DLNUM
N1*DH**12*8132240018
IN2*05*Cte
IN2*02*Test
CTT*3
SE*67*0001
GE*1*329332954
IEA*1*329332954

Scenario Number: 8
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon Retail business single line POTS customer migrates “as specified” to a CLEC. The Retail customer has a non-pub number, IWM and Caller Name and Number ID.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0912* *00405*300001575*0*P*~
 GS*PR*020744533*ZZ1*20131020*0912*300001576*X*004050
 ST*855*0001
 BAK*06*AE*C9RS081020S*20131020*00
 REF*11*8132240018*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C0150550*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0812
 DTM*150*20131031
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8132240018
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*300001576
 IEA*1*300001575

Scenario Number: 9
LSOG Version: LSOG9
State: FL
Scenario Description: After scenario 8 is submitted, a SUP type 2 is submitted to change the due date.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS08 (Sup)
4	VER	01
8	ATN	8132240018
15	D/TSENT	Use Current Date & Time
17	DDD	CCYYMMDD (NOTE: Make DDD at least 1 day prior to DDD used for Scenario #8
28	REQTYP	EB
31	ACT	V
34	SUP	2
41	CC	Z001
51	AGAUTH	Y
59	TOS	1BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8132240018
---	-----	------------

Bill

43	EATN	8132240018
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO08
12	SANO	610
15	SASN	ZACK
16	SATH	ST
17	SASS	E
18	LD1	APT
19	LV1	100
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33602

RESALE SERVICE

Administrative

1	PON	C9RS08 (sup)
2	VER	01
4	ATN	8132240018

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	V
15	TNS	8132240018

27	PIC	NONE
28	LPIC	NONE
Feature Detail 1		
61	FA	V
62	FEATURE	99977
63	FEATURE DETAIL	Bus ECS Opt-3
Feature Detail 2		
61	FA	V
62	FEATURE	47035
63	FEATURE DETAIL	Caller ID
Feature Detail 3		
61	FA	N
62	FEATURE	05050
63	FEATURE DETAIL	NP LSTG

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9RS08 (Sup)
3	VER	01
4	ATN	8132240018

Listing Control

9	LACT	0
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	8132240018

Listing Instruction

38	LTN	8132240018
46	LNLN	Cte
47	LNFN	Scenario08

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	8132240018

Listing Instruction

38	LTN	8132240018
43	LEX	813224
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 9
LSOG Version: LSOG9
State: FL
Scenario Description: After scenario 8 is submitted, a SUP type 2 is submitted to change the due date.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0921*U*00405*329333682*0*T*~
 GS*PC*ZZ1*SIGS*20131020*0921*329333682*X*004050
 ST*860*0001
 BCH*04*SS*C9RS081020S**01*20131020
 REF*11*8132240018*ATN
 REF*11*8132240018*EATN
 REF*ZZ*8132240018*ATN
 DTM*097*20131020*0921
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*V
 SI*TI*TY*1BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO08
 N4**FL*33602
 NX2*01*610
 NX2*02*ZACK
 NX2*62*ST
 NX2*40*E
 NX2*13*100
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 POC*1*RZ*****A6*RS
 SI*TI*SA*V
 SI*TI*TN*8132240018
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*V*SF*99977*FD*Bus ECS Opt - 3
 SLN*1*2*A
 SI*TI*SA*V*SF*47035*FD*Caller ID
 SLN*1*3*A

SI*TI*SA*N*SF*05050*FD*NP LSTG
POC*2*RZ*****A6*DL*SH*LML
SI*TI*LB*O
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*8132240018
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*8132240018
IN2*05*Cte
IN2*02*Scenario08
POC*3*RZ*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*8132240018
SI*TI*LX*813224
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0002*DLNUM
N1*DH**12*8132240018
IN2*05*Cte
IN2*02*Test
CTT*3
SE*67*0001
GE*1*329333682
IEA*1*329333682

Scenario Number: 9
LSOG Version: LSOG9
State: FL
Scenario Description: After scenario 8 is submitted, a SUP type 2 is submitted to change the due date.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0923* *00405*400001462*0*P*~
 GS*CA*020744533*ZZ1*20131020*0923*400001463*X*004050
 ST*865*0001
 BCA*06*AE*C9RS081020S**01*20131020
 REF*11*8132240018*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C0150550*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0823
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 POC*1*RZ
 SI*TI*TN*8132240018
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*400001463
 IEA*1*400001462

Scenario Number: 10
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence multi line (S/L) Resale account customer adds Call Forwarding to one of the numbers.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS10
4	VER	00
8	ATN	8136840612
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	C
41	CC	Z001
51	AGAUTH	Y
59	TOS	2BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8136840612
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO10
12	SANO	108
15	SASN	PINEWOOD
16	SATH	AVE
17	SASS	N
18	LD1	APT
19	LV1	102
25	CITY	BRANDON
26	STATE	FL
27	ZIP	33510

RESALE SERVICE

Administrative

1	PON	C9RS10
2	VER	00
4	ATN	8136840612

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	C
15	TNS	8136840612
27	PIC	NONE
28	LPIC	NONE

Feature Detail 1

61	FA	N
62	FEATURE	01404

Scenario Number: 10
SOG Version: LSOG9
State: FL
Scenario Description: CLEC residence multi line (S/L) Resale account customer adds Call Forwarding to one of the numbers.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334482*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334482*X*004050
 ST*850*0001
 BEG*00*SS*C9RS101020S*00*20131020
 REF*11*8136840612*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*C
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO10
 N4**FL*33510
 NX2*01*108
 NX2*02*PINWOOD
 NX2*62*AVE
 NX2*40*N
 NX2*13*102
 NX2*07*BRANDON
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*C
 SI*TI*TN*8136840612
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*N*SF*01404*FD*Call Forwarding
 CTT*1
 SE*34*0001
 GE*1*329334482
 IEA*1*329334482

Scenario Number: 10
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence multi line (S/L) Resale account customer adds Call Forwarding to one of the numbers.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*400001472*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*400001473*X*004050
 ST*855*0001
 BAK*06*AE*C9RS101020S*20131020*00
 REF*11*8136840612*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C0150617*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8136840612
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*400001473
 IEA*1*400001472

Scenario Number: 11
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC residence three line account disconnects one line.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS11
4	VER	00
8	ATN	9723550094
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	C
41	CC	Z001
51	AGAUTH	Y
59	TOS	2BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	9723550094
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO11
12	SANO	2850
15	SASN	SAGEBRUSH
16	SATH	DR
18	LD1	APT
19	LV1	100
25	CITY	FLOWER MOUND
26	STATE	TX
27	ZIP	75022

RESALE SERVICE

Administrative

1	PON	C9RS11
2	VER	00
4	ATN	9723550094

Service Detail

8	LOCNUM	001
9	LNUM	00003
11	LNA	D
15	TNS	9723550280

Scenario Number: 11
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC residence three line account disconnects one line.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334483*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334483*X*004050
 ST*850*0001
 BEG*00*SS*C9RS111020S*00*20131020
 REF*11*9723550094*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*C
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO11
 N4**TX*75022
 NX2*01*2850
 NX2*02*SAGEBRUSH
 NX2*62*DR
 NX2*13*100
 NX2*07*FLOWER MOUND
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*D
 SI*TI*TN*9723550280
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 CTT*1
 SE*29*0001
 GE*1*329334483
 IEA*1*329334483

Scenario Number: 11
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC residence three line account disconnects one line.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*400001474*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*400001475*X*004050
 ST*855*0001
 BAK*06*AE*C9RS111020S*20131020*00
 REF*11*9723550094*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C5474454*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*9723550280
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 CTT*1
 SE*19*0001
 GE*1*400001475
 IEA*1*400001474

Scenario Number: 12
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC issues a seasonal suspend service for one line residence account.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS12
4	VER	00
8	ATN	8139200309
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	L
41	CC	Z001
51	AGAUTH	Y
59	TOS	2BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044

END USER

Administrative

4	ATN	8139200309
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO12
12	SANO	16829
15	SASN	GUNN
16	SATH	HWY
18	LD1	APT
19	LV1	101
25	CITY	ODESSA
26	STATE	FL
27	ZIP	33556

Scenario Number: 12
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC issues a seasonal suspend service for one line residence account.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334484*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334484*X*004050
 ST*850*0001
 BEG*00*SS*C9RS121020S*00*20131020
 REF*11*8139200309*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*L
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO12
 N4**FL*33556
 NX2*01*16829
 NX2*02*GUNN
 NX2*62*HWY
 NX2*13*101
 NX2*07*ODESSA
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*24*0001
 GE*1*329334484
 IEA*1*329334484

Scenario Number: 12
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC issues a seasonal suspend service for one line residence account.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0959* *00405*400001480*0*P*~
 GS*PR*020744533*ZZ1*20131020*0959*400001481*X*004050
 ST*855*0001
 BAK*06*AE*C9RS121020S*20131020*00
 REF*11*8139200309*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C1234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0858
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 REF*IX*001*LOCNUM
 CTT*1
 SE*16*0001
 GE*1*400001481
 IEA*1*400001480

Scenario Number: 13
LSOG Version: LSOG9
State: TX
Scenario Description: Verizon Retail 2-line customer migrates one line to a CLEC “as specified” and keeps the second line with Verizon. During the migration, the customer adds Call Waiting and Caller ID and changes the PIC and LPIC.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS13
4	VER	00
8	ATN	9722050111
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	V
41	CC	Z001
51	AGAUTH	Y
59	TOS	2BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	9722050111
---	-----	------------

Bill

43	EATN	9722050111
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO13
12	SANO	816
15	SASN	MAIN
16	SATH	ST
18	LD1	APT
19	LV1	100
25	CITY	GARLAND
26	STATE	TX
27	ZIP	75040
36	ELT	A

RESALE SERVICE

Administrative

1	PON	C9RS13
2	VER	00
4	ATN	9722050111

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	V
15	TNS	9722050111
27	PIC	0288
28	LPIC	0288

Feature Detail 1

61	FA	V
62	FEATURE	74864
63	FEATURE DETAIL	Sgl Ln Flat

Feature Detail 2

61	FA	N
62	FEATURE	70642
63	FEATURE DETAIL	RESIDENCE - RS CALLER ID#

Feature Detail 3

61	FA	N
62	FEATURE	75792
63	FEATURE DETAIL	Call Waiting

Scenario Number: 13
LSOG Version: LSOG9
State: TX
Scenario Description: Verizon Retail 2-line customer migrates one line to a CLEC “as specified” and keeps the second line with Verizon. During the migration, the customer adds Call Waiting and Caller ID and changes the PIC and LPIC.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334485*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334485*X*004050
 ST*850*0001
 BEG*00*SS*C9RS131020S*00*20131020
 REF*11*9722050111*ATN
 REF*11*9722050111*EATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*V
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 PID*X**TI*BP*A
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO13
 N4**TX*75040
 NX2*01*816
 NX2*02*MAIN
 NX2*62*ST
 NX2*13*100
 NX2*07*GARLAND
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*V
 SI*TI*TN*9722050111
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*0288
 N1*P9**41*0288
 SLN*1*1*A
 SI*TI*SA*V*SF*74864*FD*Sgl Ln Flat
 SLN*1*2*A
 SI*TI*SA*N*SF*70642*FD*RESIDENCE - RS CALLER ID#
 SLN*1*3*A

SI*TI*SA*N*Sf*75792*FD*Call Waiting
CTT*1
SE*39*0001
GE*1*329334485
IEA*1*329334485

Scenario Number: 13
LSOG Version: LSOG9
State: TX
Scenario Description: Verizon Retail 2-line customer migrates one line to a CLEC “as specified” and keeps the second line with Verizon. During the migration, the customer adds Call Waiting and Caller ID and changes the PIC and LPIC.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0939* *00405*100005991*0*P*~
 GS*PR*020744533*ZZ1*20131020*0939*100005992*X*004050
 ST*855*0001
 BAK*06*AE*C9RS131020S*20131020*00
 REF*11*9722050111*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I5474457*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0839
 DTM*150*20131025
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*9722050111
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*C5474456*LSRNO
 PO1*3
 REF*2I*C5474455*LSRNO
 CTT*3
 SE*23*0001
 GE*1*100005992
 IEA*1*100005991

Scenario Number: 14
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business customer changes all three existing lines into a 3-line rotary hunt group.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS14
4	VER	00
6	HTQTY	03
8	ATN	3103176935
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	C
41	CC	Z001
51	AGAUTH	Y
59	TOS	1AM-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	3103176935
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO14
12	SANO	22211
14	SASD	W
15	SASN	PACIFIC COAST
16	SATH	HWY
18	LD1	STE
19	LVL	204
25	CITY	MALIBU
26	STATE	CA
27	ZIP	90265

HUNT GROUP INFORMATION

Administrative

1	PON	C9RS14
2	VER	00
4	ATN	3103176935

Hunt Group Identification

6	LOCNUM	001
9	HA	N
10	HID	N

Hunt Detail 1

14	HLA	N
15	HTSEQ	001
16	NOTYP	T
17	HTN	3103176935

Hunt Detail 2

14	HLA	N
15	HTSEQ	002
16	NOTYP	T
17	HTN	3103179130

Hunt Detail 3

14	HLA	N
15	HTSEQ	003
16	NOTYP	T
17	HTN	3104560256

RESALE SERVICE

Administrative

1	PON	C9RS14
2	VER	00
4	ATN	3103176935

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	C
15	TNS	3103176935
27	PIC	NONE
28	LPIC	NONE

Feature Detail 1

61	FA	N
62	FEATURE	05151
63	FEATURE DETAIL	Rotary Hunt Ln Chrg

Service Detail

Line 2

8	LOCNUM	001
9	LNUM	00002
11	LNA	C
15	TNS	3103179130
27	PIC	NONE
28	LPIC	NONE

Feature Detail 1

61	FA	N
62	FEATURE	05151
63	FEATURE DETAIL	Rotary Hunt Ln Chrg

Service Detail

Line 3

8	LOCNUM	001
9	LNUM	00003
11	LNA	C
15	TNS	3104560256
27	PIC	NONE
28	LPIC	NONE

Feature Detail 1

61	FA	N
62	FEATURE	05151
63	FEATURE DETAIL	Rotary Hunt Ln Chrg

Scenario Number: 14
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business customer changes all three existing lines into a 3-line rotary hunt group.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0906*U*00405*329332776*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0906*329332776*X*004050
 ST*850*0001
 BEG*00*SS*C9RS141020S*00*20131020
 REF*11*3103176935*ATN
 PAM*QU*03*EA
 DTM*097*20131020*0906
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*C
 SI*TI*TY*1AM-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO14
 N4**CA*90265
 NX2*01*22211
 NX2*02*PACIFIC COAST
 NX2*62*HWY
 NX2*14*204
 NX2*07*MALIBU
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*C
 SI*TI*TN*3103176935
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*N*SF*05151*FD*Rotary Hunt Ln Chrg
 PO1*2*****A6*RS
 SI*TI*SA*C
 SI*TI*TN*3103179130
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM

N1*8V**41*NONE
N1*P9**41*NONE
SLN*2*1*A
SI*TI*SA*N*SF*05151*FD*Rotary Hunt Ln Chrg
PO1*3*****A6*RS
SI*TI*SA*C
SI*TI*TN*3104560256
REF*IX*001*LOCNUM
REF*IX*00003*LNUM
N1*8V**41*NONE
N1*P9**41*NONE
SLN*3*1*A
SI*TI*SA*N*SF*05151*FD*Rotary Hunt Ln Chrg
PO1*4*****A6*HGI
SI*TI*SA*N
SI*TI*HG*N
REF*IX*001*LOCNUM
SLN*4*1*A
SI*TI*SA*N
SI*TI*TZ*T
SI*TI*HT*3103176935
N9*55*001*HTSEQ
SLN*4*2*A
SI*TI*SA*N
SI*TI*TZ*T
SI*TI*HT*3103179130
N9*55*002*HTSEQ
SLN*4*3*A
SI*TI*SA*N
SI*TI*TZ*T
SI*TI*HT*3104560256
N9*55*003*HTSEQ
CTT*4
SE*70*0001
GE*1*329332776
IEA*1*329332776

Scenario Number: 14
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business customer changes all three existing lines into a 3-line rotary hunt group.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1 *131020*0909*`*00405*200001858*0*P*~
 GS*PR*020744533*ZZ1*20131020*0909*200001859*X*004050
 ST*855*0001
 BAK*06*AE*C9RS141020S*20131020*00
 REF*11*3103176935*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C8154147*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0809
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*HG*1
 REF*IX*001*LOCNUM
 N9*55*000001*HTSEQ
 PO1*2
 SI*TI*TN*3103176935
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*3
 SI*TI*HG*1
 N9*55*000002*HTSEQ
 PO1*4
 SI*TI*TN*3103179130
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*5
 SI*TI*HG*1
 N9*55*000003*HTSEQ
 PO1*6
 SI*TI*TN*3104560256
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 CTT*6
 SE*39*0001
 GE*1*200001859
 IEA*1*200001858

Scenario Number: 15
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence customer changes class of service from flat rate to measured rate.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS15
4	VER	00
8	ATN	8055690075
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	C
41	CC	Z001
51	AGAUTH	Y
59	TOS	2BM-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8055690075
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO15
12	SANO	3630
15	SASN	STATE
16	SATH	ST
18	LD1	APT
19	LV1	100
25	CITY	SANTA BARBARA
26	STATE	CA
27	ZIP	93105

RESALE SERVICE

Administrative

1	PON	C9RS15
2	VER	00
4	ATN	8055690075

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	C
15	TNS	8055690075

Feature Detail 1

61	FA	D
62	FEATURE	11992
63	FEATURE DETAIL	SGL LN FLAT

Feature Detail 2

61	FA	N
----	----	---

62	FEATURE	11944
63	FEATURE DETAIL	SGL LN MEAS

Scenario Number: 15
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence customer changes class of service from flat rate to measured rate.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334486*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334486*X*004050
 ST*850*0001
 BEG*00*SS*C9RS151020S*00*20131020
 REF*11*8055690075*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*C
 SI*TI*TY*2BM-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO15
 N4**CA*93105
 NX2*01*3630
 NX2*02*STATE
 NX2*62*ST
 NX2*13*100
 NX2*07*SANTA BARBARA
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*C
 SI*TI*TN*8055690075
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 SLN*1*1*A
 SI*TI*SA*D*SF*11992*FD*SGL LN FLAT
 SLN*1*2*A
 SI*TI*SA*N*SF*11944*FD*SGL LN MEAS
 CTT*1
 SE*33*0001
 GE*1*329334486
 IEA*1*329334486

Scenario Number: 15
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence customer changes class of service from flat rate to measured rate.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*100005985*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*100005986*X*004050
 ST*855*0001
 BAK*06*AE*C9RS151020S*20131020*00
 REF*11*8055690075*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C8154172*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8055690075
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*100005986
 IEA*1*100005985

Scenario Number: 16
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business moves 4 lines from one suite to another suite in the same building. The listings on all four lines change.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RS16
4	VER	00
8	ATN	7274420033
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	T
41	CC	Z001
51	AGAUTH	Y
59	TOS	1BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	7274420033
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO16
12	SANO	1280
15	SASN	CLEVELAND
16	SATH	ST
18	LD1	STE
19	LV1	220
25	CITY	CLEARWATER
26	STATE	FL
27	ZIP	33755

RESALE SERVICE

Administrative

1	PON	C9RS16
2	VER	00
4	ATN	7274420033

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	T
15	TNS	7274420033
27	PIC	0333
28	LPIC	0333

Feature Detail 1

61	FA	N
62	FEATURE	99977
63	FEATURE DETAIL	Sgl Ln Bus

Service Detail		Line 2
8	LOCNUM	001
9	LNUM	00002
11	LNA	T
15	TNS	7274420072
27	PIC	0333
28	LPIC	0333

Feature Detail 1		
61	FA	N
62	FEATURE	99977
63	FEATURE DETAIL	Sgl Ln Bus

Service Detail		Line 3
8	LOCNUM	001
9	LNUM	00003
11	LNA	T
15	TNS	7274420097
27	PIC	0333
28	LPIC	0333

Feature Detail 1		
61	FA	N
62	FEATURE	99977
63	FEATURE DETAIL	Sgl Ln Bus

Service Detail		Line 4
8	LOCNUM	001
9	LNUM	00004
11	LNA	T
15	TNS	7274420119
27	PIC	0333
28	LPIC	0333

Feature Detail 1		
61	FA	N
62	FEATURE	99977
63	FEATURE DETAIL	Sgl Ln Bus

DIRECTORY LISTING

Administrative		
1	CCNA	ZZ1
2	PON	C9RS16
3	VER	00
4	ATN	7274420033

Listing Control		
9	LACT	O
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	7274420033

Listing Instruction		
38	LTN	7274420033

46	LNLN	Cte
47	LNFN	Scenario16a

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	7274420033

Listing Instruction

38	LTN	7274420033
43	LEX	727442
46	LNLN	Cte
47	LNFN	Testa

DIRECTORY LISTING

Listing Detail 3

Listing Control

9	LACT	O
10	ALI	300
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0003
20	MTN	7274420072

Listing Instruction

38	LTN	7274420072
46	LNLN	Cte
47	LNFN	Scenario16b

DIRECTORY LISTING

Listing Detail 4

Listing Control

9	LACT	I
10	ALI	300
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0004
20	MTN	7274420072

Listing Instruction

38	LTN	7274420072
43	LEX	727442
46	LNLN	Cte
47	LNFN	Testb

DIRECTORY LISTING

Listing Detail 5

Listing Control

9	LACT	0
10	ALI	500
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0005
20	MTN	7274420097

Listing Indicators

Listing Instruction

38	LTN	7274420097
46	LNLN	Cte
47	LNFN	Scenario16c

DIRECTORY LISTING

Listing Detail 6

Listing Control

9	LACT	I
10	ALI	500
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0006
20	MTN	7274420097

Listing Instruction

38	LTN	7274420097
43	LEX	727442
46	LNLN	Cte
47	LNFN	Testc

DIRECTORY LISTING

Listing Detail 7

Listing Control

9	LACT	0
10	ALI	700
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0007
20	MTN	7274420119

Listing Instruction

38	LTN	7274420119
46	LNLN	Cte
47	LNFN	Scenario16d

DIRECTORY LISTING

Listing Detail 8

Listing Control

9	LACT	I
10	ALI	700
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0008
20	MTN	7274420119

Listing Instruction

38	LTN	7274420119
43	LEX	727442
46	LNLN	Cte
47	LNFN	Testd

Scenario Number: 16
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business moves 4 lines from one suite to another suite in the same building. The listings on all four lines change.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334487*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334487*X*004050
 ST*850*0001
 BEG*00*SS*C9RS161020S*00*20131020
 REF*11*7274420033*ATN
 REF*ZZ*7274420033*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*T
 SI*TI*TY*1BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO16
 N4**FL*33755
 NX2*01*1280
 NX2*02*CLEVELAND
 NX2*62*ST
 NX2*14*220
 NX2*07*CLEARWATER
 REF*IX*001*LOCNUM
 PO1*1*****A6*RS
 SI*TI*SA*T
 SI*TI*TN*7274420033
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*0333
 N1*P9**41*0333
 SLN*1*1*A
 SI*TI*SA*N*SF*99977*FD*Sgl Ln Bus
 PO1*2*****A6*RS
 SI*TI*SA*T
 SI*TI*TN*7274420072
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM

N1*8V**41*0333
 N1*P9**41*0333
 SLN*2*1*A
 SI*TI*SA*N*SF*99977*FD*Sgl Ln Bus
 PO1*3*****A6*RS
 SI*TI*SA*T
 SI*TI*TN*7274420097
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 N1*8V**41*0333
 N1*P9**41*0333
 SLN*3*1*A
 SI*TI*SA*N*SF*99977*FD*Sgl Ln Bus
 PO1*4*****A6*RS
 SI*TI*SA*T
 SI*TI*TN*7274420119
 REF*IX*001*LOCNUM
 REF*IX*00004*LNUM
 N1*8V**41*0333
 N1*P9**41*0333
 SLN*4*1*A
 SI*TI*SA*N*SF*99977*FD*Sgl Ln Bus
 PO1*5*****A6*DL*SH*LML
 SI*TI*LB*O
 SI*TI*LE*1
 SI*TI*TW*SL
 SI*TI*BR*B
 SI*TI*DG*0
 SI*TI*TN*7274420033
 REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0001*DLNUM
 N1*DH**12*7274420033
 IN2*05*Cte
 IN2*02*Scenario16a
 PO1*6*****A6*DL*SH*LML
 SI*TI*LB*I
 SI*TI*LE*1
 SI*TI*TW*SL
 SI*TI*BR*B
 SI*TI*DG*0
 SI*TI*TN*7274420033
 SI*TI*LX*727442
 REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0002*DLNUM
 N1*DH**12*7274420033
 IN2*05*Cte
 IN2*02*Testa
 PO1*7*****A6*DL*SH*LML
 SI*TI*LB*O

SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*7274420072
REF*LI*300
REF*IX*001*LOCNUM
REF*IX*0003*DLNUM
N1*DH**12*7274420072
IN2*05*Cte
IN2*02*Scenario16b
PO1*8*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*7274420072
SI*TI*LX*727442
REF*LI*300
REF*IX*001*LOCNUM
REF*IX*0004*DLNUM
N1*DH**12*7274420072
IN2*05*Cte
IN2*02*Testb
PO1*9*****A6*DL*SH*LML
SI*TI*LB*O
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*7274420097
REF*LI*500
REF*IX*001*LOCNUM
REF*IX*0005*DLNUM
N1*DH**12*7274420097
IN2*05*Cte
IN2*02*Scenario16c
PO1*10*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*7274420097
SI*TI*LX*727442
REF*LI*500
REF*IX*001*LOCNUM
REF*IX*0006*DLNUM
N1*DH**12*7274420097
IN2*05*Cte

IN2*02*Testc
PO1*11*****A6*DL*SH*LML
SI*TI*LB*O
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*7274420119
REF*LI*700
REF*IX*001*LOCNUM
REF*IX*0007*DLNUM
N1*DH**12*7274420119
IN2*05*Cte
IN2*02*Scenario16d
PO1*12*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*7274420119
SI*TI*LX*727442
REF*LI*700
REF*IX*001*LOCNUM
REF*IX*0008*DLNUM
N1*DH**12*7274420119
IN2*05*Cte
IN2*02*Testd
CTT*12
SE*169*0001
GE*1*329334487
IEA*1*329334487

Scenario Number: 16
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business moves 4 lines from one suite to another suite in the same building. The listings on all four lines change.
System: EDI
Family: Resale
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001878*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001879*X*004050
 ST*855*0001
 BAK*06*AE*C9RS161020S*20131020*00
 REF*11*7274420033*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*M0150631*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131023
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*7274420033
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 SI*TI*TN*7274420072
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*3
 SI*TI*TN*7274420097
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 PO1*4
 SI*TI*TN*7274420119
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00004*LNUM
 CTT*4
 SE*34*0001
 GE*1*200001879
 IEA*1*200001878

Scenario Number: 17
LSOG Version: LSOG9
State: TX
Scenario Description: An existing CLEC Resale POTS customer migrates “as-is”, 2 lines from one CLEC to another.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ2
2	PON	C9RS17
4	VER	00
8	ATN	9722050118
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	W
41	CC	Z002
51	AGAUTH	Y
59	TOS	2BF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044

END USER

Administrative

4	ATN	9722050118
---	-----	------------

Bill

43	EATN	9722050118
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO17
12	SANO	816
15	SASN	MAIN
16	SATH	ST
18	LD1	APT
19	LV1	101
25	CITY	GARLAND
26	STATE	TX
27	ZIP	75040
36	ELT	A

Scenario Number: 17
LSOG Version: LSOG9
State: TX
Scenario Description: An existing CLEC Resale POTS customer migrates “as-is”, 2 lines from one CLEC to another.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334488*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334488*X*004050
 ST*850*0001
 BEG*00*SS*C9RS171020S*00*20131020
 REF*11*9724872385*ATN
 REF*11*9724872385*EATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*W
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 PID*X**TI*BP*A
 N1*78*ZZ2
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z002
 N1*IT*CTE, SCENARIO17
 N4**TX*75040
 NX2*01*816
 NX2*02*MAIN
 NX2*62*ST
 NX2*13*101
 NX2*07*GARLAND
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*26*0001
 GE*1*329334488
 IEA*1*329334488

Scenario Number: 17
LSOG Version: LSOG9
State: TX
Scenario Description: An existing CLEC Resale POTS customer migrates “as-is”, 2 lines from one CLEC to another.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001874*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001875*X*004050
 ST*855*0001
 BAK*06*AE*C9RS171020S*20131020*00
 REF*11*9724872385*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I5474453*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z002
 N1*78*ZZ2
 PO1*1
 REF*IX*001*LOCNUM
 PO1*2
 REF*2I*O5474452*LSRNO
 CTT*2
 SE*18*0001
 GE*1*200001875
 IEA*1*200001874

Scenario Number: 18
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon business two line ISDN BRI customer migrates “as specified” to a CLEC providing ISDN BRI service.
System: EDI
Family: Platform (UNE-P)
Product: ISDN BRI
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9IS18
4	VER	00
8	ATN	7274457143
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	QB
29	P	B
31	ACT	V
41	CC	Z001
51	AGAATH	Y
58	LSO	727445
59	TOS	1HF-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	7274457143
---	-----	------------

Bill

43	EATN	7274457143
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO18
12	SANO	1280
15	SASN	CLEVELAND
16	SATH	ST
18	LD1	STE
19	LV1	213
25	CITY	CLEARWATER
26	STATE	FL
27	ZIP	33755
36	ELT	A

ISDN SERVICE

Administrative

1	PON	C9IS18
2	VER	00
4	ATN	7274457143

Service Detail

10	LOCNUM	001
11	LNUM	00001
14	LNA	V
17	NOTYP	B
18	TNS	7274457143

33	PIC	NONE
34	LPIC	NONE
37	MATN	M
46	ST	5
53	MAXB	2
57	CSD	B
58	CSDC	C
59	CSV	B
60	CSVC	B
61	ITYP	B
62	BS	A
64	EKTS	A
65	CAPP	445714
70	GL	C
76	ISPID	N
77	PKG	B
97b	PULSE	DTMF
Feature Detail 1		
98	FA	V
99	FEATURE	13411
100	FEATURE	ISDN BRI LOC LOOP/METR
Feature Detail 2		
98	FA	N
99	FEATURE	16821
100	FEATURE	ISDN BRI MEAS ACC PK/1YR
Feature Detail 3		
98	FA	V
99	FEATURE	05050
100	FEATURE	NP LSTG
Service Detail		
Line 2		
10	LOCNUM	001
11	LNUM	00002
14	LNA	V
17	NOTYP	C
18	TNS	7272988362
33	PIC	NONE
34	LPIC	NONE
37	MATN	A
46	ST	5
53	MAXB	2
57	CSD	B
58	CSDC	C
59	CSV	B
60	CSVC	B
61	ITYP	B
62	BS	A
64	EKTS	A
65	CAPP	445715
70	GL	C
76	ISPID	N
77	PKG	B
97b	PULSE	DTMF
Feature Detail 1		
98	FA	V
99	FEATURE	13411
100	FEATURE	ISDN BRI LOC LOOP/METR
Feature Detail 2		
98	FA	N
99	FEATURE	16821
100	FEATURE	ISDN BRI MEAS ACC PK/1YR
Feature Detail 3		
98	FA	V
99	FEATURE	05051

100

FEATURE

NP LST NC

Scenario Number: 18
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon business two line ISDN BRI customer migrates “as specified” to a CLEC providing ISDN BRI service.
System: EDI
Family: Platform (UNE-P)
Product: ISDN BRI
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334489*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334489*X*004050
 ST*850*0001
 BEG*00*SS*C9IS181020S*00*20131020
 REF*11*7274457143*ATN
 REF*11*7274457143*EATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*QB
 SI*TI*SQ*B
 SI*TI*AA*V
 SI*TI*LS*727445
 SI*TI*TY*1HF-
 PID*X**TI*AO*Y
 PID*X**TI*BP*A
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO18
 N4**FL*33755
 NX2*01*1280
 NX2*02*CLEVELAND
 NX2*62*ST
 NX2*14*213
 NX2*07*CLEARWATER
 REF*IX*001*LOCNUM
 PO1*1*****A6*IS
 SI*TI*SA*V
 SI*TI*TZ*B
 SI*TI*TN*7274457143
 SI*TI*AM*M
 SI*TI*SB*5
 SI*TI*C9*B
 SI*TI*C0*C
 SI*TI*C7*B
 SI*TI*C8*B
 SI*TI*EK*A

SI*TI*A2*445714
 SI*TI*GL*C
 SI*TI*SN*N
 SI*TI*KG*B
 SI*TI*PE*DTMF
 PID*X**TI*ITYP*B
 PID*X**TI*BSVC*A
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 QTY*M2*2
 SI*TI*QT*MAXB
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*D*SF*69330*FD*UPLAT-ISDN BRI
 SLN*1*2*A
 SI*TI*SA*N*SF*13411*FD*ISDN BRI LOC LOOP/METR
 SLN*1*3*A
 SI*TI*SA*N*SF*16821*FD*ISDN BRI MEAS ACC PK/1YR
 SLN*1*4*A
 SI*TI*SA*V*SF*05050*FD*NP LSTG
 PO1*2*****A6*IS
 SI*TI*SA*V
 SI*TI*TZ*C
 SI*TI*TN*7272988362
 SI*TI*AM*A
 SI*TI*SB*5
 SI*TI*C9*B
 SI*TI*C0*C
 SI*TI*C7*B
 SI*TI*C8*B
 SI*TI*EK*A
 SI*TI*A2*445715
 SI*TI*GL*C
 SI*TI*SN*N
 SI*TI*KG*B
 SI*TI*PE*DTMF
 PID*X**TI*ITYP*B
 PID*X**TI*BSVC*A
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 QTY*M2*2
 SI*TI*QT*MAXB
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*SA*D*SF*69330*FD*ISDN BRI
 SLN*2*2*A
 SI*TI*SA*N*SF*13411*FD*ISDN BRI LOC LOOP/METR
 SLN*2*3*A
 SI*TI*SA*N*SF*16821*FD*ISDN BRI MEAS ACC PK/1YR

SLN*2*4*A
SI*TI*SA*N*SF*05051*FD*NP LST NC
CTT*2
SE*91*0001
GE*1*329334489
IEA*1*329334489

Scenario Number: 18
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon business two line ISDN BRI customer migrates “as specified” to a CLEC providing ISDN BRI service.
System: EDI
Family: Platform (UNE-P)
Product: ISDN-BRI
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0958* *00405*300001595*0*P*~
 GS*PR*020744533*ZZ1*20131020*0958*300001596*X*004050
 ST*855*0001
 BAK*06*AE*C9IS181020S*20131020*00
 REF*11*7274457143*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*O1234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0858
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*7274457143*SN*258789
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*I1234568*LSRNO
 PO1*3
 SI*TI*TN*7272988362*SN*789456
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 CTT*3
 SE*26*0001
 GE*1*300001596
 IEA*1*300001595

Scenario Number: 19
LSOG Version: LSOG9
State: CA
Scenario Description: New CLEC residence customer orders a single listed POTS line using Platform POTS service. The customer wants Call Waiting and Call Forwarding.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF19
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
57	LST	THOKCAXFDS1
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO19
12	SANO	1204
14	SASD	E
15	SASN	THOUSAND OAKS
16	SATH	BLVD
18	LD1	APT
19	LV1	101
25	CITY	THOUSAND OAKS
26	STATE	CA
27	ZIP	91362

PORT SERVICE

Administrative

1	PON	C9PF19
2	VER	00
4	ATN	N

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	N
16	TNS	N

22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69552
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
Feature Detail 2		
71	FA N	
72	FEATURE	69178
73	FEATURE DETAIL	CW
Feature Detail 3		
71	FA	N
72	FEATURE	69164
73	FEATURE DETAIL	UP-CL FW VAR

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9PF19
3	VER	00
4	ATN	N

Delivery Address Info

107	DIRQTYA	1
-----	---------	---

Listing Control

9	LACT	N
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	N

Listing Instruction

38	LTN	N
43	LEX	805494
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 19
LSOG Version: LSOG9
State: CA
Scenario Description: New CLEC residence customer orders a single listed POTS line using Platform POTS service. The customer wants Call Waiting and Call Forwarding.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334490*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334490*X*004050
 ST*850*0001
 BEG*00*SS*C9PF191020S*00*20131020
 REF*11*N*ATN
 REF*ZZ*N*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*N
 SI*TI*LO*THOKCAXFDS1
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO19
 N4**CA*91362
 NX2*01*1204
 NX2*03*E
 NX2*02*THOUSAND OAKS
 NX2*62*BLVD
 NX2*13*101
 NX2*07*THOUSAND OAKS
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A

SI*TI*SA*N*SF*69552*FD*UPLAT-2W Analog Loop St
SLN*1*2*A
SI*TI*SA*N*SF*69178*FD*CW
SLN*1*3*A
SI*TI*SA*N*SF*69164*FD*UP-CL FW VAR
PO1*2*****A6*DL*SH*LML
SI*TI*LB*N
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*R
SI*TI*DG*0
SI*TI*TN*N
SI*TI*LX*805494
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*N
IN2*05*Cte
IN2*02*Test
SLN*2*1*A
QTY*31*1*DY
CTT*2
SE*59*0001
GE*1*329334490
IEA*1*329334490

Scenario Number: 19
LSOG Version: LSOG9
State: CA
Scenario Description: New CLEC residence customer orders a single listed POTS line using Platform POTS service. The customer wants Call Waiting and Call Forwarding.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*300001583*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*300001584*X*004050
 ST*855*0001
 BAK*06*AE*C9PF191020S*20131020*00
 REF*11*8053718887*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I8154169*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131026
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8053718887
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*300001584
 IEA*1*300001583

Scenario Number: 20
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence single line Platform POTS customer adds Call Waiting, Message Waiting Indicator, Call Forwarding Fixed and Standard Voice Mail.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF20
4	VER	00
8	ATN	8054944619
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	C
41	CC	Z001
51	AGAATH	Y
57	LST	THOKCAXFDS1
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8054944619
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO20
12	SANO	1204
14	SASD	E
15	SASN	THOUSAND OAKS
16	SATH	BLVD
18	LD1	APT
19	LV1	103
25	CITY	THOUSAND OAKS
26	STATE	CA
27	ZIP	91362

PORT SERVICE

Administrative

1	PON	C9PF20
2	VER	00
4	ATN	8054944619

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	C
16	TNS	8054944619

Feature Detail 1

71	FA	N
72	FEATURE	69178
73	FEATURE DETAIL	UP-CL WTG
Feature Detail 2		
71	FA	N
72	FEATURE	69478
73	FEATURE DETAIL	U-PLAT-MWI INTRA-AUD/VIS
Feature Detail 3		
71	FA	N
72	FEATURE	69300
73	FEATURE DETAIL	TN=8054977405
Feature Detail 4		
71	FA	N
72	FEATURE	73192
73	FEATURE DETAIL	RS STANDARD VMS

Scenario Number: 20
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence single line Platform POTS customer adds Call Waiting, Message Waiting Indicator, Call Forwarding Fixed and Standard Voice Mail.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334491*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334491*X*004050
 ST*850*0001
 BEG*00*SS*C9PF201020S*00*20131020
 REF*11*8054944619*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*C
 SI*TI*LO*THOKCAXFDS1
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO20
 N4**CA*91362
 NX2*01*1204
 NX2*03*E
 NX2*02*THOUSAND OAKS
 NX2*62*BLVD
 NX2*13*103
 NX2*07*THOUSAND OAKS
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*C
 SI*TI*TN*8054944619
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 SLN*1*1*A
 SI*TI*SA*N*SF*69178*FD*UP-CL WTG
 SLN*1*2*A
 SI*TI*SA*N*SF*69478*FD*U-PLAT-MWI INTRA-AUD/VIS
 SLN*1*3*A

SI*TI*SA*N*SF*69300*FD*TN=8054977405
SLN*1*4*A
SI*TI*SA*N*SF*73192*FD*RS STANDARD VMS
CTT*1
SE*42*0001
GE*1*329334491
IEA*1*329334491

Scenario Number: 20
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence single line Platform POTS customer adds Call Waiting, Message Waiting Indicator, Call Forwarding Fixed and Standard Voice Mail.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*300001589*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*300001590*X*004050
 ST*855*0001
 BAK*06*AE*C9PF201020S*20131020*00
 REF*11*8054944619*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C8154171*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8054944619
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*300001590
 IEA*1*300001589

Scenario Number: 21
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon retail residence single line account migrates “as specified” to CLEC providing Platform POTS service. During the migration the customer adds Auto call return and complete inbound and outbound toll restrictions.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF21
4	VER	00
8	ATN	8139600012
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	V
41	CC	Z001
51	AGAUTH	Y
57	LST	CRWDFLXA96H
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8139600012
---	-----	------------

Bill

43	EATN	8139600012
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO21
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	APT
19	LV1	100
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618
36	ELT	A

PORT SERVICE

Administrative

1	PON	C9PF21
2	VER	00
4	ATN	8139600012

Service Detail

8	LOCNUM	001
9	LNUM	00001

11	LNA	V
16	TNS	8139600012
22	PIC	NONE
23	LPIC	NONE
61	BA	A
62	BLOCK	FA
Feature Detail 1		
71	FA	N
72	FEATURE	69552
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
Feature Detail 2		
71	FA	N
72	FEATURE	69257
73	FEATURE DETAIL	Automatic Call Return

Scenario Number: 21
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon retail residence single line account migrates “as specified” to CLEC providing Platform POTS service. During the migration the customer adds Auto call return and complete inbound and outbound toll restrictions.
System: EDI.
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334492*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334492*X*004050
 ST*850*0001
 BEG*00*SS*C9PF211020S*00*20131020
 REF*11*8139600012*ATN
 REF*11*8139600012*EATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LO*CRWDFLXA96H
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 PID*X**TI*BP*A
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO21
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*13*100
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*V
 SI*TI*TN*8139600012
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A

SI*TI*BB*A*TB*FA
SI*TI*SA*N*SF*69552*FD*UPLAT-2W Analog Loop St
SLN*1*2*A
SI*TI*SA*N*SF*69257*FD*Automatic Call Return
CTT*1
SE*42*0001
GE*1*329334492
IEA*1*329334492

Scenario Number: 21
LSOG Version: LSOG9
State: FL
Scenario Description: Verizon retail residence single line account migrates “as specified” to CLEC providing Platform POTS service. During the migration the customer adds Auto call return and complete inbound and outbound toll restrictions.
System: EDI.
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001872*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001873*X*004050
 ST*855*0001
 BAK*06*AE*C9PF211020S*20131020*00
 REF*11*8139600012*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I0150616*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8139600012
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*O0150615*LSRNO
 CTT*2
 SE*21*0001
 GE*1*200001873
 IEA*1*200001872

Scenario Number: 22
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence, single line Platform POTS customer changes their listing from unlisted to listed.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF22
4	VER	00
8	ATN	8139600450
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	C
41	CC	Z001
51	AGAATH	Y
57	LST	CRWDFLXA96H
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8139600450
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO22
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	APT
19	LV1	105
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618

PORT SERVICE

Administrative

1	PON	C9PF22
2	VER	00
4	ATN	8139600450

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	C
16	TNS	8139600450

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9PF22
3	VER	00
4	ATN	8139600450

Listing Control

9	LACT	0
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	8139600450

Listing Instruction

38	LTN	8139600450
46	LNLN	Cte
47	LNFN	Scenario22

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	8139600450

Listing Instruction

38	LTN	8139600450
43	LEX	813960
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 22
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence, single line Platform POTS customer changes their listing from unlisted to listed.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334493*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334493*X*004050
 ST*850*0001
 BEG*00*SS*C9PF221020S*00*20131020
 REF*11*8139600450*ATN
 REF*ZZ*8139600450*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*C
 SI*TI*LO*CRWDFLXA96H
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO22
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*13*105
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*C
 SI*TI*TN*8139600450
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2*****A6*DL*SH*LML
 SI*TI*LB*O
 SI*TI*LE*3
 SI*TI*TW*SL
 SI*TI*BR*R

SI*TI*DG*0
SI*TI*TN*8139600450
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*8139600450
IN2*05*Cte
IN2*02*Scenario22
PO1*3*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*R
SI*TI*DG*0
SI*TI*TN*8139600450
SI*TI*LX*813960
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0002*DLNUM
N1*DH**12*8139600450
IN2*05*Cte
IN2*02*Test
CTT*3
SE*61*0001
GE*1*329334493
IEA*1*329334493

Scenario Number: 22
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence, single line Platform POTS customer changes their listing from unlisted to listed.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*100005981*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*100005982*X*004050
 ST*855*0001
 BAK*06*AE*C9PF221020S*20131020*00
 REF*11*8139600450*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C0150623*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*8139600450
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*100005982
 IEA*1*100005981

Scenario Number: 23
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC residence, single line POTS customer adds an additional POTS line.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF23
4	VER	00
8	ATN	9727190749
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	C
41	CC	Z001
51	AGAATH	Y
57	LST	IRNGTXXEDS0
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	9727190749
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO23
12	SANO	330
15	SASN	PHELPS
16	SATH	DR
18	LD1	APT
19	LV1	104
25	CITY	IRVING
26	STATE	TX
27	ZIP	75038

PORT SERVICE

Administrative

1	PON	C9PF23
2	VER	00
4	ATN	9727190749

Service Detail

8	LOCNUM	001
9	LNUM	00002
11	LNA	N
16	TNS	N
22	PIC	NONE
23	LPIC	NONE

Feature Detail 1

71	FA	N
----	----	---

72	FEATURE	69552
73	FEATURE DETAIL	UPLAT-2W Analog Loop St

Scenario Number: 23
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC residence, single line POTS customer adds an additional POTS line.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0934*U*00405*329334494*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0934*329334494*X*004050
 ST*850*0001
 BEG*00*SS*C9PF231020S*00*20131020
 REF*11*9727190749*ATN
 DTM*097*20131020*0934
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*C
 SI*TI*LO*IRNGTXXEDS0
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO23
 N4**TX*75038
 NX2*01*330
 NX2*02*PHELPS
 NX2*62*DR
 NX2*13*104
 NX2*07*IRVING
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*N*SF*69552*FD*UPLAT-2W Analog Loop St
 CTT*1
 SE*37*0001
 GE*1*329334494

IEA*1*329334494

Scenario Number: 23
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC residence, single line POTS customer adds an additional POTS line.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001864*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001865*X*004050
 ST*855*0001
 BAK*06*AE*C9PF231020S*20131020*00
 REF*11*9727190749*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C5474460*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131025
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*9726507249
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 CTT*1
 SE*19*0001
 GE*1*200001865
 IEA*1*200001864

Scenario Number: 24
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC Residence customer disconnects service.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

LSR

Administrative

1	CCNA	ZZ1
2	PON	C9PF24
4	VER	00
8	ATN	3103944179
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
31	ACT	D
41	CC	Z001
51	AGAATH	Y
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044

END USER

Administrative

4	ATN	3103944179
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO45
26	STATE	CA

Scenario Number: 24
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC Residence customer disconnects service.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334495*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334495*X*004050
 ST*850*0001
 BEG*00*SS*C9PF241020S*00*20131020
 REF*11*3103944179*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*AA*D
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO45
 N4**CA
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*20*0001
 GE*1*329334495
 IEA*1*329334495

Scenario Number: 24
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC Residence customer disconnects service.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
*131020*0937* *00405*300001581*0*P*~
GS*PR*020744533*ZZ1*20131020*0937*300001582*X*004050
ST*855*0001
BAK*06*AE*C9PF241020S*20131020*00
REF*11*3103944179*ATN
REF*V0*A
REF*SU*C*RT
REF*2I*O8154167*LSRNO
PER*OC*NMC*TE*8008888100
DTM*097*20131020*0836
DTM*150*20131021
SI*ZZ*FP*B
N1*BY**25*Z001
N1*78*ZZ1
PO1*1
REF*IX*001*LOCNUM
CTT*1
SE*16*0001
GE*1*300001582
IEA*1*300001581

Scenario Number: 25
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, 2 line unlisted Platform POTS customer moves to a different location within the same wire center and adds one more line. The customer wishes to put all 3 lines in a circular hunt group.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF25
4	VER	00
6	HTQTY	03
8	ATN	8138700040
15	D/TSENT	Use Current Date & Time
17	DDD	CCYYMMDD (NOTE: Make DDD at least two days greater ((>) than current date))
28	REQTYP	MB
30	SLI	S
31	ACT	T
41	CC	Z001
51	AGAUTH	Y
57	LST	WSSDFLXA87H
59	TOS	1AM1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8138700040
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO25
12	SANO	3712
14	SASD	W
15	SASN	WALNUT
16	SATH	ST
18	LD1	STE
19	LV1	220
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33607

HUNT GROUP INFORMATION

Administrative

1	PON	C9PF25
2	VER	00
4	ATN	8138700040

Hunt Group Identification

6	LOCNUM	001
---	--------	-----

9	HA	N
10	HID	N
Hunt Detail 1		
14	HLA	N
15	HTSEQ	001
16	NOTYP	T
17	HTN	8138700040
Hunt Detail 2		
14	HLA	N
15	HTSEQ	002
16	NOTYP	T
17	HTN	8138700127
Hunt Detail 3		
14	HLA	N
15	HTSEQ	003
16	NOTYP	R
17	HTN	00003
PORT SERVICE		
Administrative		
1	PON	C9PF25
2	VER	00
4	ATN	8138700040
Service Detail		
8	LOCNUM	001
9	LNUM	00001
11	LNA	T
16	TNS	8138700040
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
Feature Detail 2		
71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt
Service Detail		
Line 2		
8	LOCNUM	001
9	LNUM	00002
11	LNA	T
16	TNS	8138700127
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
Feature Detail 2		
71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt

Service Detail		Line 3
8	LOCNUM	001
9	LNUM	00003
11	LNA	N
16	TNS	N
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPlat-2W Analog Loop Start
Feature Detail 2		
71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt

Scenario Number: 25
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, 2 line unlisted Platform POTS customer moves to a different location within the same wire center and adds one more line. The customer wishes to put all 3 lines in a circular hunt group.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0909*U*00405*329332955*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0909*329332955*X*004050
 ST*850*0001
 BEG*00*SS*C9PF251020S*00*20131020
 REF*11*8138700040*ATN
 PAM*QU*03*EA
 DTM*097*20131020*0909
 DTM*150*20131031
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*T
 SI*TI*LO*WSSDFLXA87H
 SI*TI*TY*1AM1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO25
 N4**FL*33607
 NX2*01*3712
 NX2*03*W
 NX2*02*WALNUT
 NX2*62*ST
 NX2*14*220
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*T
 SI*TI*TN*8138700040
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A

SI*TI*SA*N*SF*69328*FD*UPLAT-2W Analog Loop St
 SLN*1*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 PO1*2*****A6*PS
 SI*TI*SA*T
 SI*TI*TN*8138700127
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*SA*N*SF*69328*FD*UPLAT-2W Analog Loop St
 SLN*2*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 PO1*3*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*3*1*A
 SI*TI*SA*N*SF*69328*FD*Uplat-2W Analog Loop Start
 SLN*3*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 PO1*4*****A6*HGI
 SI*TI*SA*N
 SI*TI*HG*N
 REF*IX*001*LOCNUM
 SLN*4*1*A
 SI*TI*SA*N
 SI*TI*TZ*T
 SI*TI*HT*8138700040
 N9*55*001*HTSEQ
 SLN*4*2*A
 SI*TI*SA*N
 SI*TI*TZ*T
 SI*TI*HT*8138700127
 N9*55*002*HTSEQ
 SLN*4*3*A
 SI*TI*SA*N
 SI*TI*TZ*R
 SI*TI*HT*00003
 N9*55*003*HTSEQ
 CTT*4
 SE*82*0001
 GE*1*329332955
 IEA*1*329332955

Scenario Number: 25
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, 2 line unlisted Platform POTS customer moves to a different location within the same wire center and adds one more line. The customer wishes to put all 3 lines in a circular hunt group.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *130905*0940* *00405*100005591*0*P*~
 GS*PR*020744533*ZZ1*20131020*0940*100005592*X*004050
 ST*855*0001
 BAK*06*AE* C9PF251020S *20131020*00
 REF*11*8138700040*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*M8629332*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0839
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*HG*1
 REF*IX*001*LOCNUM
 N9*55*000001*HTSEQ
 PO1*2
 SI*TI*TN*8138700040
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*3
 SI*TI*HG*1
 N9*55*000002*HTSEQ
 PO1*4
 SI*TI*TN*8138700127
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*5
 SI*TI*HG*1
 N9*55*000003*HTSEQ
 PO1*6
 SI*TI*TN*8138701719
 SI*ZZ*FP*B

REF*IX*001*LOCNUM
REF*IX*00003*LNUM
CTT*6
SE*39*0001
GE*1*100005592
IEA*1*100005591

Scenario Number: 26
LSOG Version: LSOG9
State: FL
Scenario Description: After order for scenario 25 has been submitted, a SUP to change is sent to add Call Block and a call feature.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF25 (Sup)
4	VER	01
6	HTQTY	03
8	ATN	8138700040
15	D/TSENT	Use Current Date & Time
17	DDD	CCYYMMDD (NOTE: Use same DDD as used for Scenario 25)
28	REQTYP	MB
30	SLI	S
31	ACT	T
34	SUP	3
41	CC	Z001
51	AGAUTH	Y
57	LST	WSSDFLXA87H
59	TOS	1AM1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

Remarks

116	REMARKS1	Adding 2 Features
-----	----------	-------------------

END USER

Administrative

4	ATN	8138700040
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO25
12	SANO	3712
14	SASD	W
15	SASN	WALNUT
16	SATH	ST
18	LD1	STE
19	LV1	220
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33607

HUNT GROUP INFORMATION

Administrative

1	PON	C9PF25 (sup)
2	VER	01
4	ATN	8138700040

Hunt Group Identification

6	LOCNUM	001
9	HA	N
10	HID	N
Hunt Detail 1		
14	HLA	N
15	HTSEQ	001
16	NOTYP	T
17	HTN	8138700040
Hunt Detail 2		
14	HLA	N
15	HTSEQ	002
16	NOTYP	T
17	HTN	8138700127
Hunt Detail 3		
14	HLA	N
15	HTSEQ	003
16	NOTYP	R
17	HTN	00003
PORT SERVICE		
Administrative		
1	PON	C9PF25 (sup)
2	VER	01
4	ATN	8138700040
Service Detail		
8	LOCNUM	001
9	LNUM	00001
11	LNA	T
16	TNS	8138700040
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
Feature Detail 2		
71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt
Service Detail		
Line 2		
8	LOCNUM	001
9	LNUM	00002
11	LNA	T
16	TNS	8138700127
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
Feature Detail 2		
71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt

Service Detail		Line 3
8	LOCNUM	001
9	LNUM	00003
11	LNA	N
16	TNS	N
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPlat-2W Analog Loop Start
Feature Detail 2		
71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt
Feature Detail 3		
71	FA	N
72	FEATURE	69178
73	FEATURE DETAIL	CW
Feature Detail 4		
71	FA	N
72	FEATURE	69261
73	FEATURE DETAIL	Call Block

Scenario Number: 26
LSOG Version: LSOG9
State: FL
Scenario Description: After order for scenario 25 has been submitted, a SUP to change is sent to add Call Block and a call feature.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0921*U*00405*329333683*0*T*~
 GS*PC*ZZ1*SIGS*20131020*0921*329333683*X*004050
 ST*860*0001
 BCH*05*SS*C9PF251020S**01*20131020
 REF*11*8138700040*ATN
 PAM*QU*03*EA
 DTM*097*20131020*0921
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*T
 SI*TI*LO*WSSDFLXA87H
 SI*TI*TY*1AM1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N9*L1*ORI*LSR
 MTX**Adding 2 Features
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO25
 N4**FL*33607
 NX2*01*3712
 NX2*03*W
 NX2*02*WALNUT
 NX2*62*ST
 NX2*14*220
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 POC*1*RZ*****A6*PS
 SI*TI*SA*T
 SI*TI*TN*8138700040
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE

SLN*1*1*A
 SI*TI*SA*N*SF*69328*FD*UPLAT-2W Analog Loop St
 SLN*1*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 POC*2*RZ*****A6*PS
 SI*TI*SA*T
 SI*TI*TN*8138700127
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*SA*N*SF*69328*FD*UPLAT-2W Analog Loop St
 SLN*2*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 POC*3*RZ*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*3*1*A
 SI*TI*SA*N*SF*69328*FD*Uplat-2W Analog Loop St
 SLN*3*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 SLN*3*3*A
 SI*TI*SA*N*SF*69178*FD*CW
 SLN*3*4*A
 SI*TI*SA*N*SF*69261*FD*Call Block
 POC*4*RZ*****A6*HGI
 SI*TI*SA*N
 SI*TI*HG*N
 REF*IX*001*LOCNUM
 SLN*4*1*A
 SI*TI*SA*N
 SI*TI*TZ*T
 SI*TI*HT*8138700040
 N9*55*001*HTSEQ
 SLN*4*2*A
 SI*TI*SA*N
 SI*TI*TZ*T
 SI*TI*HT*8138700127
 N9*55*002*HTSEQ
 SLN*4*3*A
 SI*TI*SA*N
 SI*TI*TZ*R
 SI*TI*HT*00003
 N9*55*003*HTSEQ
 CTT*4
 SE*88*0001

GE*1*329333683
IEA*1*329333683

Scenario Number: 26
LSOG Version: LSOG9
State: FL
Scenario Description: After order for scenario 25 has been submitted, a SUP to change is sent to add Call Block and a call feature.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0930* *00405*300001577*0*P*~
 GS*CA*020744533*ZZ1*20131020*0930*300001578*X*004050
 ST*865*0001
 BCA*06*AE*C9PF251020S**01*20131020
 REF*11*8138700040*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*M0150549*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0829
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 POC*1*RZ
 SI*TI*HG*1
 REF*IX*001*LOCNUM
 N9*55*0001*HTSEQ
 POC*2*RZ
 SI*TI*TN*8138700040
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 POC*3*RZ
 SI*TI*HG*1
 N9*55*0002*HTSEQ
 POC*4*RZ
 SI*TI*TN*8138700127
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 POC*5*RZ
 SI*TI*HG*1
 N9*55*0003*HTSEQ
 POC*6*RZ
 SI*TI*TN*8138720694
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM

REF*IX*00003*LNUM
CTT*6
SE*39*0001
GE*1*300001578
IEA*1*300001577

Scenario Number: 27
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence, single line listed Platform POTS customer changes the PIC.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

LSR:**Administrative**

1	CCNA	ZZ1
2	PON	C9PF27
4	VER	00
8	ATN	3103170106
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	C
41	CC	Z001
51	AGAATH	Y
57	LST	MALBCAXG45A
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER**Administrative**

4	ATN	3103170106
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO27
12	SANO	22211
15	SASN	PACIFIC COAST
16	SATH	HWY
18	LD1	APT
19	LV1	100
25	CITY	MALIBU
26	STATE	CA
27	ZIP	90265

PORT SERVICE**Administrative**

1	PON	C9PF27
2	VER	00
4	ATN	3103170106

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	P
16	TNS	3103170106
22	PIC	0333
23	LPIC	0333

Scenario Number: 27
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence, single line listed Platform POTS customer changes the PIC.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334496*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334496*X*004050
 ST*850*0001
 BEG*00*SS*C9PF271020S*00*20131020
 REF*11*3103170106*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*C
 SI*TI*LO*MALBCAXG45A
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO27
 N4**CA*90265
 NX2*01*22211
 NX2*02*PACIFIC COAST
 NX2*62*HWY
 NX2*13*100
 NX2*07*MALIBU
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*P
 SI*TI*TN*3103170106
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*0333
 N1*P9**41*0333
 CTT*1
 SE*35*0001
 GE*1*329334496
 IEA*1*329334496

Scenario Number: 27
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence, single line listed Platform POTS customer changes the PIC.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*300001587*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*300001588*X*004050
 ST*855*0001
 BAK*06*AE*C9PF271020S*20131020*00
 REF*11*3103170106*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C8154175*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*3103170106
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*300001588
 IEA*1*300001587

Scenario Number: 28
LSOG Version: LSOG9
State: FL
Scenario Description: VZ Retail business customer with a multi-line hunt group converts “as specified” to a CLEC.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF28
4	VER	00
6	HTQTY	03
8	ATN	7275300001
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	V
41	CC	Z001
51	AGAUTH	Y
57	LST	PNLSFLXA53H
59	TOS	1AM1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	7275300001
---	-----	------------

Bill

43	EATN	7275300001
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO28
12	SANO	5045
15	SASN	EAST BAY
16	SATH	DR
18	LD1	STE
19	LV1	215
25	CITY	CLEARWATER
26	STATE	FL
27	ZIP	33764
36	ELT	A

HUNT GROUP INFORMATION

Administrative

1	PON	C9PF28
2	VER	00
4	ATN	7275300001

Hunt Group Identification

6	LOCNUM	001
9	HA	E

10	HID	1
Hunt Detail 1		
14	HLA	E
15	HTSEQ	001
16	NOTYP	T
17	HTN	7275300001
Hunt Detail 2		
14	HLA	E
15	HTSEQ	002
16	NOTYP	T
17	HTN	7275300019
Hunt Detail 3		
14	HLA	E
15	HTSEQ	003
16	NOTYP	T
17	HTN	7275300028
PORT SERVICE		
Administrative		
1	PON	C9PF28
2	VER	00
4	ATN	7275300001
Service Detail		
8	LOCNUM	001
9	LNUM	00001
11	LNA	V
16	TNS	7275300001
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	Uplat-2W Analog Loop Start
Feature Detail 2		
71	FA	N
72	FEATURE	69269
73	FEATURE DETAIL	UP-PLT/RT# HNT
Feature Detail 3		
71	FA	V
72	FEATURE	87002
73	FEATURE DETAIL	IWMN INSIDE W MNTNC NO

Service Detail		Line 2
8	LOCNUM	001
9	LNUM	00002
11	LNA	V
16	TNS	7275300019
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPlat-2W Analog Loop Start
Feature Detail 2		
71	FA	N
72	FEATURE	69269
73	FEATURE DETAIL	UP-PLT/RT# HNT
Feature Detail 3		
71	FA	V
72	FEATURE	87002
73	FEATURE DETAIL	IWMN INSIDE W MNTNC NO
Service Detail		Line 3
8	LOCNUM	001
9	LNUM	00003
11	LNA	V
16	TNS	7275300028
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPlat-2W Analog Loop Start
Feature Detail 2		
71	FA	N
72	FEATURE	69269
73	FEATURE DETAIL	UP-PLT/RT# HNT
Feature Detail 3		
71	FA	V
72	FEATURE	87002
73	FEATURE DETAIL	IWMN INSIDE W MNTNC NO

Scenario Number: 28
LSOG Version: LSOG9
State: FL
Scenario Description: VZ Retail business customer with a multi-line hunt group converts “as specified” to a CLEC.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334497*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334497*X*004050
 ST*850*0001
 BEG*00*SS*C9PF281020S*00*20131020
 REF*11*7275300001*ATN
 REF*11*7275300001*EATN
 PAM*QU*03*EA
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LO*PNLSFLXA53H
 SI*TI*TY*1AM1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 PID*X**TI*BP*A
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO28
 N4**FL*33764
 NX2*01*5045
 NX2*02*EAST BAY
 NX2*62*DR
 NX2*14*215
 NX2*07*CLEARWATER
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*V
 SI*TI*TN*7275300001
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A

SI*TI*SA*N*SF*69328*FD*Uplat-2W Analog Loop Start
 SLN*1*2*A
 SI*TI*SA*N*SF*69269*FD*UP-PLT/RT# HNT
 SLN*1*3*A
 SI*TI*SA*V*SF*87002*FD*IWMN INSIDE W MNTNC NO
 PO1*2*****A6*PS
 SI*TI*SA*V
 SI*TI*TN*7275300019
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*SA*N*SF*69328*FD*Uplat-2W Analog Loop Start
 SLN*2*2*A
 SI*TI*SA*N*SF*69269*FD*UP-PLT/RT# HNT
 SLN*2*3*A
 SI*TI*SA*V*SF*87002*FD*IWMN INSIDE W MNTNC NO
 PO1*3*****A6*PS
 SI*TI*SA*V
 SI*TI*TN*7275300028
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*3*1*A
 SI*TI*SA*N*SF*69328*FD*Uplat-2W Analog Loop Start
 SLN*3*2*A
 SI*TI*SA*N*SF*69269*FD*UP-PLT/RT# HNT
 SLN*3*3*A
 SI*TI*SA*V*SF*87002*FD*IWMN INSIDE W MNTNC NO
 PO1*4*****A6*HGI
 SI*TI*SA*E
 SI*TI*HG*1
 REF*IX*001*LOCNUM
 SLN*4*1*A
 SI*TI*SA*E
 SI*TI*TZ*T
 SI*TI*HT*7275300001
 N9*55*001*HTSEQ
 SLN*4*2*A
 SI*TI*SA*E
 SI*TI*TZ*T
 SI*TI*HT*7275300019
 N9*55*002*HTSEQ
 SLN*4*3*A
 SI*TI*SA*E
 SI*TI*TZ*T
 SI*TI*HT*7275300028
 N9*55*003*HTSEQ
 CTT*4

SE*89*0001

GE*1*329334497

IEA*1*329334497

Scenario Number: 28
LSOG Version: LSOG9
State: FL
Scenario Description: VZ Retail business customer with a multi-line hunt group converts “as specified” to a CLEC.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131010*0837* *00405*100010132*0*P*~
 GS*PR*020744533*ZZ1*20131020*0837*100010133*X*004050
 ST*855*0001
 BAK*06*AE* C9PF281020S *20131020*00
 REF*11*7275300001*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*O0263721*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0737
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*HG*1
 REF*IX*001*LOCNUM
 N9*55*000001*HTSEQ
 PO1*2
 SI*TI*TN*7275300001
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*3
 REF*2I*I0263724*LSRNO
 PO1*4
 SI*TI*HG*1
 N9*55*000002*HTSEQ
 PO1*5
 SI*TI*TN*7275300019
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*6
 SI*TI*HG*1
 N9*55*000003*HTSEQ
 PO1*7
 SI*TI*TN*7275300028

SI*ZZ*FP*B
REF*IX*001*LOCNUM
REF*IX*00003*LNUM
CTT*7
SE*41*0001
GE*1*100010133
IEA*1*100010132

Scenario Number: 29
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business new customer orders POTS service with circular hunting and a complex (caption) listing.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF29
4	VER	00
6	HTQTY	03
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
57	LST	IRNGTXXEDS0
59	TOS	1AM1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO29
12	SANO	330
15	SASN	PHELPS
16	SATH	DR
18	LD1	STE
19	LV1	201
25	CITY	IRVING
26	STATE	TX
27	ZIP	75038

HUNT GROUP INFORMATION

Administrative

1	PON	C9PF29
2	VER	00
4	ATN	N

Hunt Group Identification

6	LOCNUM	001
9	HA	N
10	HID	N

Hunt Detail 1

14	HLA	N
15	HTSEQ	001
16	NOTYP	T
17	HTN	00001

Hunt Detail 2

14	HLA	N
15	HTSEQ	002
16	NOTYP	T
17	HTN	00002

Hunt Detail 3

14	HLA	N
15	HTSEQ	003
16	NOTYP	T
17	HTN	00003

PORT SERVICE

Administrative

1	PON	C9PF29
2	VER	00
4	ATN	N

Service Detail

8	LOCNUM	001
9	LNUM	00001
11	LNA	N
16	TNS	N
22	PIC	NONE
23	LPIC	NONE

Feature Detail 1

71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	Uplat-2W Analog Loop Start

Feature Detail 2

71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt

Service Detail

Line 2

8	LOCNUM	001
9	LNUM	00002
11	LNA	N
16	TNS	N
22	PIC	NONE
23	LPIC	NONE

Feature Detail 1

71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	Uplat-2W Analog Loop Start

Feature Detail 2

71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt

Service Detail		Line 3
8	LOCNUM	001
9	LNUM	00003
11	LNA	N
16	TNS	N
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69328
73	FEATURE DETAIL	UPlat-2W Analog Loop Start
Feature Detail 2		
71	FA	N
72	FEATURE	69270
73	FEATURE DETAIL	Circular Hunt

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9PF29
3	VER	00
4	ATN	N

Delivery Address Info

107	DIRQTYA	1
-----	---------	---

Advertising

116	YPHV	NONE
-----	------	------

Listing Control

9	LACT	N
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	CI
15	TOA	B
16	DOI	1
18	LOCNUM	001
19	DLNUM	0001
20	MTN	N
22	LTXQTY	02

Listing Instruction

38	LTN	N
43	LEX	972719
46	LNLN	Test
47	LNPN	Cte
58	LTXNUM	01
59	LTXTY	ITX
61	LTEXT	Account One

Caption SLU Indent

78	LVL	0
79	PLS	N
80	PLINFO	Cte Test

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	N
10	ALI	200
11	RTY	LML
12	LTY	1
14	STYC	CI
15	TOA	B
16	DOI	1
18	LOCNUM	001
19	DLNUM	0002
20	MTN	N
23	LTXQTY	02

Listing Instruction

38	LTN	N
43	LEX	972719
46	LNLN	Test
47	LNFN	Cte
58	LTXNUM	01
59	LTXTY	ITX
61	LTEXT	Account Two

Caption SLU Indent

78	LVL	0
79	PLS	N
80	PLINFO	Account One
81	PLTN	N

DIRECTORY LISTING

Listing Detail 3

Listing Control

9	LACT	N
10	ALI	300
11	RTY	LML
12	LTY	1
14	STYC	CI
15	TOA	B
16	DOI	1
18	LOCNUM	001
19	DLNUM	0003
20	MTN	N
22	LTXQTY	02

Listing Instruction

38	LTN	N
43	LEX	972719
46	LNLN	Test
47	LNFN	Cte
58	LTXNUM	01
59	LTXTY	ITX
61	LTEXT	Account Three

Caption SLU Indent

78	LVL	0
79	PLS	N
80	PLINFO	Account Two
81	PLTN	N

DIRECTORY LISTING

Listing Detail 4

Listing Control

9	LACT	N
10	ALI	400
11	RTY	LML
12	LTY	1
14	STYC	CI
15	TOA	B
16	DOI	1
18	LOCNUM	001
19	DLNUM	0004
20	MTN	N
22	LTXQTY	02

Listing Instruction

38	LTN	N
43	LEX	972719
46	LNLN	Test
47	LNFN	Cte
58	LTXNUM	01
59	LXTY	ITX
61	LTEXT	Account Four

Caption SLU Indent

78	LVL	0
79	PLS	N
80	PLINFO	Account Three
81	PLTN	N

Scenario Number: 29
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business new customer orders POTS service with circular hunting and a complex (caption) listing.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334498*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334498*X*004050
 ST*850*0001
 BEG*00*SS*C9PF291020S*00*20131020
 REF*11*N*ATN
 REF*ZZ*N*ATN
 PAM*QU*03*EA
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*N
 SI*TI*LO*IRNGTXXEDS0
 SI*TI*TY*1AM1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO29
 N4**TX*75038
 NX2*01*330
 NX2*02*PHELPS
 NX2*62*DR
 NX2*14*201
 NX2*07*IRVING
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*1*1*A
 SI*TI*SA*N*SF*69328*FD*UPlat-2W Analog Loop Start

SLN*1*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 PO1*2*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*SA*N*SF*69328*FD*UPlat-2W Analog Loop Start
 SLN*2*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 PO1*3*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*3*1*A
 SI*TI*SA*N*SF*69328*FD*UPlat-2W Analog Loop Start
 SLN*3*2*A
 SI*TI*SA*N*SF*69270*FD*Circular Hunt
 PO1*4*****A6*HGI
 SI*TI*SA*N
 SI*TI*HG*N
 REF*IX*001*LOCNUM
 SLN*4*1*A
 SI*TI*SA*N
 SI*TI*TZ*T
 SI*TI*HT*00001
 N9*55*001*HTSEQ
 SLN*4*2*A
 SI*TI*SA*N
 SI*TI*TZ*T
 SI*TI*HT*00002
 N9*55*002*HTSEQ
 SLN*4*3*A
 SI*TI*SA*N
 SI*TI*TZ*T
 SI*TI*HT*00003
 N9*55*003*HTSEQ
 PO1*5*****A6*DL*SH*LML
 SI*TI*LB*N
 SI*TI*LE*1
 SI*TI*TW*CI
 SI*TI*BR*B
 SI*TI*DG*1
 SI*TI*TN*N
 SI*TI*LX*972719

REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0001*DLNUM
 QTY*2W*02*EA
 N9*82*LTXTY*ITX****55~01
 MTX**Account One
 N1*DH**12*N
 IN2*05*Test
 IN2*02*Cte
 SLN*5*1*A
 SI*TI*DG*0
 SI*TI*DU*N
 N9*82*PLINFO
 MTX**Cte Test
 QTY*31*1*DY
 PO1*6*****A6*DL*SH*LML
 SI*TI*LB*N
 SI*TI*LE*1
 SI*TI*TW*CI
 SI*TI*BR*B
 SI*TI*DG*1
 SI*TI*TN*N
 SI*TI*LX*972719
 REF*LI*200
 REF*IX*001*LOCNUM
 REF*IX*0002*DLNUM
 QTY*2W*02*EA
 N9*82*LTXTY*ITX****55~01
 MTX**Account Two
 N1*DH**12*N
 IN2*05*Test
 IN2*02*Cte
 SLN*6*1*A
 SI*TI*DG*0
 SI*TI*DU*N
 SI*TI*C3*N
 N9*82*PLINFO
 MTX**Account One
 PO1*7*****A6*DL*SH*LML
 SI*TI*LB*N
 SI*TI*LE*1
 SI*TI*TW*CI
 SI*TI*BR*B
 SI*TI*DG*1
 SI*TI*TN*N
 SI*TI*LX*972719
 REF*LI*300
 REF*IX*001*LOCNUM
 REF*IX*0003*DLNUM
 QTY*2W*02*EA
 N9*82*LTXTY*ITX****55~01

MTX**Account Three
N1*DH**12*N
IN2*05*Test
IN2*02*Cte
SLN*7*1*A
SI*TI*DG*0
SI*TI*DU*N
SI*TI*C3*N
N9*82*PLINFO
MTX**Account Two
PO1*8*****A6*DL*SH*LML
SI*TI*LB*N
SI*TI*LE*1
SI*TI*TW*CI
SI*TI*BR*B
SI*TI*DG*1
SI*TI*TN*N
SI*TI*LX*972719
REF*LI*400
REF*IX*001*LOCNUM
REF*IX*0004*DLNUM
QTY*2W*02*EA
N9*82*LTXTY*ITX*****55~01
MTX**Account Four
N1*DH**12*N
IN2*05*Test
IN2*02*Cte
SLN*8*1*A
SI*TI*DG*0
SI*TI*DU*N
SI*TI*C3*N
N9*82*PLINFO
MTX**Account Three
PO1*9*****A6*DL
N9*82*YPHV
MTX**NONE
CTT*9
SE*177*0001
GE*1*329334498
IEA*1*329334498

Scenario Number: 29
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business new customer orders POTS service with circular hunting and a complex (caption) listing.
System: EDI
Family: Platform (UNE-P)
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*1009* *00405*200001880*0*P*~
 GS*PR*020744533*ZZ1*20131020*1009*200001881*X*004050
 ST*855*0001
 BAK*06*AE*C9PF291020S*20131020*00
 REF*11*9726500282*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I1235677*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0906
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 REF*IX*001*LOCNUM
 PO1*2
 SI*TI*TN*9726500282
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*3
 REF*IX*001*LOCNUM
 REF*IX*00001*HNUM
 N9*55*000001*HTSEQ
 PO1*4
 SI*TI*TN*9726500283
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*5
 REF*IX*001*LOCNUM
 REF*IX*00002*HNUM
 N9*55*000002*HTSEQ
 PO1*6
 SI*TI*TN*9726500286
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM

REF*IX*00003*LNUM
PO1*7
REF*IX*001*LOCNUM
REF*IX*00003*HNUM
N9*55*000003*HTSEQ
CTT*7
SE*43*0001
GE*1*200001881
IEA*1*200001880

Scenario Number: 30
LSOG Version: LSOG9
State: FL
Scenario Description: New CLEC small business customer orders 5 POTS lines, to be provided by the CLEC using 5 Analog Loops to be cross connected at the CLEC collocated cage. One line will be listed.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE30
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
53	ACTL	CRWDFLXA96H
58	LSO	813960
59	TOS	11F1
62	NC	LX--
64	NCI	02QC2.OOF

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO30
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	STE
19	LV1	209
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618

LOOP SERVICE

Administrative

1	PON	C9UNE30
2	VER	00
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	N
34	SHELF	AB

35	SLOT	99
Service Detail		Line 2
7	LOCNUM	001
8	LNUM	00002
9	LNA	N
34	SHELF	AB
35	SLOT	99

Service Detail		Line 3
7	LOCNUM	001
8	LNUM	00003
9	LNA	N
34	SHELF	AB
35	SLOT	99

Service Detail		Line 4
7	LOCNUM	001
8	LNUM	00004
9	LNA	N
34	SHELF	AB
35	SLOT	99

Service Detail		Line 5
7	LOCNUM	001
8	LNUM	00005
9	LNA	N
34	SHELF	AB
35	SLOT	99

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9UNE30
3	VER	00
4	ATN	N

Delivery Address Info

107	DIRQTYA	1
-----	---------	---

Advertising

116	YPHV	NONE
-----	------	------

Listing Control

9	LACT	N
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	8139600697

Listing Instruction

38	LTN	8139600697
43	LEX	813960
46	LNLN	Test
47	LNFN	Cte

Scenario Number: 30
LSOG Version: LSOG9
State: FL
Scenario Description: New CLEC small business customer orders 5 POTS lines, to be provided by the CLEC using 5 Analog Loops to be cross connected at the CLEC collocated cage. One line will be listed.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334499*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334499*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE301020S*00*20131020
 REF*11*N*ATN
 REF*ZZ*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*N
 SI*TI*LS*813960
 SI*TI*TY*11F1
 SI*TI*NC*LX--
 SI*TI*NI*02QC2.OOF
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*CRWDFLXA96H
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO30
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*14*209
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*K3*AB
 SI*TI*K4*99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2*****A6*LS
 SI*TI*SA*N

SI*TI*K3*AB
SI*TI*K4*99
REF*IX*001*LOCNUM
REF*IX*00002*LNUM
PO1*3*****A6*LS
SI*TI*SA*N
SI*TI*K3*AB
SI*TI*K4*99
REF*IX*001*LOCNUM
REF*IX*00003*LNUM
PO1*4*****A6*LS
SI*TI*SA*N
SI*TI*K3*AB
SI*TI*K4*99
REF*IX*001*LOCNUM
REF*IX*00004*LNUM
PO1*5*****A6*LS
SI*TI*SA*N
SI*TI*K3*AB
SI*TI*K4*99
REF*IX*001*LOCNUM
REF*IX*00005*LNUM
PO1*6*****A6*DL*SH*LML
SI*TI*LB*N
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*8139600697
SI*TI*LX*813960
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*8139600697
IN2*05*Test
IN2*02*Cte
SLN*6*1*A
QTY*31*1*DY
PO1*7*****A6*DL
N9*82*YPHV
MTX**NONE
CTT*7
SE*78*0001
GE*1*329334499
IEA*1*329334499

Scenario Number: 30
LSOG Version: LSOG9
State: FL
Scenario Description: New CLEC small business customer orders 5 POTS lines, to be provided by the CLEC using 5 Analog Loops to be cross connected at the CLEC collocated cage. One line will be listed.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*100005989*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*100005990*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE301020S*20131020*00
 REF*11*813DI53262*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I0150622*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131030
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*1M.TXNU.608576. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*I0150633*LSRNO
 PO1*3
 SI*TI*CN*1M.TXNU.608577. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*4
 SI*TI*CN*1M.TXNU.608578. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00003*LNUM
 PO1*5
 SI*TI*CN*1M.TXNU.608579. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00004*LNUM
 PO1*6

SI*TI*CN*1M.TXNU.608580. .GTES.*K3*AB*K4*99
SI*ZZ*FP*B
REF*IX*001*LOCNUM
REF*IX*00005*LNUM
CTT*6
SE*41*0001
GE*1*100005990
IEA*1*100005989

Scenario Number: 31
LSOG Version: LSOG9
State: TX
Scenario Description: VZ Retail business line non-published customer migrates to a CLEC providing UNE Analog Loop service. During the migration, the customer retains the VZ TN's via LNP and changes the listing.
System: EDI
Family: UNE
Product: Loop w/LNP
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE31
4	VER	00
8	ATN	9722732425
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	BB
30	SLI	S
31	ACT	V
41	CC	Z001
44	NNSP	Z001
51	AGAATH	Y
53	ACTL	IRNGTXXBDS1
58	LSO	972273
59	TOS	11F1
62	NC	LX--
64	NCI	02QC2.OOF
74	NPDI	D

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	9722732425
---	-----	------------

Bill

43	EATN	9722732425
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO31
12	SANO	210
14	SASD	S
15	SASN	MAIN
16	SATH	ST
18	LD1	STE
19	LV1	200
25	CITY	IRVING
26	STATE	TX
27	ZIP	75060
31	EUMI	Y

LOOP SERVICE/NUMBER PORTABILITY

Administrative

1	PON	C9UNE31
2	VER	00

4	ATN	9722732425
Service Details		
8	LOCNUM	001
9	LNUM	00001
11	LNA	V
19	TDT	Y
29	SHELF	AB
30	SLOT	99
43	PORTED NBR	9722732425
46	NPT	D

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9UNE31
3	VER	00
4	ATN	9722732425

Listing Control

9	LACT	O
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	9722732425

Listing Instruction

38	LTN	9722732425
43	LEX	972273
46	LNLN	Cte
47	LNFN	Scenario31

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	9722732425

Listing Instruction

38	LTN	9722732425
43	LEX	972273
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 31
LSOG Version: LSOG9
State: TX
Scenario Description: VZ Retail business line non-published customer migrates to a CLEC providing UNE Analog Loop service. During the migration, the customer retains the VZ TN's via LNP and changes the listing.
System: EDI
Family: UNE
Product: Loop w/LNP
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131021*0928*U*00405*329434116*0*T*~
 GS*PO*ZZ1*SIGS*20131021*0928*329434116*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE311021S*00*20131021
 REF*11*9722732425*ATN
 REF*11*9722732425*EATN
 REF*ZZ*9722732425*ATN
 DTM*097*20131021*0928
 DTM*150*20131021
 SI*TI*RE*BB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LS*972273
 SI*TI*TY*11F1
 SI*TI*NC*LX--
 SI*TI*NI*02QC2.OOF
 SI*TI*PD*D
 PID*X**TI*AO*Y
 PID*S**TI*AF***SO-RSQ*Y
 N1*78*ZZ1
 NX2*90*IRNGTXXBDS1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*NN*NNSP*42*Z001
 N1*IT*CTE SCENARIO31
 N4**TX*75060
 NX2*01*210
 NX2*03*S
 NX2*02*MAIN
 NX2*62*ST
 NX2*14*200
 NX2*07*IRVING
 REF*IX*001*LOCNUM
 PO1*1*****A6*LSNP
 SI*TI*SA*V
 SI*TI*K3*AB

SI*TI*K4*99
SI*TI*IT*9722732425
SI*TI*IP*D
PID*S**TI*BC***SO-RSQ*Y
REF*IX*001*LOCNUM
REF*IX*00001*LNUM
PO1*2*****A6*DL*SH*LML
SI*TI*LB*O
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*9722732425
SI*TI*LX*972273
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*9722732425
IN2*05*Cte
IN2*02*Scenario31
PO1*3*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*9722732425
SI*TI*LX*972273
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0002*DLNUM
N1*DH**12*9722732425
IN2*05*Cte
IN2*02*Test
CTT*3
SE*71*0001
GE*1*329434116
IEA*1*329434116

Scenario Number: 31
LSOG Version: LSOG9
State: TX
Scenario Description: VZ Retail business line non-published customer migrates to a CLEC providing UNE Analog Loop service. During the migration, the customer retains the VZ TN's via LNP and changes the listing.
System: EDI
Family: UNE
Product: Loop w/LNP
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131021*0933* *00405*300001615*0*P*~
 GS*PR*020744533*ZZ1*20131021*0933*300001616*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE311021S*20131021*00
 REF*11*972AD36120*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I5477658*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131021*0832
 DTM*150*20131024
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 N1*NP*NNSP*42*Z001
 PO1*1
 SI*TI*CN*2V.TXNU.676576. .GTEC.*IT*9722732425*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*O5477657*LSRNO
 PO1*3
 REF*2I*I5477659*LSRNO
 CTT*3
 SE*24*0001
 GE*1*300001616
 IEA*1*300001615

Scenario Number: 32
LSOG Version: LSOG9
State: TX
Scenario Description: After the order in scenario 31 is submitted a SUP to cancel is submitted to cancel the order.
System: EDI
Family: UNE
Product: Loop w/LNP
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE31 (Sup)
4	VER	01
8	ATN	9722732425
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	BB
30	SLI	S
31	ACT	V
34	SUP	1
41	CC	Z001
44	NNSP	Z001
51	AGAUTH	Y
53	ACTL	IRNGTXXBDS1
58	LSO	972273
59	TOS	11F1
62	NC	LX--
64	NCI	02QC2.OOF
74	NPDI	D

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	9722732425
---	-----	------------

Bill

43	EATN	9722732425
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO31
12	SANO	210
14	SASD	S
15	SASN	MAIN
16	SATH	ST
18	LD1	STE
19	LV1	200
25	CITY	IRVING
26	STATE	TX
27	ZIP	75060
31	EUMI	Y

LOOP SERVICE/NUMBER PORTABILITY

Administrative

1	PON	C9UNE31 (sup)
2	VER	01

4	ATN	9722732425
Service Details		
8	LOCNUM	001
9	LNUM	00001
11	LNA	V
19	TDT	Y
29	SHELF	AB
30	SLOT	99
43	PORTED NBR	9722732425
46	NPT	D

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9UNE31 (sup)
3	VER	01
4	ATN	9722732425

Listing Control

9	LACT	0
10	ALI	100
11	RTY	LML
12	LTY	3
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	9722732425

Listing Instruction

38	LTN	9722732425
43	LEX	972273
46	LNLN	Cte
47	LNFN	Scenario31

DIRECTORY LISTING

Listing Detail 2

Listing Control

9	LACT	I
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	B
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	9722732425

Listing Instruction

38	LTN	9722732425
43	LEX	972273
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 32
LSOG Version: LSOG9
State: TX
Scenario Description: After the order in scenario 31 is submitted a SUP to cancel is submitted to cancel the order.
System: EDI
Family: UNE
Product: Loop w/LNP
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131021*0938*U*00405*329434712*0*T*~
 GS*PC*ZZ1*SIGS*20131021*0938*329434712*X*004050
 ST*860*0001
 BCH*01*SS*C9UNE311021S**01*20131021
 REF*11*9722732425*ATN
 REF*11*9722732425*EATN
 REF*ZZ*9722732425*ATN
 DTM*097*20131021*0938
 DTM*150*20131021
 SI*TI*RE*BB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LS*972273
 SI*TI*TY*11F1
 SI*TI*NC*LX--
 SI*TI*NI*02QC2.OOF
 SI*TI*PD*D
 PID*X**TI*AO*Y
 PID*S**TI*AF***SO-RSQ*Y
 N1*78*ZZ1
 NX2*90*IRNGTXXBDS1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*NN*NNSP*42*Z001
 N1*IT*CTE SCENARIO31
 N4**TX*75060
 NX2*01*210
 NX2*03*S
 NX2*02*MAIN
 NX2*62*ST
 NX2*14*200
 NX2*07*IRVING
 REF*IX*001*LOCNUM
 POC*1*RZ*****A6*LSNP
 SI*TI*SA*V
 SI*TI*K3*AB
 SI*TI*K4*99

SI*TI*IT*9722732425
SI*TI*IP*D
PID*S**TI*BC***SO-RSQ*Y
REF*IX*001*LOCNUM
REF*IX*0001*LNUM
POC*2*RZ*****A6*DL*SH*LML
SI*TI*LB*O
SI*TI*LE*3
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*9722732425
SI*TI*LX*972273
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*9722732425
IN2*05*Cte
IN2*02*Scenario31
POC*3*RZ*****A6*DL*SH*LML
SI*TI*LB*I
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*B
SI*TI*DG*0
SI*TI*TN*9722732425
SI*TI*LX*972273
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0002*DLNUM
N1*DH**12*9722732425
IN2*05*Cte
IN2*02*Test
CTT*3
SE*71*0001
GE*1*329434712
IEA*1*329434712

Scenario Number: 32
LSOG Version: LSOG9
State: TX
Scenario Description: After the order in scenario 31 is submitted a SUP to cancel is submitted to cancel the order.
System: EDI
Family: UNE
Product: Loop w/LNP
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131021*0940* *00405*100006015*0*P*~
 GS*CA*020744533*ZZ1*20131021*0940*100006016*X*004050
 ST*865*0001
 BCA*06*AE*C9UNE311021S**01*20131021
 REF*11*972AD36120*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I5477658*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131021*0840
 DTM*150*20131024
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 N1*NP*NNSP*42*Z001
 POC*1*RZ
 SI*TI*CN*2V.TXNU.676576. .GTEC.*IT*9722732425*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*0001*LNUM
 POC*2*RZ
 REF*2I*O5477657*LSRNO
 POC*3*RZ
 REF*2I*I5477659*LSRNO
 CTT*3
 SE*24*0001
 GE*1*100006016
 IEA*1*100006015

Scenario Number: 33
LSOG Version: LSOG9
State: CA
Scenario Description: VZ retail customer Ports out a Number to CLEC providing Loop service and TN via new ILEC. Customer requests VZ listing.
System: EDI
Family: UNE
Product: LNP
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE33
4	VER	00
7	AN	8054944051
17	DDD	Use Current Date
28	REQTYP	CB
31	ACT	V
41	CC	Z001
44	NNSP	Z001
51	AGAUTH	Y
74	NPDI	D

Contact

98	TEL NO	8134833525
----	--------	------------

END USER

Location and Access

8	NAME	NONE
27	ZIP	91362

NUMBER PORTABILITY

Service Detail

10	PORTED NBR	8054944051
----	------------	------------

Scenario Number: 33
LSOG Version: LSOG9
State: CA
Scenario Description: VZ retail customer Ports out a Number to CLEC providing Loop service and TN via new ILEC. Customer requests VZ listing.
System: EDI
Family: UNE
Product: LNP
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334500*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334500*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE331020S*00*20131020
 REF*11*8054944051*AN
 DTM*150*20131020
 SI*TI*RE*CB
 SI*TI*AA*V
 SI*TI*PD*D
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525
 N1*BY**25*Z001
 N1*NN*NNSP*42*Z001
 N1*IT*NONE
 N4***91362
 PO1*1*****A6*NP
 SI*TI*IT*8054944051
 CTT*1
 SE*24*0001
 GE*1*329334500
 IEA*1*329334500

Scenario Number: 33
LSOG Version: LSOG9
State: CA
Scenario Description: VZ retail customer Ports out a Number to CLEC providing Loop service and TN via new ILEC. Customer requests VZ listing.
System: EDI
Family: UNE
Product: LNP
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0937* *00405*100005979*0*P*~
 GS*PR*020744533*ZZ1*20131020*0937*100005980*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE331020S*20131020*00
 REF*11*8054944051*AN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*O8154174*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 N1*BY**25*Z001
 N1*78*ZZ1
 N1*NP*NNSP*42*Z001
 PO1*1
 SI*TI*IT*8054944051
 REF*9F*O8154174
 CTT*1
 SE*17*0001
 GE*1*100005980
 IEA*1*100005979

Scenario Number: 34
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business customer adds an Analog Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE34
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
53	ACTL	IRNGTXXEDS0
58	LSO	972719
59	TOS	11F1
62	NC	LX--
64	NCI	02QC2.OOF

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO34
12	SANO	330
15	SASN	PHELPS
16	SATH	DR
18	LD1	STE
19	LV1	204
25	CITY	IRVING
26	STATE	TX
27	ZIP	75038

LOOP SERVICE

Administrative

1	PON	C9UNE34
2	VER	00
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	N
34	SHELF	AB
35	SLOT	99

Scenario Number: 34
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business customer adds an Analog Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334501*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334501*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE341020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*N
 SI*TI*LS*972719
 SI*TI*TY*11F1
 SI*TI*NC*LX--
 SI*TI*NI*02QC2.OOF
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*IRNGTXXEDS0
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO34
 N4**TX*75038
 NX2*01*330
 NX2*02*PHELPS
 NX2*62*DR
 NX2*14*204
 NX2*07*IRVING
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*K3*AB
 SI*TI*K4*99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*34*0001
 GE*1*329334501
 IEA*1*329334501

Scenario Number: 34
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business customer adds an Analog Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0937* *00405*100005975*0*P*~
 GS*PR*020744533*ZZ1*20131020*0937*100005976*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE341020S*20131020*00
 REF*11*972AD36101*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I5474451*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0836
 DTM*150*20131024
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*2V.TXNU.676558. .GTEC.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*100005976
 IEA*1*100005975

Scenario Number: 35
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail residence customer migrates 2 lines to Loop service and changes the TN on the listing to a new CLEC TN.
System: EDI
Family: UNE
Product: Loop
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE35
4	VER	00
8	ATN	8132090370
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	V
41	CC	Z001
51	AGAUTH	Y
53	ACTL	TAMPFLXX22H
58	LSO	813209
59	TOS	21F1
62	NC	LX--
64	NCI	02QC2.OOF

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8132090370
---	-----	------------

Bill

43	EATN	8132090370
----	------	------------

Disconnect Info

54a	LOCNUM	001
55	DNUM	00001
56	DISCNBR	8132090370

Disconnect Info 2

54a	LOCNUM	001
55	DNUM	00002
56	DISCNBR	8132090371

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO35
12	SANO	610
14	SASD	E
15	SASN	ZACK
16	SATH	ST
18	LD1	APT
19	LV1	102
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33602

LOOP SERVICE

Administrative

1	PON	C9UNE35
2	VER	00
4	ATN	8132090370

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	V
34	SHELF	AB
35	SLOT	99

Service Detail

Line 2

7	LOCNUM	001
8	LNUM	00002
9	LNA	V
34	SHELF	AB
35	SLOT	99

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9UNE35
3	VER	00
4	ATN	8132090370

Listing Control

9	LACT	N
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	N

Listing Instruction

38	LTN	8134833525
43	LEX	813209
46	LNLN	Test
47	LNFN	Cte

Scenario Number: 35
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail residence customer migrates 2 lines to Loop service and changes the TN on the listing to a new CLEC TN.
System: EDI
Family: UNE
Product: Loop
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334502*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334502*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE351020S*00*20131020
 REF*11*8132090370*ATN
 REF*11*8132090370*EATN
 REF*ZZ*8132090370*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LS*813209
 SI*TI*TY*21F1
 SI*TI*NC*LX--
 SI*TI*NI*02QC2.OOF
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*TAMPFLXX22H
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO35
 N4**FL*33602
 NX2*01*610
 NX2*03*E
 NX2*02*ZACK
 NX2*62*ST
 NX2*13*102
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*DSC
 SI*TI*ND*8132090370
 REF*IX*001*LOCNUM
 REF*IX*00001*DNUM
 PO1*2*****A6*DSC
 SI*TI*ND*8132090371
 REF*IX*001*LOCNUM

REF*IX*00002*DNUM
PO1*3*****A6*LS
SI*TI*SA*V
SI*TI*K3*AB
SI*TI*K4*99
REF*IX*001*LOCNUM
REF*IX*00001*LNUM
PO1*4*****A6*LS
SI*TI*SA*V
SI*TI*K3*AB
SI*TI*K4*99
REF*IX*001*LOCNUM
REF*IX*00002*LNUM
PO1*5*****A6*DL*SH*LML
SI*TI*LB*N
SI*TI*LE*1
SI*TI*TW*SL
SI*TI*BR*R
SI*TI*DG*0
SI*TI*TN*N
SI*TI*LX*813209
REF*LI*100
REF*IX*001*LOCNUM
REF*IX*0001*DLNUM
N1*DH**12*8134833525
IN2*05*Test
IN2*02*Cte
CTT*5
SE*65*0001
GE*1*329334502
IEA*1*329334502

Scenario Number: 35
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail residence customer migrates 2 lines to Loop service and changes the TN on the listing to a new CLEC TN.
System: EDI
Family: UNE
Product: Loop
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *130920*0841*`*00405*100009860*0*P*~
 GS*PR*020744533*ZZ1*20131020*0841*100009861*X*004050
 ST*855*0001
 BAK*06*AE* C9UNE351020S *20131020*00
 REF*11*813AA01438*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*O0263552*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0740
 DTM*150*20131023
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*1M.TXNU.000129. .GTES.*ND*8132090370*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*I0263573*LSRNO
 PO1*3
 SI*TI*CN*1M.TXNU.000130. .GTES.*ND*8132090371*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*4
 REF*2I*I0263553*LSRNO
 CTT*4
 SE*28*0001
 GE*1*100009861
 IEA*1*100009860

Scenario Number: 36
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, UNE ISDN BRI Loop customer disconnects Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

LSR:**Administrative**

1	CCNA	ZZ1
2	PON	C9UNE36
4	VER	00
8	ATN	727UB00086
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	D
41	CC	Z001
51	AGAUTH	Y
58	LSO	727825
59	TOS	1HF1
62	NC	LX-N
64	NCI	02QB2.001

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044

END USER**Administrative**

4	ATN	727UB00086
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO36
26	STATE	FL

Scenario Number: 36
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, UNE ISDN BRI Loop customer disconnects Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334503*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334503*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE361020S*00*20131020
 REF*11*727UB00086*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*D
 SI*TI*LS*727825
 SI*TI*TY*1HF1
 SI*TI*NC*LX-N
 SI*TI*NI*02QB2.001
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO36
 N4**FL
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*22*0001
 GE*1*329334503
 IEA*1*329334503

Scenario Number: 36
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, UNE ISDN BRI Loop customer disconnects Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
*131020*0937* *00405*400001466*0*P*~
GS*PR*020744533*ZZ1*20131020*0937*400001467*X*004050
ST*855*0001
BAK*06*AE*C9UNE361020S*20131020*00
REF*11*727UB00086*ATN
REF*V0*A
REF*SU*C*RT
REF*2I*O0150613*LSRNO
PER*OC*NMC*TE*8008888100
DTM*097*20131020*0836
DTM*150*20131022
SI*ZZ*FP*B
N1*BY**25*Z001
N1*78*ZZ1
PO1*1
REF*IX*001*LOCNUM
CTT*1
SE*16*0001
GE*1*400001467
IEA*1*400001466

Scenario Number: 37
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, new customer orders ADSL Loop with DSL Premise Service Portfolio installation service.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE37
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
53	ACTL	CRWDFLXA96H
58	LSO	813960
59	TOS	12F1
62	NC	LX-N
64	NCI	02QB9.00A

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

Remarks

116	REMARKS1	1500 kft
-----	----------	----------

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO37
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	STE
19	LV1	209
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618

LOOP SERVICE

Administrative

1	PON	C9UNE37
2	VER	00
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	N

16	SAN	K
22	CCEA	D
34	SHELF	AB
35	SLOT	99

Scenario Number: 37
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, new customer orders ADSL Loop with DSL Premise Service Portfolio installation service.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334504*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334504*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE371020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*N
 SI*TI*LS*813960
 SI*TI*TY*12F1
 SI*TI*NC*LX-N
 SI*TI*NI*02QB9.00A
 PID*X**TI*AO*Y
 N9*L1*ORI*LSR
 MTX**1500 kft
 N1*78*ZZ1
 NX2*90*CRWDFLXA96H
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO37
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*14*209
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*K3*AB
 SI*TI*K4*99
 PID*X**TI*CCEA*D
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 REF*AE*K

CTT*1
SE*38*0001
GE*1*329334504
IEA*1*329334504

Scenario Number: 37
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC small business, new customer orders ADSL Loop with DSL Premise Service Portfolio installation service.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001870*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001871*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE371020S*20131020*00
 REF*11*813DI53267*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I0150624*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131030
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*1M.ARSU.608581. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*200001871
 IEA*1*200001870

Scenario Number: 38
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business customer changes from an Analog Loop to Digital Loop to use for ISDN service.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE38
4	VER	00
8	ATN	817TX00019
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	C
41	CC	Z001
51	AGAUTH	Y
53	ACTL	SPTWTXXADS0
58	LSO	817523
59	TOS	1HF1
62	NC	LX-N
64	NCI	02QB2.001

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	817TX00019
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO38
12	SANO	113
14	SASD	W
15	SASN	SECOND
16	SATH	ST
18	LD1	STE
19	LV1	200
25	CITY	SPRINGTOWN
26	STATE	TX
27	ZIP	76082

LOOP SERVICE

Administrative

1	PON	C9UNE38
2	VER	00
4	ATN	817TX00019

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	C
17	ECCKT	2V.TXNU.000030. .GTEC.

34	SHELF	AB
35	SLOT	99

Scenario Number: 38
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business customer changes from an Analog Loop to Digital Loop to use for ISDN service.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334505*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334505*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE381020S*00*20131020
 REF*11*817TX00019*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*C
 SI*TI*LS*817523
 SI*TI*TY*1HF1
 SI*TI*NC*LX-N
 SI*TI*NI*02QB2.001
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*SPTWTXXADS0
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO38
 N4**TX*76082
 NX2*01*113
 NX2*03*W
 NX2*02*SECOND
 NX2*62*ST
 NX2*14*200
 NX2*07*SPRINGTOWN
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*C
 SI*TI*CN*2V.TXNU.000030. .GTEC.
 SI*TI*K3*AB
 SI*TI*K4*99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*36*0001

GE*1*329334505
IEA*1*329334505

Scenario Number: 38
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC small business customer changes from an Analog Loop to Digital Loop to use for ISDN service.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*100005987*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*100005988*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE381020S*20131020*00
 REF*11*817AA18376*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I7684650*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0838
 DTM*150*20131025
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*2V.UBSU.020869. .GTEC.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*O7684649*LSRNO
 CTT*2
 SE*21*0001
 GE*1*100005988
 IEA*1*100005987

Scenario Number: 39
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC provides ADSL service to an existing VZ Retail business POTS customer via Line Sharing arrangement.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE39
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
53	ACTL	CRWDFLXA96H
58	LSO	813908
59	TOS	1RF1
62	NC	UA--
64	NCI	02QB9.005

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO48
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	STE
19	LV1	201
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618

LOOP SERVICE

Administrative

1	PON	C9UNE39
2	VER	00
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	N
10	SLTN	8139083157
21	CFA	01/AB/99

34	SHELF	AB
35	SLOT	99
Service Detail		Line 2
7	LOCNUM	001
8	LNUM	00002
9	LNA	N
10	SLTN	8139083157
21	CFA	01/AB/99
34	SHELF	AB
35	SLOT	99

Scenario Number: 39
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC provides ADSL service to an existing VZ Retail business POTS customer via Line Sharing arrangement.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334506*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334506*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE391020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*N
 SI*TI*LS*813908
 SI*TI*TY*1RF1
 SI*TI*NC*UA--
 SI*TI*NI*02QB9.005
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*CRWDFLXA96H
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO48
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*14*201
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*NT*8139083157
 SI*TI*K3*AB
 SI*TI*K4*99
 PID*X**TI*CFA*01/AB/99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2*****A6*LS
 SI*TI*SA*N

SI*TI*NT*8139083157
SI*TI*K3*AB
SI*TI*K4*99
PID*X**TI*CFA*01/AB/99
REF*IX*001*LOCNUM
REF*IX*00002*LNUM
CTT*2
SE*44*0001
GE*1*329334506
IEA*1*329334506

Scenario Number: 39
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC provides ADSL service to an existing VZ Retail business POTS customer via Line Sharing arrangement.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001866*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001867*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE391020S*20131020*00
 REF*11*813DI53259*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I0150614*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0836
 DTM*150*20131025
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*1M.SWXX.608575. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 PID*X**TI*CFA*01/AB/99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 SI*TI*CN*1M.SWXX.608575. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 PID*X**TI*CFA*01/AB/99
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 CTT*2
 SE*26*0001
 GE*1*200001867
 IEA*1*200001866

Scenario Number: 40
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC disconnects ADSL service provided to an existing VZ Retail business POTS customer. Customer retains POTS service with VZ.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE40
4	VER	00
8	ATN	727SW07915
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	D
41	CC	Z001
51	AGAATH	Y
58	LSO	727530
59	TOS	1RF1
62	NC	UA--
64	NCI	02QB9.005

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	727SW07915
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO40
26	STATE	FL

Scenario Number: 40
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC disconnects ADSL service provided to an existing VZ Retail business POTS customer. Customer retains POTS service with VZ.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334507*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334507*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE401020S*00*20131020
 REF*11*727SW07915*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*D
 SI*TI*LS*727530
 SI*TI*TY*1RF1
 SI*TI*NC*UA--
 SI*TI*NI*02QB9.005
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO40
 N4**FL
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*23*0001
 GE*1*329334507
 IEA*1*329334507

Scenario Number: 40
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC disconnects ADSL service provided to an existing VZ Retail business POTS customer. Customer retains POTS service with VZ.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0937*`*00405*100005977*0*P*~
 GS*PR*020744533*ZZ1*20131020*0937*100005978*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE401020S*20131020*00
 REF*11*727SW07915*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*O0150621*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0836
 DTM*150*20131023
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 REF*IX*001*LOCNUM
 CTT*1
 SE*16*0001
 GE*1*100005978
 IEA*1*100005977

Scenario Number: 41
LSOG Version: LSOG9
State: CA
Scenario Description: VZ Retail residence, 2 line POTS customer migrates 1 of 2 lines “as specified” to CLEC Platform POTS service. The customer migrates the main line and leaves the 2nd line with VZ. During the migration, the customer requests a new listed line.
System: EDI
Family: Platform
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9PF41
4	VER	00
8	ATN	3103970048
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	V
41	CC	Z001
51	AGAUTH	Y
57	LST	CLCYCAXG39K
59	TOS	27M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	3103970048
---	-----	------------

Bill

43	EATN	3103970048
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO41
12	SANO	4121
15	SASN	GRAND VIEW
16	SATH	BLVD
18	LD1	APT
19	LV1	100
25	CITY	LOS ANGELES
26	STATE	CA
27	ZIP	90066

PORT SERVICE

Administrative

1	PON	C9PF41
2	VER	00
4	ATN	3103970048

Service Detail

8	LOCNUM	001
9	LNUM	00001

11	LNA	V
16	TNS	3103970048
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	V
72	FEATURE	69552
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
Service Detail		
Line 2		
8	LOCNUM	001
9	LNUM	00002
11	LNA	N
16	TNS	N
22	PIC	NONE
23	LPIC	NONE
Feature Detail 1		
71	FA	N
72	FEATURE	69552
73	FEATURE DETAIL	UPLAT-2W Analog Loop St
DIRECTORY LISTING		
Administrative		
1	CCNA	ZZ1
2	PON	C9PF41
3	VER	00
4	ATN	3103970048
Listing Control		
9	LACT	Z
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	3103970048
Listing Instruction		
38	LTN	3103970048
46	LNLN	Cte
47	LNFN	Scenario41a
DIRECTORY LISTING		
Listing Detail 2		
Listing Control		
9	LACT	N
10	ALI	200
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0002
20	MTN	N
Listing Instruction		
38	LTN	N
43	LEX	310397
46	LNLN	Cte
47	LNFN	Test

Scenario Number: 41
LSOG Version: LSOG9
State: CA
Scenario Description: VZ Retail residence, 2 line POTS customer migrates 1 of 2 lines “as specified” to CLEC Platform POTS service. The customer migrates the main line and leaves the 2nd line with VZ. During the migration, the customer requests a new listed line.
System: EDI
Family: Platform
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334508*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334508*X*004050
 ST*850*0001
 BEG*00*SS*C9PF411020S*00*20131020
 REF*11*3103970048*ATN
 REF*11*3103970048*EATN
 REF*ZZ*3103970048*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LO*CLCYCAXG39K
 SI*TI*TY*27M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO41
 N4**CA*90066
 NX2*01*4121
 NX2*02*GRAND VIEW
 NX2*62*BLVD
 NX2*13*100
 NX2*07*LOS ANGELES
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*V
 SI*TI*TN*3103970048
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE

SLN*1*1*A
 SI*TI*SA*V*SF*69552*FD*UPLAT-2W Analog Loop St
 PO1*2*****A6*PS
 SI*TI*SA*N
 SI*TI*TN*N
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 N1*8V**41*NONE
 N1*P9**41*NONE
 SLN*2*1*A
 SI*TI*SA*N*SF*69552*FD*UPLAT-2W Analog Loop St
 PO1*3*****A6*DL*SH*LML
 SI*TI*LB*Z
 SI*TI*LE*1
 SI*TI*TW*SL
 SI*TI*BR*R
 SI*TI*DG*0
 SI*TI*TN*3103970048
 REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0001*DLNUM
 N1*DH**12*3103970048
 IN2*05*Cte
 IN2*02*Scenario41a
 PO1*4*****A6*DL*SH*LML
 SI*TI*LB*N
 SI*TI*LE*1
 SI*TI*TW*SL
 SI*TI*BR*R
 SI*TI*DG*0
 SI*TI*TN*N
 SI*TI*LX*310397
 REF*LI*200
 REF*IX*001*LOCNUM
 REF*IX*0002*DLNUM
 N1*DH**12*N
 IN2*05*Cte
 IN2*02*Test
 CTT*4
 SE*75*0001
 GE*1*329334508
 IEA*1*329334508

Scenario Number: 41
LSOG Version: LSOG9
State: CA
Scenario Description: VZ Retail residence, 2 line POTS customer migrates 1 of 2 lines “as specified” to CLEC Platform POTS service. The customer migrates the main line and leaves the 2nd line with VZ. During the migration, the customer requests a new listed line.
System: EDI
Family: Platform
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *130920*0909*`*00405*200009784*0*P*~
 GS*PR*020744533*ZZ1*20131020*0909*200009785*X*004050
 ST*855*0001
 BAK*06*AE* C9PF411020S *20131020*00
 REF*11*3103970048*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C0207639*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0809
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*TN*3103970048
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*C0207640*LSRNO
 PO1*3
 SI*TI*TN*3103970071
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*4
 REF*2I*I0207641*LSRNO
 CTT*4
 SE*28*0001
 GE*1*200009785
 IEA*1*200009784

Scenario Number: 42
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business requests new installation of Sub Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE42
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	B
31	ACT	N
41	CC	Z001
51	AGAATH	Y
53	ACTL	SNBBCAXGDS0
58	LSO	805569
59	TOS	11F1
62	NC	LX--
64	NCI	02QD2.OOB

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO42
12	SANO	3630
15	SASN	STATE
16	SATH	ST
18	LD1	STE
19	LV1	217
25	CITY	SANTA BARBARA
26	STATE	CA
27	ZIP	93105

LOOP SERVICE

Administrative

1	PON	C9UNE42
2	VER	00
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	N
13	CKR	CROSS BOX = 3820
31	CBCID	ZZ1ABC
35	SLOT	99

Scenario Number: 42
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business requests new installation of Sub Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334509*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334509*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE421020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*B
 SI*TI*AA*N
 SI*TI*LS*805569
 SI*TI*TY*11F1
 SI*TI*NC*LX--
 SI*TI*NI*02QD2.OOB
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*SNBBCAXGDS0
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO42
 N4**CA*93105
 NX2*01*3630
 NX2*02*STATE
 NX2*62*ST
 NX2*14*217
 NX2*07*SANTA BARBARA
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*CM*CROSS BOX = 3820
 SI*TI*K0*ZZ1ABC
 SI*TI*K4*99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*35*0001
 GE*1*329334509
 IEA*1*329334509

Scenario Number: 42
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business requests new installation of Sub Loop.
System: EDI
Family: UNE
Product: Loop
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0937*^*00405*300001579*0*P*~
 GS*PR*020744533*ZZ1*20131020*0937*300001580*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE421020S*20131020*00
 REF*11*323AD94434*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I8154165*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0836
 DTM*150*20131024
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*11LXNA.646362. .GTEW.*CM*CROSS BOX = 3820*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 SLN*1*1*A*1*EA
 SI*TI*K0*ZZ1ABC
 CTT*1
 SE*21*0001
 GE*1*300001580
 IEA*1*300001579

Scenario Number: 43
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence adds DLEC to existing Platform account.
System: EDI
Family: UNE
Product: Linesplitting
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ2
2	PON	C9UNE43
4	VER	00
8	ATN	7273272659
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	S
31	ACT	V
41	CC	Z002
51	AGAUTH	Y
53	ACTL	SKWYFLXADS0
58	LSO	727327
59	TOS	2PM1
62	NC	UR--
64	NCI	04QSM.L05
69	LSP AUTH	ZZ1
70	LSP AUTH DATE	CCYYMMDD (Date must be less
71	LSP AUTH NAME	CTE

Bill

83	ACNA	ZZ1
----	------	-----

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	7273272659
---	-----	------------

Bill

43	EATN	7273272659
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO43
12	SANO	675
15	SASN	37TH
16	SATH	ST
17	SASS	S
18	LD1	APT
19	LV1	103
25	CITY	ST PETERSBURG
26	STATE	FL
27	ZIP	33711

LOOP SERVICE

Administrative

1	PON	C9UNE43
2	VER	00
4	ATN	7273272659

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	V
10	SLTN	7273272659
34	SHELF	AB
35	SLOT	99

Scenario Number: 43
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence adds DLEC to existing Platform account.
System: EDI
Family: UNE
Product: Linesplitting
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334510*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334510*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE431020S*00*20131020
 REF*11*7273272659*ATN
 REF*11*7273272659*EATN
 DTM*097*20131020*0935
 DTM*150*20131020
 DTM*201*20131020
 SI*TI*RE*AB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LS*727327
 SI*TI*TY*2PM1
 SI*TI*NC*UR--
 SI*TI*NI*04QSM.L05
 PID*X**TI*AO*Y
 N1*78*ZZ2
 NX2*90*SKWYFLXADS0
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z002
 N1*SE*CTE*41*ZZ1
 N1*BT**92*ZZ1
 N1*IT*CTE, SCENARIO43
 N4**FL*33711
 NX2*01*675
 NX2*02*37TH
 NX2*62*ST
 NX2*40*S
 NX2*13*103
 NX2*07*ST PETERSBURG
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*V
 SI*TI*NT*7273272659
 SI*TI*K3*AB
 SI*TI*K4*99
 REF*IX*001*LOCNUM

REF*IX*00001*LNUM
CTT*1
SE*40*0001
GE*1*329334510
IEA*1*329334510

Scenario Number: 43
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC residence adds DLEC to existing Platform account.
System: EDI
Family: UNE
Product: Linesplitting
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938*^*00405*200001876*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001877*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE431020S*20131020*00
 REF*11*727DI53268*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I0150635*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0838
 DTM*150*20131024
 SI*ZZ*FP*B
 N1*BY**25*Z002
 N1*78*ZZ2
 PO1*1
 SI*TI*CN*1M.URYX.608582. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*C0150629*LSRNO
 CTT*2
 SE*21*0001
 GE*1*200001877
 IEA*1*200001876

Scenario Number: 44
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence requests new stand alone directory listing.
System: EDI
Family: UNE
Product: POTS
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9DIR44
4	VER	00
8	ATN	3103952647
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	JB
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
58	LSO	310395
59	TOS	2BF-

Contact

98	TEL NO	8134833343
100	FAX NO	8132279044

END USER

Administrative

4	ATN	3103952647
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO44
12	SANO	1314
15	SASN	7TH
16	SATH	ST
18	LD1	APT
19	LV1	215
25	CITY	SANTA MONICA
26	STATE	CA
27	ZIP	90401

DIRECTORY LISTING

Administrative

1	CCNA	ZZ1
2	PON	C9DIR44
3	VER	00
4	ATN	3103952647

Delivery Address Info

107	DIRQTYA	1
-----	---------	---

Listing Control

9	LACT	N
10	ALI	100
11	RTY	LML
12	LTY	1
14	STYC	SL
15	TOA	R
16	DOI	0
18	LOCNUM	001
19	DLNUM	0001
20	MTN	3103952647

Listing Instruction

38	LTN	3103952647
43	LEX	310395
46	LNLN	Cte
47	LNFN	Scenario44
57	PLA	Cte, Scenariofortyfour

Scenario Number: 44
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence requests new stand alone directory listing.
System: EDI
Family: UNE
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334511*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334511*X*004050
 ST*850*0001
 BEG*00*SS*C9DIR441020S*00*20131020
 REF*11*3103952647*ATN
 REF*ZZ*3103952647*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*JB
 SI*TI*AA*N
 SI*TI*LS*310395
 SI*TI*TY*2BF-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO44
 N4**CA*90401
 NX2*01*1314
 NX2*02*7TH
 NX2*62*ST
 NX2*13*215
 NX2*07*SANTA MONICA
 REF*IX*001*LOCNUM
 PO1*1*****A6*DL*SH*LML
 SI*TI*LB*N
 SI*TI*LE*1
 SI*TI*TW*SL
 SI*TI*BR*R
 SI*TI*DG*0
 SI*TI*TN*3103952647
 SI*TI*LX*310395
 REF*LI*100
 REF*IX*001*LOCNUM
 REF*IX*0001*DLNUM
 N9*82*PLA
 MTX**Cte, Scenariofortyfour
 N1*DH**12*3103952647
 IN2*05*Cte

IN2*02*Scenario44
SLN*1*1*A
QTY*31*1*DY
CTT*1
SE*42*0001
GE*1*329334511
IEA*1*329334511

Scenario Number: 44
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC residence requests new stand alone directory listing.
System: EDI
Family: UNE
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0937* *00405*400001464*0*P*~
 GS*PR*020744533*ZZ1*20131020*0937*400001465*X*004050
 ST*855*0001
 BAK*06*AE*C9DIR441020S*20131020*00
 REF*11*310DL96985*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I8154170*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0836
 DTM*150*20131020
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 REF*IX*001*LOCNUM
 CTT*1
 SE*15*0001
 GE*1*400001465
 IEA*1*400001464

Scenario Number: 48
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC provides ADSL service to an existing VZ Retail POTS customer via Line Sharing Unbundled Sub-Loop arrangement
System: EDI
Family: UNE
Product: Line Share Unbundled Sub-Loop
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9UNE48
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	B
31	ACT	N
41	CC	Z001
51	AGAATH	Y
53	ACTL	IRNGTXXBDS1
58	LSO	972253
59	TOS	1RF1
62	NC	LX--
64	NCI	02QE9.005

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO48
12	SANO	210
14	SASD	S
15	SASN	MAIN
16	SATH	ST
18	LD1	STE
19	LV1	201
25	CITY	IRVING
26	STATE	TX
27	ZIP	75060

LOOP SERVICE

Administrative

1	PON	C9UNE48
2	VER	01
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	N
10	SLTN	9722539374

13	CKR	CROSS BOX = 3517
31	CBCID	ZZ1ABC
34	SHELF	NA
35	SLOT	99

Service Detail

7	LOCNUM	001
8	LNUM	00002
9	LNA	N
10	SLTN	9722539374
13	CKR	CROSS BOX = 3517
34	SHELF	AB
35	SLOT	99

Line 2

Scenario Number: 48
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC provides ADSL service to an existing VZ Retail POTS customer via Line Sharing Unbundled Sub-Loop arrangement
System: EDI
Family: UNE
Product: Line Share Unbundled Sub-Loop
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334512*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334512*X*004050
 ST*850*0001
 BEG*00*SS*C9UNE481020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*B
 SI*TI*AA*N
 SI*TI*LS*972253
 SI*TI*TY*1RF1
 SI*TI*NC*LX--
 SI*TI*NI*02QE9.005
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*IRNGTXXBDS1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO48
 N4**TX*75060
 NX2*01*210
 NX2*03*S
 NX2*02*MAIN
 NX2*62*ST
 NX2*14*201
 NX2*07*IRVING
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*NT*9722539374
 SI*TI*CM*CROSS BOX = 3517
 SI*TI*K0*ZZ1ABC
 SI*TI*K3*NA
 SI*TI*K4*99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM

PO1*2*****A6*LS
SI*TI*SA*N
SI*TI*NT*9722539374
SI*TI*CM*CROSS BOX = 3517
SI*TI*K3*AB
SI*TI*K4*99
REF*IX*001*LOCNUM
REF*IX*00002*LNUM
CTT*2
SE*46*0001
GE*1*329334512
IEA*1*329334512

Scenario Number: 48
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC provides ADSL service to an existing VZ Retail POTS customer via Line Sharing Unbundled Sub-Loop arrangement
System: EDI
Family: UNE
Product: Line Share Unbundled Sub-Loop
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*300001585*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*300001586*X*004050
 ST*855*0001
 BAK*06*AE*C9UNE481020S*20131020*00
 REF*11*972AD36102*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I5474458*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0836
 DTM*150*20131025
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*2V.SWXX.676559. .GTEC.*CM*CROSS BOX = 3517*K3*NA*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 SLN*1*1*A*1*EA
 SI*TI*K0*ZZ1ABC
 PO1*2
 SI*TI*CN*2V.SWXX.676559. .GTEC.*CM*CROSS BOX = 3517*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 CTT*2
 SE*26*0001
 GE*1*300001586
 IEA*1*300001585

Scenario Number: 49
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC issues a Temporary Disconnect Order (TDO) on a Resale customer.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

LSR:**Administrative**

1	CCNA	ZZ1
2	PON	C9RS49
4	VER	00
8	ATN	8136849541
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	EB
31	ACT	S
41	CC	Z001
51	AGAUTH	Y
59	TOS	2BM-

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044

END USER**Administrative**

4	ATN	8136849541
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO49
12	SANO	413
15	SASN	ALMA
16	SATH	DR
25	CITY	BRANDON
26	STATE	FL
27	ZIP	33510

Scenario Number: 49
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC issues a Temporary Disconnect Order (TDO) on a Resale customer.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334513*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334513*X*004050
 ST*850*0001
 BEG*00*SS*C9RS491020S*00*20131020
 REF*11*8136849541*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*EB
 SI*TI*AA*S
 SI*TI*TY*2BM-
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO49
 N4**FL*33510
 NX2*01*413
 NX2*02*ALMA
 NX2*62*DR
 NX2*07*BRANDON
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*23*0001
 GE*1*329334513
 IEA*1*329334513

Scenario Number: 49
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC issues a Temporary Disconnect Order (TDO) on a Resale customer.
System: EDI
Family: Resale
Product: POTS
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001862*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001863*X*004050
 ST*855*0001
 BAK*06*AE*C9RS491020S*20131020*00
 REF*11*8136849541*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C0150627*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 REF*IX*001*LOCNUM
 CTT*1
 SE*16*0001
 GE*1*200001863
 IEA*1*200001862

Scenario Number: 50
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC issues a Reconnect Order (RCO) on an account that has been disconnected.
System: EDI
Family: Platform UNE-P
Product: POTS
Market Segment: Business

LSR:**Administrative**

1	CCNA	ZZ1
2	PON	C9PF50
4	VER	00
8	ATN	8174213417
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	B
41	CC	Z001
51	AGAUTH	Y
57	LST	GRPVTXXADS0
59	TOS	17M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044

END USER**Administrative**

4	ATN	8174213417
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO50
12	SANO	2007
14	SASD	W
15	SASN	NORTHWEST
16	SATH	HWY
25	CITY	GRAPEVINE
26	STATE	TX
27	ZIP	76051

Scenario Number: 50
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC issues a Reconnect Order (RCO) on an account that has been disconnected.
System: EDI
Family: Platform UNE-P
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334514*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334514*X*004050
 ST*850*0001
 BEG*00*SS*C9PF501020S*00*20131020
 REF*11*8174213417*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*B
 SI*TI*LO*GRPVTXXADS0
 SI*TI*TY*17M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO50
 N4**TX*76051
 NX2*01*2007
 NX2*03*W
 NX2*02*NORTHWEST
 NX2*62*HWY
 NX2*07*GRAPEVINE
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*28*0001
 GE*1*329334514
 IEA*1*329334514

Scenario Number: 50
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC issues a Reconnect Order (RCO) on an account that has been disconnected.
System: EDI
Family: Platform UNE-P
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*400001468*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*400001469*X*004050
 ST*855*0001
 BAK*06*AE*C9PF501020S*20131020*00
 REF*11*8174213417*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C5474461*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 REF*IX*001*LOCNUM
 CTT*1
 SE*16*0001
 GE*1*400001469
 IEA*1*400001468

Scenario Number: 51
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business customer orders a new Resale Frame Relay.
System: EDI
Family: Resale Frame Relay
Product: Frame Relay
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9RFR51
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	LB
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
58	LSO	805569
59	TOS	1DF2
62	NC	XH-R
64	NCI	04DM5.E

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO51
12	SANO	3630
15	SASN	STATE
16	SATH	ST
18	LD1	STE
19	LV1	218
25	CITY	SANTA BARBARA
26	STATE	CA
27	ZIP	93105

RESALE FRAME RELAY

Administrative

1	PON	C9RFR51
2	VER	00
4	ATN	N

UNI Circuit Detail

5	LOCNUM	001
6	LNA	N
19	NVC	16
20	PSPEED	56K
21	LMP	1
24a	FA	N
24b	FEATURE	R0880

Virtual Circuit Detail

25	LNUM	00001
----	------	-------

27	VCACT	N
28	DLCI	16
29	CIR	48K
32a	SVC	B
36	RECKT	36.SWXX.000019.###.GTEW.

Scenario Number: 51
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business customer orders a new Resale Frame Relay.
System: EDI
Family: Resale Frame Relay
Product: Frame Relay
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334515*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334515*X*004050
 ST*850*0001
 BEG*00*SS*C9RFR511020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*LB
 SI*TI*AA*N
 SI*TI*LS*805569
 SI*TI*TY*1DF2
 SI*TI*NC*XH-R
 SI*TI*NI*04DM5.E
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO51
 N4**CA*93105
 NX2*01*3630
 NX2*02*STATE
 NX2*62*ST
 NX2*14*218
 NX2*07*SANTA BARBARA
 REF*IX*001*LOCNUM
 PO1*11*****A6*RFR
 SI*TI*SA*N
 SI*TI*TE*56K
 SI*TI*FP*1
 REF*IX*001*LOCNUM
 QTY*TO*16*N2
 SLN*1*1*A
 SI*TI*FA*N*SF*R0880
 SI*TI*SA*N
 SI*TI*DE*16
 SI*TI*DL*48K
 SI*TI*SV*B
 SI*TI*ES*36.SWXX.000019. .GTEW.

N9*IX*00001*LNUM
CTT*1
SE*40*0001
GE*1*329334515
IEA*1*329334515

Scenario Number: 51
LSOG Version: LSOG9
State: CA
Scenario Description: CLEC business customer orders a new Resale Frame Relay.
System: EDI
Family: Resale Frame Relay
Product: Frame Relay
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0957* *00405*300001593*0*P*~
 GS*PR*020744533*ZZ1*20131020*0957*300001594*X*004050
 ST*855*0001
 BAK*06*AE*C9RFR511020S*20131020*00
 REF*11*805RF12345*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I1234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0856
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*51.BRFR.123456. .GTCA.
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 SI*TI*DE*16
 REF*ZZ*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*2
 SE*23*0001
 GE*1*300001594
 IEA*1*300001593

Scenario Number: 52
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business customer orders new Line Split PARTS.
System: EDI
Family: UNE
Product: Line Split
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ2
2	PON	C9PLS52
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	C
31	ACT	N
41	CC	Z002
51	AGAUTH	Y
53	ACTL	CRWDFLXA96H
58	LSO	813264
59	TOS	1PM1
62	NC	URBS
64	NCI	02DUM.LS5
69	LSP AUTH	ZZ1
70	LSP AUTH DATE	CCYYMMDD (Date must be less
71	LSP AUTH NAME	CTE

Bill

83	ACNA	ZZ1
----	------	-----

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO52
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	STE
19	LV1	215
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618

LOOP SERVICE

Administrative

1	PON	C9PLS52
2	VER	00
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001

9	LNA	N
10	SLTN	8132640792
17	ECCKT	09.ARXX.000019.###.GTES.
23	RECKT	69.ARXX.000019.###.GTES.
24	VPID1	AB
25	VPI1	0255
26	VCI1	65535
26a	VPID2	BB
26b	VPI2	0255
26c	VCI2	65535
27	UDSPEED	768K, 7.1M
34	SHELF	AB
35	SLOT	99

Scenario Number: 52
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business customer orders new Line Split PARTS.
System: EDI
Family: UNE
Product: Line Split
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334516*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334516*X*004050
 ST*850*0001
 BEG*00*SS*C9PLS521020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 DTM*201*20131020
 SI*TI*RE*AB
 SI*TI*IS*C
 SI*TI*AA*N
 SI*TI*LS*813264
 SI*TI*TY*1PM1
 SI*TI*NC*URBS
 SI*TI*NI*02DUM.LS5
 PID*X**TI*AO*Y
 N1*78*ZZ2
 NX2*90*CRWDFLXA96H
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z002
 N1*SE*CTE*41*ZZ1
 N1*BT**92*ZZ1
 N1*IT*CTE SCENARIO52
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*14*215
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*NT*8132640792
 SI*TI*CN*09.ARXX.000019. .GTES.
 SI*TI*K3*AB
 SI*TI*K4*99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM

REF*ZZ*69.ARXX.000019. .GTES.*RECCKT
REF*ZZ*AB*VPID1
REF*ZZ*0255*VPI1
REF*ZZ*65535*VCI1
REF*ZZ*BB*VPID2
REF*ZZ*0255*VPI2
REF*ZZ*65535*VCI2
REF*ZZ*768K,7.1M*UDSPEED
CTT*1
SE*47*0001
GE*1*329334516
IEA*1*329334516

Scenario Number: 52
LSOG Version: LSOG9
State: FL
Scenario Description: CLEC business customer orders new Line Split PARTS
System: EDI
Family: UNE
Product: Line Split
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0952* *00405*300001591*0*P*~
 GS*PR*020744533*ZZ1*20131020*0952*300001592*X*004050
 ST*855*0001
 BAK*06*AE*C9PLS521020S*20131020*00
 REF*11*813FL12345*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I1234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0852
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z002
 N1*78*ZZ2
 PO1*1
 SI*TI*CN*09.ARXX.000019. .GTES.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*300001592
 IEA*1*300001591

Scenario Number: 53
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC business customer orders new Line Share PARTS.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Residence

LSR:**Administrative**

1	CCNA	ZZ1
2	PON	C9PLS53
4	VER	00
8	ATN	N
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	AB
30	SLI	C
31	ACT	N
41	CC	Z001
51	AGAUTH	Y
53	ACTL	GRLDTXXADS0
58	LSO	972485
59	TOS	2RF1
62	NC	UABS
64	NCI	02DUM.LS5

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER**Administrative**

4	ATN	N
---	-----	---

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO53
12	SANO	816
15	SASN	MAIN
16	SATH	ST
18	LD1	APT
19	LV1	115
25	CITY	GARLAND
26	STATE	TX
27	ZIP	75040

LOOP SERVICE**Administrative**

1	PON	C9PLS53
2	VER	00
4	ATN	N

Service Detail

7	LOCNUM	001
8	LNUM	00001
9	LNA	N
10	SLTN	9724854749
23	RECKT	12.ARXX.000019.###.GTSW.
24	VPID1	AB
25	VPI1	0255

26	VCI1	65535
26a	VPID2	BB
26b	VPI2	0255
26c	VCI2	65535
27	UDSPEED	768K, 7.1M
34	SHELF	AB
35	SLOT	99

Scenario Number: 53
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC business customer orders new Line Share PARTS.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334517*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334517*X*004050
 ST*850*0001
 BEG*00*SS*C9PLS531020S*00*20131020
 REF*11*N*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*AB
 SI*TI*IS*C
 SI*TI*AA*N
 SI*TI*LS*972485
 SI*TI*TY*2RF1
 SI*TI*NC*UABS
 SI*TI*NI*02DUM.LS5
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*GRLDTXXADS0
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*IT*CTE, SCENARIO53
 N4**TX*75040
 NX2*01*816
 NX2*02*MAIN
 NX2*62*ST
 NX2*13*115
 NX2*07*GARLAND
 REF*IX*001*LOCNUM
 PO1*1*****A6*LS
 SI*TI*SA*N
 SI*TI*NT*9724854749
 SI*TI*K3*AB
 SI*TI*K4*99
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 REF*ZZ*12.ARXX.000019. .GTSW.*RECCKT
 REF*ZZ*AB*VPID1
 REF*ZZ*0255*VPI1
 REF*ZZ*65535*VC11

REF*ZZ*BB*VPID2
REF*ZZ*0255*VPI2
REF*ZZ*65535*VCI2
REF*ZZ*768K,7.1M*UDSPEED
CTT*1
SE*43*0001
GE*1*329334517
IEA*1*329334517

Scenario Number: 53
LSOG Version: LSOG9
State: TX
Scenario Description: CLEC business customer orders new Line Share PARTS.
System: EDI
Family: UNE
Product: Line Share
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0956* *00405*400001478*0*P*~
 GS*PR*020744533*ZZ1*20131020*0956*400001479*X*004050
 ST*855*0001
 BAK*06*AE*C9PLS531020S*20131020*00
 REF*11*972TX12345*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I1234567*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0855
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*2V.ARXX.000019. .GTSW.*K3*AB*K4*99
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 CTT*1
 SE*19*0001
 GE*1*400001479
 IEA*1*400001478

Scenario Number: 54
LSOG Version: LSOG9
State: TX
Scenario Description: VZ retail customer ports out a wireline number to a wireless CLEC.
System: EDI
Family: UNE
Product: LNP/Wireline to Wireless
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ5
2	PON	C9WLNP54
4	VER	00
7	AN	9722594981
17	DDD	Use Current Date
28	REQTYP	CB
31	ACT	V
41	CC	Z005
44	NNSP	Z005
51	AGAUTH	Y
74	NPDI	C

Contact

98	TEL NO	8134833525
----	--------	------------

END USER

Location and Access

8	NAME	NONE
27	ZIP	75060

NUMBER PORTABILITY

Service Detail

10	PORTED NBR	9722594981
----	------------	------------

Scenario Number: 54
LSOG Version: LSOG9
State: TX
Scenario Description: VZ retail customer ports out a wireline number to a wireless CLEC.
System: EDI
Family: UNE
Product: LNP/Wireline to Wireless
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334518*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334518*X*004050
 ST*850*0001
 BEG*00*SS*C9WLN541020S*00*20131020
 REF*11*9722594981*AN
 DTM*150*20131020
 SI*TI*RE*CB
 SI*TI*AA*V
 SI*TI*PD*C
 PID*X**TI*AO*Y
 N1*78*ZZ5
 PER*AG**TE*8134833525
 N1*BY**25*Z005
 N1*NN*NNSP*42*Z005
 N1*IT*NONE
 N4***75060
 PO1*1*****A6*NP
 SI*TI*IT*9722594981
 CTT*1
 SE*20*0001
 GE*1*329334518
 IEA*1*329334518

Scenario Number: 54
LSOG Version: LSOG9
State: TX
Scenario Description: VZ retail customer ports out a wireline number to a wireless CLEC.
System: EDI
Family: UNE
Product: LNP/Wireline to Wireless
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*200001868*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*200001869*X*004050
 ST*855*0001
 BAK*06*AE*C9WLNP541020S*20131020*00
 REF*11*9722594981*AN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*O5474463*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131021
 N1*BY**25*Z005
 N1*78*ZZ5
 N1*NP*NNSP*42*Z005
 PO1*1
 SI*TI*IT*9722594981
 REF*9F*O5474463
 CTT*1
 SE*17*0001
 GE*1*200001869
 IEA*1*200001868

Scenario Number: 55
LSOG Version: LSOG9
State: CA
Scenario Description: VZ retail business customer initiates a migration for Line Share to Loop Share with Number Portability
System: EDI
Family: UNE
Product: Loop Share
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ2
2	PON	C9LS55
4	VER	00
8	ATN	8052403179
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
22	DFDT	1600
27	CHC	Y
28	REQTYP	BB
30	SLI	S
31	ACT	V
41	CC	Z002
44	NNSP	Z002
51	AGAUTH	Y
53	ACTL	OXNRCAXF48K
54	SACTL	OXNRCAXF48K
58	LSO	805240
59	TOS	1FF1
62	NC	URS-
64	NCI	04QSM.L05
69	LSP AUTH	ZZ1
70	LSP AUTH DATE	CCYYMMDD (Date must be less or equal to DDD)
71	LSP AUTH NAME	CTE
74	NPDI	D

Bill

83	ACNA	ZZ2
----	------	-----

Contact

98	TEL NO	8134833343
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833343

END USER

Administrative

4	ATN	8052403179
---	-----	------------

Bill

43	EATN	8052403179
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO55
12	SANO	900
14	SASD	S
15	SASN	C
16	SATH	ST
18	LD1	STE
19	LV1	207
25	CITY	OXNARD
26	STATE	CA

27	ZIP	93030
31	EUMI	N
LOOP SERVICE/NUMBER PORTABILITY		
Administrative		
1	PON	C9LS55
2	VER	00
4	ATN	8052403179
Service Details		
8	LOCNUM	001
9	LNUM	00001
11	LNA	V
12	RL	Y
19	TDT	Y
22	OECKT	1I.SWXX.078320.###.GTEW. ### = 3 spaces
26a	CTI	B
29	SHELF	100
30	SLOT	1001
43	PORTED NBR	8052403179
46	NPT	D
Service Details		Line2
8	LOCNUM	001
9	LNUM	00002
11	LNA	V
12	RL	Y
19	TDT	Y
22	OECKT	1I.SWXX.078320. .GTEW.
26a	CTI	C
29	SHELF	ABC
30	SLOT	1234
46	NPT	D

Scenario Number: 55
LSOG Version: LSOG9
State: CA
Scenario Description: VZ retail. business customer initiates a migration for Line Share to Loop Share with Number Portability
System: EDI
Family: UNE
Product: Loop Share
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334519*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334519*X*004050
 ST*850*0001
 BEG*00*SS*C9LS551020S*00*20131020
 REF*11*8052403179*ATN
 REF*11*8052403179*EATN
 DTM*097*20131020*0935
 DTM*150*20131020
 DTM*992****RTM*1600
 DTM*201*20131020
 SI*TI*RE*BB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LS*805240
 SI*TI*TY*1FF1
 SI*TI*NC*URS-
 SI*TI*NI*04QSM.L05
 SI*TI*PD*D
 PID*S**TI*AH***SO-RSQ*Y
 PID*X**TI*AO*Y
 PID*S**TI*AF***SO-RSQ*N
 N1*78*ZZ2
 NX2*90*OXNRCAXF48K
 NX2*63*OXNRCAXF48K
 PER*AG**TE*8134833343***FX*8132279044
 PER*CN*CTE*TE*8134833343
 N1*BY**25*Z002
 N1*SE*CTE*41*ZZ1
 N1*BT**92*ZZ2
 N1*NN*NNSP*42*Z002
 N1*IT*CTE SCENARIO55
 N4**CA*93030
 NX2*01*900
 NX2*03*S
 NX2*02*C
 NX2*62*ST
 NX2*14*207

NX2*07*OXNARD
REF*IX*001*LOCNUM
PO1*1*****A6*LSNP
SI*TI*SA*V
SI*TI*K3*100
SI*TI*K4*1001
SI*TI*IT*8052403179
SI*TI*IP*D
PID*S**TI*BC***SO-RSQ*Y
REF*IX*001*LOCNUM
REF*IX*00001*LNUM
REF*ZZ*Y*RL
REF*ZZ*ILSWXX.078320. .GTEW.*OECCKT
REF*ZZ*B*CTI
PO1*2*****A6*LSNP
SI*TI*SA*V
SI*TI*K3*ABC
SI*TI*K4*1234
SI*TI*IP*D
PID*S**TI*BC***SO-RSQ*Y
REF*IX*001*LOCNUM
REF*IX*00002*LNUM
REF*ZZ*Y*RL
REF*ZZ*ILSWXX.078320. .GTEW.*OECCKT
REF*ZZ*C*CTI
CTT*2
SE*62*0001
GE*1*329334519
IEA*1*329334519

Scenario Number: 55
LSOG Version: LSOG9
State: CA
Scenario Description: VZ retail. business customer initiates a migration for Line Share to Loop Share with Number Portability
System: EDI
Family: UNE
Product: Loop Share
Market Segment: Business

Outbound Request:

ISA*03* *00* *01*020744533 *ZZ*ZZ1 *131020*1105*`*00405*100008470*0*P*~
 GS*PR*020744533*ZZ1*20131020*1038*304838297*X*004050
 ST*855*0001
 BAK*06*AE* C9LS551020S *20131020*00
 REF*11*805AA00409*ATN
 REF*SU*C*RT
 REF*V0*A
 REF*2I*O0202282*LSRNO
 PER*OC*NMC*TE*8006849012
 DTM*097*20131020*1038
 DTM*992****TM*1600
 DTM*150*20131020
 SI*ZZ*FP*B
 PID*S**TI*AH***SO-RSQ*Y
 N1*78*ZZ2
 N1*BY**25*Z002
 N1*NP*NNSP*42*Z002
 PO1*1
 SI*TI*CN*05.URXC.000605. .GTEW.*IT*8052403179*K3*100*K4*1001
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*I0202286*LSRNO
 PO1*3
 SI*TI*CN*05.URXC.000605. .GTEW.*K3*ABC*K4*1234
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00002*LNUM
 PO1*4
 REF*2I*O0202283*LSRNO
 CTT*4
 SE*31*0001
 GE*1*100008470
 IEA*1*100008470

Scenario Number: 56
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail customer (Verizon Voice/No Data) migrates to Line Split (UNE-P CLEC/Voice-CLEC/Data)
System: EDI
Family: UNE
Product: Line Split
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9SLSR56
4	VER	00
8	ATN	8132237161
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	V
41	CC	Z001
51	AGAUTH	Y
53	ACTL	TAMPFLXX22H
57	LST	TAMPFLXX22H
59	TOS	2PM1
62	NC	UR--
64	NCI	04QSM.L05
69	LSP AUTH	ZZ2
70	LSP AUTH DATE	CCYYMMDD (Date must be less
71	LSP AUTH NAME	CTE

Bill

83	ACNA	ZZ1
----	------	-----

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833525

END USER

Administrative

4	ATN	8132237161
---	-----	------------

Bill

43	EATN	8132237161
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO54
12	SANO	610
15	SASN	ZACK
16	SATH	ST
17	SASS	E
18	LD1	APT
19	LV1	110
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33602

PORT SERVICE

Administrative

1	PON	C9SLSR56
---	-----	----------

2	VER	00
4	ATN	8132237161
Service Detail		
8	LOCNUM	001
9	LNUM	00001
11	LNA	V
16	TNS	8132237161
22	PIC	NONE
23	LPIC	NONE
47a	SDP	A
49	SHELF	AC
50	SLOT	22
55	CFA	01/AC/22
Feature Detail 1		
71	FA	N
72	FEATURE	69552
73	FEATURE DETAIL	UPLAT-2W Analog Loop St

Scenario Number: 56
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail customer (Verizon Voice/No Data) migrates to Line Split (UNE-P CLEC/Voice-CLEC/Data)
System: EDI
Family: UNE
Product: Line Split
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334520*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334520*X*004050
 ST*850*0001
 BEG*00*SS*C9SLSR561020S*00*20131020
 REF*11*8132237161*ATN
 REF*11*8132237161*EATN
 DTM*097*20131020*0935
 DTM*150*20131020
 DTM*201*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LO*TAMPFLXX22H
 SI*TI*TY*2PM1
 SI*TI*NC*UR--
 SI*TI*NI*04QSM.L05
 PID*X**TI*AO*Y
 N1*78*ZZ1
 NX2*90*TAMPFLXX22H
 PER*AG**TE*8134833525***FX*8132279044
 PER*CN*CTE*TE*8134833525
 N1*BY**25*Z001
 N1*SE*CTE*41*ZZ2
 N1*BT**92*ZZ1
 N1*IT*CTE, SCENARIO54
 N4**FL*33602
 NX2*01*610
 NX2*03*E
 NX2*02*ZACK
 NX2*62*ST
 NX2*13*110
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*V
 SI*TI*TN*8132237161
 SI*TI*K3*AC

SI*TI*K4*22
PID*X**TI*CFA*01/AC/22
REF*IX*001*LOCNUM
REF*IX*00001*LNUM
REF*ZZ*A*SDP
N1*8V**41*NONE
N1*P9**41*NONE
SLN*1*1*A
SI*TI*SA*N*SF*69552*FD*UPLAT-2W Analog Loop St
CTT*1
SE*46*0001
GE*1*329334520
IEA*1*329334520

Scenario Number: 56
LSOG Version: LSOG9
State: FL
Scenario Description: VZ retail customer (Verizon Voice/No Data) migrates to Line Split (UNE-P CLEC/Voice-CLEC/Data)
System: EDI
Family: UNE
Product: Line Split
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0842*^*00405*200009769*0*P*~
 GS*PR*020744533*ZZ1*20131020*0842*200009770*X*004050
 ST*855*0001
 BAK*06*AE* C9SLSR561020S *20131020*00
 REF*11*8132237161*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I0263564*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0742
 DTM*150*20131025
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 SI*TI*CN*1M.URYX.000128. .GTES.*TN*8132237161*K3*AC*K4*22
 SI*ZZ*FP*B
 PID*X**TI*CFA*01/AC/22
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*O0263559*LSRNO
 PO1*3
 REF*2I*I0263566*LSRNO
 CTT*3
 SE*24*0001
 GE*1*200009770
 IEA*1*200009769

Scenario Number: 57
LSOG Version: LSOG9
State: CA
Scenario Description: VZ Lineshare account migrates voice and loop only to loop with number portability, disconnecting the data on a single LSR
System: EDI
Family: UNE
Product: Loop W/LNP
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9SLSR57
4	VER	00
8	ATN	8054835150
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	BB
30	SLI	S
31	ACT	V
41	CC	Z001
44	NNSP	Z001
51	AGAATH	Z
53	ACTL	OXNRCAXF48K
58	LSO	805483
59	TOS	11F1
62	NC	LX--
64	NCI	02QC2.OOF
74	NPDI	D

Contact

98	TEL NO	8134833343
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833343

END USER

Administrative

4	ATN	8054835150
---	-----	------------

Bill

43	EATN	8054835150
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO57
12	SANO	900
14	SASD	S
15	SASN	C
16	SATH	ST
18	LD1	STE
19	LV1	207
25	CITY	OXNARD
26	STATE	CA
27	ZIP	93030
31	EUMI	N

LOOP SERVICE/NUMBER PORTABILITY

Administrative

1	PON	C9SLSR57
2	VER	00
4	ATN	8054835150

Service Details

8	LOCNUM	001
9	LNUM	00001
11	LNA	V
19	TDT	Y
29	SHELF	100
30	SLOT	1001
43	PORTED NBR	8054835150
46	NPT	D

Scenario Number: 57
LSOG Version: LSOG9
State: CA
Scenario Description: VZ Lineshare account migrates voice and loop only to loop with number portability, disconnecting the data on a single LSR
System: EDI
Family: UNE
Product: Loop W/LNP
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131021*0928*U*00405*329434119*0*T*~
 GS*PO*ZZ1*SIGS*20131021*0928*329434119*X*004050
 ST*850*0001
 BEG*00*SS*C9SLSR571021S*00*20131021
 REF*11*8054835150*ATN
 REF*11*8054835150*EATN
 DTM*097*20131021*0928
 DTM*150*20131021
 SI*TI*RE*BB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LS*805483
 SI*TI*TY*11F1
 SI*TI*NC*LX--
 SI*TI*NI*02QC2.OOF
 SI*TI*PD*D
 PID*X**TI*AO*Z
 PID*S**TI*AF***SO-RSQ*N
 N1*78*ZZ1
 NX2*90*OXNRCAXF48K
 PER*AG**TE*8134833343***FX*8132279044
 PER*CN*CTE*TE*8134833343
 N1*BY**25*Z001
 N1*NN*NNSP*42*Z001
 N1*IT*CTE SCENARIO57
 N4**CA*93030
 NX2*01*900
 NX2*03*S
 NX2*02*C
 NX2*62*ST
 NX2*14*207
 NX2*07*OXNARD
 REF*IX*001*LOCNUM
 PO1*1*****A6*LSNP
 SI*TI*SA*V
 SI*TI*K3*100
 SI*TI*K4*1001
 SI*TI*IT*8054835150

SI*TI*IP*D
PID*S**TI*BC***SO-RSQ*Y
REF*IX*001*LOCNUM
REF*IX*00001*LNUM
CTT*1
SE*42*0001
GE*1*329434119
IEA*1*329434119

Scenario Number: 57
LSOG Version: LSOG9
State: CA
Scenario Description: VZ Lineshare account migrates voice and loop only to loop with number portability, disconnecting the data on a single LSR
System: EDI
Family: UNE
Product: Loop W/LNP
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131021*0933* *00405*100006013*0*P*~
 GS*PR*020744533*ZZ1*20131021*0933*100006014*X*004050
 ST*855*0001
 BAK*06*AE*C9SLSR571021S*20131021*00
 REF*11*805AD94530*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*O8164876*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131021*0832
 DTM*150*20131024
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 N1*NP*NNSP*42*Z001
 PO1*1
 SI*TI*CN*1L.TXNU.646471. .GTEW.*IT*8054835150*K3*100*K4*1001
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*O8164873*LSRNO
 PO1*3
 REF*2I*I8164878*LSRNO
 CTT*3
 SE*24*0001
 GE*1*100006014
 IEA*1*100006013

Scenario Number: 58
LSOG Version: LSOG9
State: CA
Scenario Description: Line Split Account Migrates to Line Split (Change in Voice Provider Only) on a Single LSR
System: EDI
Family: UNE
Product: Line Split
Market Segment: Residence

LSR:

Administrative

1	CCNA	ZZ5
2	PON	C9LSP58
4	VER	00
8	ATN	8053852463
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	V
41	CC	Z005
51	AGAUTH	Y
57	LST	OXNRCAXF48K
59	TOS	2PM1
69	LSP AUTH	ZZ2
70	LSP AUTH DATE	20061205
71	LSP AUTH NAME	CTE

Bill

83	ACNA	ZZ5
----	------	-----

Contact

98	TEL NO	8134833343
100	FAX NO	8132279044
101	IMPCON	CTE
102	TEL NO	8134833343

END USER

Administrative

4	ATN	8053852463
---	-----	------------

Bill

43	EATN	8053852463
----	------	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE, SCENARIO58
12	SANO	900
14	SASD	S
15	SASN	C
16	SATH	ST
18	LD1	APT
19	LVL	117
25	CITY	OXNARD
26	STATE	CA
27	ZIP	93030

PORT SERVICE

Administrative

1	PON	C9LSP58
2	VER	00
4	ATN	8053852463

Service Detail

8	LOCNUM	001
---	--------	-----

9	LNUM	00001
11	LNA	V
16	TNS	8053852463
22	PIC	NONE
23	LPIC	NONE
47a	SDP	B
Feature Detail 1		
71	FA	N
72	FEATURE	69389
73	FEATURE DETAIL	ULSPL-RES LINE SPLIT

Scenario Number: 58
LSOG Version: LSOG9
State: CA
Scenario Description: Line Split Account Migrates to Line Split (Change in Voice Provider Only)
 on a Single LSR
System: EDI
Family: UNE
Product: Line Split
Market Segment: Residence

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334522*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334522*X*004050
 ST*850*0001
 BEG*00*SS*C9LSP581020S*00*20131020
 REF*11*8053852463*ATN
 REF*11*8053852463*EATN
 DTM*097*20131020*0935
 DTM*150*20131020
 DTM*201*20061205
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*V
 SI*TI*LO*OXNRCAXF48K
 SI*TI*TY*2PM1
 PID*X**TI*AO*Y
 N1*78*ZZ5
 PER*AG**TE*8134833343***FX*8132279044
 PER*CN*CTE*TE*8134833343
 N1*BY**25*Z005
 N1*SE*CTE*41*ZZ2
 N1*BT**92*ZZ5
 N1*IT*CTE, SCENARIO58
 N4**CA*93030
 NX2*01*900
 NX2*03*S
 NX2*02*C
 NX2*62*ST
 NX2*13*117
 NX2*07*OXNARD
 REF*IX*001*LOCNUM
 PO1*1*****A6*PS
 SI*TI*SA*V
 SI*TI*TN*8053852463
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 REF*ZZ*B*SDP
 N1*8V**41*NONE
 N1*P9**41*NONE

SLN*1*1*A
SI*TI*SA*N*SF*69389*FD*ULSPL-RES LINE SPLIT
CTT*1
SE*41*0001
GE*1*329334522
IEA*1*329334522

Scenario Number: 58
LSOG Version: LSOG9
State: CA
Scenario Description: Line Split Account Migrates to Line Split (Change in Voice Provider Only)
 on a Single LSR
System: EDI
Family: UNE
Product: Line Split
Market Segment: Residence

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0940* *00405*400001476*0*P*~
 GS*PR*020744533*ZZ1*20131020*0940*400001477*X*004050
 ST*855*0001
 BAK*06*AE*C9LSP581020S*20131020*00
 REF*11*8053852463*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*I8154182*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0840
 DTM*150*20131023
 SI*ZZ*FP*B
 N1*BY**25*Z005
 N1*78*ZZ5
 PO1*1
 SI*TI*CN*1LURYX.646363. .GTEW.*TN*8053852463
 SI*ZZ*FP*B
 REF*IX*001*LOCNUM
 REF*IX*00001*LNUM
 PO1*2
 REF*2I*I8154181*LSRNO
 PO1*3
 REF*2I*O8154180*LSRNO
 PO1*4
 REF*2I*O8154179*LSRNO
 CTT*4
 SE*25*0001
 GE*1*400001477
 IEA*1*400001476

Scenario Number: 59
LSOG Version: LSOG9
State: FL
Scenario Description: Update service address for end user with RECORDS order.
System: EDI
Family: UNE
Product: POTS
Market Segment: Business

LSR:

Administrative

1	CCNA	ZZ1
2	PON	C9MBR59
4	VER	00
8	ATN	8139632106
15	D/TSENT	Use Current Date & Time
17	DDD	Use Current Date
28	REQTYP	MB
30	SLI	S
31	ACT	R
32	ADET	A
41	CC	Z001
51	AGAUTH	Y
57	LST	CRWDFLXA96H
59	TOS	17M1
62	NC	SNAL
64	NCI	02QC3.OOE

Contact

98	TEL NO	8134833525
100	FAX NO	8132279044

END USER

Administrative

4	ATN	8139632106
---	-----	------------

Location and Access

6	LOCNUM	001
8	NAME	CTE SCENARIO59
12	SANO	14917
15	SASN	ZAMBITO
16	SATH	RD
18	LD1	STE
19	LV1	202
25	CITY	TAMPA
26	STATE	FL
27	ZIP	33618

Scenario Number: 59
LSOG Version: LSOG9
State: FL
Scenario Description: Update service address for end user with RECORDS order.
System: EDI
Family: UNE
Product: POTS
Market Segment: Business

Inbound Request:

ISA*00*ORDER *00*Z001 *01*ZZ1 *01*020744533
 *131020*0935*U*00405*329334523*0*T*~
 GS*PO*ZZ1*SIGS*20131020*0935*329334523*X*004050
 ST*850*0001
 BEG*00*SS*C9MBR591020S*00*20131020
 REF*11*8139632106*ATN
 DTM*097*20131020*0935
 DTM*150*20131020
 SI*TI*RE*MB
 SI*TI*IS*S
 SI*TI*AA*R
 SI*TI*LO*CRWDFLXA96H
 SI*TI*TY*17M1
 SI*TI*NC*SNAL
 SI*TI*NI*02QC3.OOE
 PID*X**TI*ADET*A
 PID*X**TI*AO*Y
 N1*78*ZZ1
 PER*AG**TE*8134833525***FX*8132279044
 N1*BY**25*Z001
 N1*IT*CTE SCENARIO59
 N4**FL*33618
 NX2*01*14917
 NX2*02*ZAMBITO
 NX2*62*RD
 NX2*14*202
 NX2*07*TAMPA
 REF*IX*001*LOCNUM
 PO1*1
 CTT*1
 SE*28*0001
 GE*1*329334523
 IEA*1*329334523

Scenario Number: 59
LSOG Version: LSOG9
State: FL
Scenario Description: Update service address for end user with RECORDS order.
System: EDI
Family: UNE
Product: POTS
Market Segment: Business

Outbound Response:

ISA*03* *00* *01*020744533 *ZZ*ZZ1
 *131020*0938* *00405*100005983*0*P*~
 GS*PR*020744533*ZZ1*20131020*0938*100005984*X*004050
 ST*855*0001
 BAK*06*AE*C9MBR591020S*20131020*00
 REF*11*8139632106*ATN
 REF*V0*A
 REF*SU*C*RT
 REF*2I*C0150634*LSRNO
 PER*OC*NMC*TE*8008888100
 DTM*097*20131020*0837
 DTM*150*20131020
 SI*ZZ*FP*B
 N1*BY**25*Z001
 N1*78*ZZ1
 PO1*1
 REF*IX*001*LOCNUM
 CTT*1
 SE*16*0001
 GE*1*100005984
 IEA*1*100005983