

6929 N. Lakewood Avenue Tulsa, OK 74117

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)

April 19, 2024

Carrier: Verizon Virginia LLC, 22001 Loudoun County Parkway, Ashburn, VA 20147

Contact: For additional information on these planned network changes, please contact:

Lisa M Thompson Global Engineering and System Performance Verizon Wireline Network Operations 13100 Columbia Pike Silver Spring, MD 20904 (410) 375-9777

Quadre Washington Senior Manager – Global Engineering and System Performance Verizon Wireline Network Operations 320 Saint Paul Place Baltimore, MD 21202 (410) 736-4261

Implementation Date: On or after January 2, 2025

Planned Network Change(s) Will Occur at the Following Virginia Location(s):

Verizon Central Office	Address	CLLI
MERRIFIELD VA 5E Switch	2935 Gallows Road	FLCHVAMFDS0
	Falls Church, VA 22042	FLCHVANFD30
FAIRFAX VA CS2K Switch	10431 Fairfax Boulevard	FRFXVAFFPS0
	Fairfax, VA 22030	FRFAVAFFP30

This notice may also be viewed at:

http://www.verizon.com/about/terms-conditions/network-disclosures

PLEASE NOTE:

- All references to the Merrifield VA 5E switch are associated with CLLI code FLCHVAMFDS0 and will not be repeated throughout the notice.
- All references to the Fairfax VA CS2K switch are associated with CLLI code FRFXVAFFPS0 and will not be repeated throughout the notice.

Description of the Planned Network Change(s):

The Verizon Merrifield VA 5E switch, located at 2935 Gallows Road, Falls Church, VA 22042, will be retired and removed from the Verizon network after all traffic served by this switch is migrated to the Fairfax VA CS2K switch, located at 10431 Fairfax Boulevard, Fairfax, VA 22030. All traffic to be migrated to the Fairfax VA CS2K switch includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC IXC), wireless and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

All carriers, including competitive local exchange carriers (CLECs), Interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers, will need to provision new trunk groups to support direct end office trunking to the Fairfax VA CS2K switch or have existing trunk groups to that switch augmented.

All ASRs for the Fairfax VA CS2K must be received no later than **November 6, 2024** to provide sufficient time to migrate the traffic described above. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Merrifield VA 5E switch (**on or after January 2, 2025**). This will serve to guide interconnect re-routes of traffic for the NPA codes currently served by the Merrifield VA 5E switch to reflect the Fairfax VA CS2K switch as the new home switch. All trunks to the Fairfax VA CS2K switch must be in place prior to the decommissioning of the Merrifield VA 5E switch. All ASRs for the Fairfax VA CS2K switch must carry a project code of **FLCHVAMFDS0**.