



6929 N. Lakewood Avenue
Tulsa, OK 74117

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)

June 14, 2021

Carrier: Verizon New York Inc., 140 West Street, New York, NY 10007

Contact: For additional information on these planned network changes, please contact:

Harvey Salzberg
Global Engineering and Operations
Verizon Wireline Network Operations
140 West Street, 5th Floor
New York, NY 10007
212-519-4852

John Dunne
Manager – Global Network Engineering and Operations
Verizon Wireline Network Operations
999 West Main St., 2nd Floor
Freehold, NJ 07728
732-683-5126

Implementation Date: On or after April 1, 2022

Planned Network Change(s) will occur at the following locations in New York:

Verizon Central Office	Address	CLLI
Wappingers Falls NY 5E Switch	10 South Avenue Wappingers Falls, NY 12590	WPFLNYWFDS0
South Hamilton NY CS2k Switch	20 South Hamilton Street Poughkeepsie, NY 12601	PGHKNYSHPS0

This notice may also be viewed at <http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

- All references to the Wappingers Falls NY 5E switch are associated with CLLI code WPFLNYWFDS0 and will not be repeated throughout this notice.
- All references to the South Hamilton NY CS2k switch are associated with CLLI code PGHKNYSHPS0 and will not be repeated throughout this notice.

Description of the Planned Network Change(s):

The Verizon Wappingers Falls NY 5E switch, located at 10 South Avenue, Wappingers Falls, NY 12590, will be retired and removed from the network after all traffic served by this switch is migrated to the Verizon South Hamilton NY CS2k switch, located at 20 South Hamilton Street, Poughkeepsie, NY 12601. All traffic to be migrated includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC/IXC), wireless, and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

Competitive local exchange carriers (CLECs), interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers will need to secure new trunk groups built to the South Hamilton NY CS2k switch or have existing trunk groups to that switch augmented. Carriers that are code holders for access connectivity in the Wappingers Falls NY 5E switch will be required to reposition the codes to the South Hamilton NY CS2k switch.

All ASRs for the South Hamilton NY CS2k switch must be received no later than February 1, 2022 in order to provide sufficient time to migrate the traffic described above. These direct end office trunk (DEOT) interconnections will support traffic migration for the Wappingers Falls NY 5E switch prior to its eventual decommissioning. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Wappingers Falls NY 5E switch (**on or after April 1, 2022**). This will serve to guide interconnect re-routes of traffic for the three (3) native codes currently served by the Wappingers Falls NY 5E switch to reflect the South Hamilton NY CS2k switch as the new home switch. All ASRs for the South Hamilton NY CS2k switch must carry the project code of WPFLNYWFDS0.